TABLE 29 ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2006

TOTAL POPULATION

| AGE INTERVAL | PROPORTION DYING | OF 100,000 BORN ALIVE | | STATIONARY POPULATION | | AVERAGE REMAINING LIFETIME |
|---|---|---|---|---|---|---|
| PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS | PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL | NUMBER LIVING AT BEGINNING OF AGE INTERVAL | NUMBER DYING DURING AGE INTERVAL | IN THE AGE INTERVAL | IN THIS AND ALL SUBSEQUENT AGE INTERVALS | AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL |
| X TO X + N | $_nQ_x$ | $l_x$ | $_nD_x$ | $_nL_x$ | $T_x$ | $e_x$ |
| 00 TO 01 | .0074 | 100,000 | 736 | 99,343 | 7,696,552 | 77.0 |
| 01 TO 05 | .0011 | 99,264 | 113 | 396,786 | 7,597,209 | 76.5 |
| 05 TO 10 | .0008 | 99,151 | 84 | 495,528 | 7,200,423 | 72.6 |
| 10 TO 15 | .0010 | 99,067 | 98 | 495,114 | 6,704,895 | 67.7 |
| 15 TO 20 | .0043 | 98,969 | 427 | 493,865 | 6,209,781 | 62.7 |
| 20 TO 25 | .0059 | 98,542 | 586 | 491,272 | 5,715,916 | 58.0 |
| 25 TO 30 | .0052 | 97,956 | 510 | 488,523 | 5,224,644 | 53.3 |
| 30 TO 35 | .0073 | 97,446 | 710 | 485,537 | 4,736,121 | 48.6 |
| 35 TO 40 | .0084 | 96,736 | 811 | 481,787 | 4,250,584 | 43.9 |
| 40 TO 45 | .0128 | 95,925 | 1,225 | 476,781 | 3,768,797 | 39.3 |
| 45 TO 50 | .0188 | 94,700 | 1,781 | 469,372 | 3,292,016 | 34.8 |
| 50 TO 55 | .0282 | 92,919 | 2,623 | 458,425 | 2,822,644 | 30.4 |
| 55 TO 60 | .0399 | 90,296 | 3,606 | 442,962 | 2,364,219 | 26.2 |
| 60 TO 65 | .0568 | 86,690 | 4,925 | 421,730 | 1,921,257 | 22.2 |
| 65 TO 70 | .0892 | 81,765 | 7,291 | 391,289 | 1,499,527 | 18.3 |
| 70 TO 75 | .1301 | 74,474 | 9,692 | 348,840 | 1,108,238 | 14.9 |
| 75 TO 80 | .1982 | 64,782 | 12,842 | 292,351 | 759,398 | 11.7 |
| 80 TO 85 | .2997 | 51,940 | 15,565 | 219,998 | 467,047 | 9.0 |
| 85 AND UP | 1.0000 | 36,375 | 36,375 | 247,049 | 247,049 | 6.8 |

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2006

MALE POPULATION

| AGE INTERVAL | PROPORTION DYING | OF 100,000 BORN ALIVE | | STATIONARY POPULATION | | AVERAGE REMAINING LIFETIME |
|---|---|---|---|---|---|---|
| PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS | PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL | NUMBER LIVING AT BEGINNING OF AGE INTERVAL | NUMBER DYING DURING AGE INTERVAL | IN THE AGE INTERVAL | IN THIS AND ALL SUBSEQUENT AGE INTERVALS | AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL |
| X TO X + N | $_nQ_x$ | $l_x$ | $_nD_x$ | $_nL_x$ | $T_x$ | $e_x$ |
| 00 TO 01 | .0080 | 100,000 | 801 | 99,280 | 7,427,939 | 74.3 |
| 01 TO 05 | .0012 | 99,199 | 119 | 396,512 | 7,328,659 | 73.9 |
| 05 TO 10 | .0011 | 99,080 | 111 | 495,104 | 6,932,147 | 70.0 |
| 10 TO 15 | .0011 | 98,969 | 109 | 494,606 | 6,437,043 | 65.0 |
| 15 TO 20 | .0059 | 98,860 | 585 | 492,973 | 5,942,437 | 60.1 |
| 20 TO 25 | .0087 | 98,275 | 857 | 489,260 | 5,449,464 | 55.5 |
| 25 TO 30 | .0078 | 97,418 | 758 | 485,191 | 4,960,204 | 50.9 |
| 30 TO 35 | .0094 | 96,660 | 913 | 481,110 | 4,475,013 | 46.3 |
| 35 TO 40 | .0105 | 95,747 | 1,004 | 476,394 | 3,993,903 | 41.7 |
| 40 TO 45 | .0164 | 94,743 | 1,552 | 470,122 | 3,517,509 | 37.1 |
| 45 TO 50 | .0238 | 93,191 | 2,213 | 460,845 | 3,047,387 | 32.7 |
| 50 TO 55 | .0369 | 90,978 | 3,353 | 447,011 | 2,586,542 | 28.4 |
| 55 TO 60 | .0497 | 87,625 | 4,358 | 427,795 | 2,139,531 | 24.4 |
| 60 TO 65 | .0678 | 83,267 | 5,649 | 402,799 | 1,711,736 | 20.6 |
| 65 TO 70 | .1090 | 77,618 | 8,459 | 367,468 | 1,308,937 | 16.9 |
| 70 TO 75 | .1543 | 69,159 | 10,671 | 319,413 | 941,469 | 13.6 |
| 75 TO 80 | .2349 | 58,488 | 13,740 | 258,006 | 622,056 | 10.6 |
| 80 TO 85 | .3463 | 44,748 | 15,497 | 183,499 | 364,050 | 8.1 |
| 85 AND UP | 1.0000 | 29,251 | 29,251 | 180,551 | 180,551 | 6.2 |

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2006

FEMALE POPULATION

| AGE INTERVAL | PROPORTION DYING | OF 100,000 BORN ALIVE | | STATIONARY POPULATION | | AVERAGE REMAINING LIFETIME |
|---|---|---|---|---|---|---|
| PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS | PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL | NUMBER LIVING AT BEGINNING OF AGE INTERVAL | NUMBER DYING DURING AGE INTERVAL | IN THE AGE INTERVAL | IN THIS AND ALL SUBSEQUENT AGE INTERVALS | AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL |
| X TO X + N | $_nQ_x$ | $l_x$ | $_nD_x$ | $_nL_x$ | $T_x$ | $e_x$ |
| 00 TO 01 | .0067 | 100,000 | 669 | 99,408 | 7,956,066 | 79.6 |
| 01 TO 05 | .0011 | 99,331 | 107 | 397,065 | 7,856,658 | 79.1 |
| 05 TO 10 | .0006 | 99,224 | 56 | 495,966 | 7,459,593 | 75.2 |
| 10 TO 15 | .0009 | 99,168 | 87 | 495,634 | 6,963,627 | 70.2 |
| 15 TO 20 | .0025 | 99,081 | 248 | 494,824 | 6,467,993 | 65.3 |
| 20 TO 25 | .0030 | 98,833 | 299 | 493,443 | 5,973,169 | 60.4 |
| 25 TO 30 | .0026 | 98,534 | 259 | 492,051 | 5,479,726 | 55.6 |
| 30 TO 35 | .0051 | 98,275 | 505 | 490,183 | 4,987,675 | 50.8 |
| 35 TO 40 | .0063 | 97,770 | 614 | 487,415 | 4,497,492 | 46.0 |
| 40 TO 45 | .0092 | 97,156 | 896 | 483,688 | 4,010,077 | 41.3 |
| 45 TO 50 | .0140 | 96,260 | 1,348 | 478,150 | 3,526,389 | 36.6 |
| 50 TO 55 | .0199 | 94,912 | 1,892 | 470,092 | 3,048,239 | 32.1 |
| 55 TO 60 | .0307 | 93,020 | 2,856 | 458,393 | 2,578,147 | 27.7 |
| 60 TO 65 | .0467 | 90,164 | 4,213 | 440,897 | 2,119,754 | 23.5 |
| 65 TO 70 | .0715 | 85,951 | 6,148 | 415,233 | 1,678,857 | 19.5 |
| 70 TO 75 | .1099 | 79,803 | 8,770 | 378,192 | 1,263,624 | 15.8 |
| 75 TO 80 | .1706 | 71,033 | 12,115 | 326,022 | 885,432 | 12.5 |
| 80 TO 85 | .2693 | 58,918 | 15,864 | 254,776 | 559,410 | 9.5 |
| 85 AND UP | 1.0000 | 43,054 | 43,054 | 304,634 | 304,634 | 7.1 |