

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)										
101	<p>Underweight</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when: <ul style="list-style-type: none"> - Pre-pregnancy BMI < 18.5 <ul style="list-style-type: none"> o Prenatal women's pre-pregnancy BMI would be based on most recent height and pre-pregnancy weight. 	S										
111	<p>Overweight</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when: <ul style="list-style-type: none"> - Pre-pregnancy BMI ≥ 25 <ul style="list-style-type: none"> o Prenatal women's pre-pregnancy BMI would be based on data most recent height and pre-pregnancy weight. 	S										
131	<p>Low Maternal Weight Gain – prenatal with one fetus</p> <ul style="list-style-type: none"> <input type="checkbox"/> Pre-pregnancy height/weight entered on Health Information tab will determine what Prenatal Weight Gain chart the system will display. Current weight is based on data entered on the Height/Weight/Blood tab. Risk Factor assigned based on a system calculation and not actual plotting. <input type="checkbox"/> Risk factor is automatically assigned by system when: <ul style="list-style-type: none"> - Prenatal weight plots at any point in her pregnancy below the bottom line of her appropriate weight gain channel for her respective pre-pregnancy weight category on the Prenatal Weight Gain chart. <div style="text-align: center; margin: 10px 0;"> <table border="1" style="border-collapse: collapse; width: 30%;"> <thead> <tr style="background-color: #cccccc;"> <th style="padding: 5px;">Pre-Pregnancy Weight Categories</th> <th style="padding: 5px;">BMI</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">Underweight</td> <td style="padding: 5px;">< 18.5</td> </tr> <tr> <td style="padding: 5px;">Normal Weight</td> <td style="padding: 5px;">18.5 to 24.9</td> </tr> <tr> <td style="padding: 5px;">Overweight</td> <td style="padding: 5px;">25 to 29.9</td> </tr> <tr> <td style="padding: 5px;">Obese</td> <td style="padding: 5px;">≥ 30</td> </tr> </tbody> </table> </div> <ul style="list-style-type: none"> - During the 2nd & 3rd trimesters two measurements taken at least 7 days apart show a low average weight gain falling below the recommended weight gain range for her pre-pregnancy BMI category on the Weight Gain Per Week chart. 	Pre-Pregnancy Weight Categories	BMI	Underweight	< 18.5	Normal Weight	18.5 to 24.9	Overweight	25 to 29.9	Obese	≥ 30	S
Pre-Pregnancy Weight Categories	BMI											
Underweight	< 18.5											
Normal Weight	18.5 to 24.9											
Overweight	25 to 29.9											
Obese	≥ 30											

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)										
131 (cont.)	<table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th style="width: 40%;">Pre-Pregnancy Weight Categories</th> <th style="width: 20%;">Weight Gain Per Week</th> </tr> </thead> <tbody> <tr> <td>Underweight</td> <td style="text-align: center;">< 1 pound</td> </tr> <tr> <td>Normal Weight</td> <td style="text-align: center;">< .8 pound</td> </tr> <tr> <td>Overweight</td> <td style="text-align: center;">< .5 pound</td> </tr> <tr> <td>Obese</td> <td style="text-align: center;">< .4 pound</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <input type="checkbox"/> MOWINS will flag participant's record as high-risk. <ul style="list-style-type: none"> <input type="radio"/> Complete a SOAP Note in MOWINS. Refer to ER #2.02900. 	Pre-Pregnancy Weight Categories	Weight Gain Per Week	Underweight	< 1 pound	Normal Weight	< .8 pound	Overweight	< .5 pound	Obese	< .4 pound	
Pre-Pregnancy Weight Categories	Weight Gain Per Week											
Underweight	< 1 pound											
Normal Weight	< .8 pound											
Overweight	< .5 pound											
Obese	< .4 pound											
132	<p>Maternal Weight Loss During Pregnancy</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when: <ul style="list-style-type: none"> - Any weight loss below pre-gravid weight during the 1st trimester (0 – 13 weeks gestation), system compares pre-pregnancy weight to current weight to determine assignment. - Weight loss of > 2 lb in the 2nd or 3rd trimester (14 – 40 weeks gestation) <input type="checkbox"/> Pre-pregnancy height/weight entered on Health Information tab will determine what weight gain channel for the system to display. Current weight is based on data entered on the Height/Weight/Blood tab. <input type="checkbox"/> Automatically assigned by system based on a system calculation and not actual plotting. <input type="checkbox"/> MOWINS will flag participant's record as high-risk. <ul style="list-style-type: none"> <input type="radio"/> Complete a SOAP Note in MOWINS. Refer to ER #2.02900. 	S										

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)																				
133	<p>High Maternal Weight Gain (singleton pregnancies)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when: <ul style="list-style-type: none"> - Prenatal weight plots at any point above the top line of her appropriate weight gain channel for her respective pre-pregnancy weight category on the Prenatal Weight Gain chart. <table border="1" style="margin: 10px auto; border-collapse: collapse; text-align: center;"> <thead> <tr style="background-color: #cccccc;"> <th>Pre-Pregnancy Weight Categories</th> <th>BMI</th> </tr> </thead> <tbody> <tr> <td>Underweight</td> <td>< 18.5</td> </tr> <tr> <td>Normal Weight</td> <td>18.5 to 24.9</td> </tr> <tr> <td>Overweight</td> <td>25 to 29.9</td> </tr> <tr> <td>Obese</td> <td>≥ 30</td> </tr> </tbody> </table> <ul style="list-style-type: none"> - A high rate of weight gain based on her pre-pregnancy BMI for her respective pre-pregnancy weight category, such that in the 2nd and 3rd trimester: <table border="1" style="margin: 10px auto; border-collapse: collapse; text-align: center;"> <thead> <tr style="background-color: #cccccc;"> <th>Pre-Pregnancy Weight Categories</th> <th>Weight Gain Per Week</th> </tr> </thead> <tbody> <tr> <td>Underweight</td> <td>> 1.3 pounds</td> </tr> <tr> <td>Normal Weight</td> <td>> 1 pound</td> </tr> <tr> <td>Overweight</td> <td>> .7 pound</td> </tr> <tr> <td>Obese</td> <td>> .6 pound</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <input type="checkbox"/> Assigned based on a system calculation and not actual plotting. Pre-pregnancy height/weight is taken from the Health Information tab and current weight is based on data entered on the Height/Weight/Blood tab. 	Pre-Pregnancy Weight Categories	BMI	Underweight	< 18.5	Normal Weight	18.5 to 24.9	Overweight	25 to 29.9	Obese	≥ 30	Pre-Pregnancy Weight Categories	Weight Gain Per Week	Underweight	> 1.3 pounds	Normal Weight	> 1 pound	Overweight	> .7 pound	Obese	> .6 pound	S
Pre-Pregnancy Weight Categories	BMI																					
Underweight	< 18.5																					
Normal Weight	18.5 to 24.9																					
Overweight	25 to 29.9																					
Obese	≥ 30																					
Pre-Pregnancy Weight Categories	Weight Gain Per Week																					
Underweight	> 1.3 pounds																					
Normal Weight	> 1 pound																					
Overweight	> .7 pound																					
Obese	> .6 pound																					
201	<p>Low Hemoglobin/Low Hematocrit</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system based on data entered on the Health Information and Height/Weight/Blood tab as well as altitude set behind the scenes in MOWINS. 	S																				

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
201 (cont.)	<ul style="list-style-type: none"> - Non-Smoking 0 to 13 Weeks of Gestation: < 11.0/33 hgb/hct, 14 to 26 Weeks of Gestation: < 10.5/32 hgb/hct 27 to 40 Weeks of Gestation: < 11.0/33 hgb/hct - Smoking Less than 1 (< 1) Pack per Day 0 to 13 Weeks of Gestation: < 11.3/34 hgb/hct 14 to 26 Weeks of Gestation: < 10.8/33 hgb/hct 27 to 40 Weeks of Gestation: < 11.3/34 hgb/hct - Smoking 1 to 2 (≥ 1 and ≤ 2) Packs per Day 0 to 13 Weeks of Gestation: < 11.5/34.5 hgb/hct 14 to 26 Weeks of Gestation: < 11.0/33.5 hgb/hct 27 to 40 Weeks of Gestation: < 11.5/34.5 hgb/hct - Smoking More than 2 (> 2) Packs per Day 0 to 13 Weeks of Gestation: < 11.7/35 hgb/hct 14 to 26 Weeks of Gestation: < 11.2/34 hgb/hct 27 to 40 Weeks of Gestation: < 11.7/35 hgb/hct <ul style="list-style-type: none"> <input type="checkbox"/> MOWINS will flag as high-risk all prenatals with hemoglobin readings less than 10.0gm/100 ml or a hematocrit less than 31%. <ul style="list-style-type: none"> o Complete a SOAP Note in MOWINS. Refer to ER #2.02900. 	
211	<p>Elevated Blood Lead Levels</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when blood levels ≥ 5 mcg/dl within the past 12 months. <input type="checkbox"/> Based on data entered on the Height/Weight/Blood tab. <input type="checkbox"/> MOWINS will flag participant's record as high-risk. <ul style="list-style-type: none"> o Complete a SOAP Note in MOWINS. Refer to ER #2.02900 	S
301	<p>Hyperemesis Gravidarum</p> <ul style="list-style-type: none"> <input type="checkbox"/> Manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <input type="checkbox"/> Defined as severe nausea and vomiting to the extent that the pregnant woman becomes dehydrated and acidotic. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
302	<p>Gestational Diabetes (current pregnancy only)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the "Gestational Diabetes" box is checked on the (Pregnancy Info) woman's health history tab in the CGS. <input type="checkbox"/> Diagnosed by a physician, as self-reported by applicant/participant/caregiver, or as documented by a physician, or someone working under a physician's order. Defined as any degree of glucose/carbohydrate intolerance with onset or first recognition during pregnancy.* <ul style="list-style-type: none"> - Gestational Diabetes Mellitus is defined as any degree of glucose/carbohydrate intolerance with onset or first recognition during pregnancy. Regardless of whether insulin or only diet modification is used for treatment, or whether the condition persists after pregnancy. <input type="checkbox"/> MOWINS will flag participant's record as high-risk. <ul style="list-style-type: none"> o Complete a SOAP Note in MOWINS. Refer to ER #2.02900. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	B
303	<p>History of Gestational Diabetes (any history of)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the presence of the condition is diagnosed by a physician, as self-reported by the applicant/participant/caregiver, or as reported or documented by a physician, or someone working under a physician's orders and the "Gestational Diabetes" checkbox on the Health Information tab under Any Pregnancy History section is selected in the CGS.* <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	B
304	<p>History of Preeclampsia (any history of)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the presence of the condition is diagnosed by a physician, as self-reported by the applicant/participant/caregiver, or as reported or documented by a physician, or someone working under a physician's orders and the "History of Preeclampsia" checkbox on the Health Information tab under Any Pregnancy History section is selected in the CGS.* <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	B

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
311	<p>History of Preterm Delivery (any history of)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when any history of preterm delivery (≤37 weeks gestation) is reported and the "Premature Birth" check box on the Health Information tab under Any Pregnancy History section is selected. 	S
312	<p>History of Low Birth Weight (any history of)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when any history of LBW (≤ 5# 8 oz. / 2500 g) is reported and the "Low Birth Weight" check box on the Health Information tab under Any Pregnancy History section is selected. 	S
321	<p>History of Spontaneous Abortion, Fetal Death or Neonatal Loss (any history of)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the presence of the condition is diagnosed by a physician, as self-reported (any history of) by the applicant/participant/caregiver, or as reported or documented by a physician, or someone working under a physician's orders and the "Fetal or Neonatal Loss or 2 Spontaneous Abortions" checkbox on the Health Information tab under Any Pregnancy History section is selected in the CGS.* <ul style="list-style-type: none"> - A spontaneous abortion is the spontaneous termination of a gestation at < 20 weeks gestation - Fetal death is the spontaneous termination of a gestation at ≥ 20 weeks - Neonatal death is the death of an infant within 0-28 days of life. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	S
331	<p>Pregnancy at a Young Age</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the woman was ≤ 17 years old at the time of conception for the current pregnancy. <input type="checkbox"/> MOWINS will flag participant's record as high-risk if she was ≤ 15 years old at the time of conception. <ul style="list-style-type: none"> o Complete a SOAP Note in MOWINS. Refer to ER #2.02900. 	S
332	<p>Short Interpregnancy Interval (current pregnancy only)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when conception was before 18 months postpartum. <input type="checkbox"/> Risk factor is manually assigned if the participant does not have a pregnancy record linked to the postpartum certification. <input type="checkbox"/> Risk factor is specific to live births and does not include women who had miscarriages or stillbirths. 	B

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)												
333	<p>High Parity and Young Age (current pregnancy only)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system for women under age 20 at the time of conception who have had 3 or more previous pregnancies of at least 20 weeks duration, regardless of birth outcome. 	S												
334	<p>Lack of/or Inadequate Prenatal Care</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the Weeks' gestation is > 13 and: <ul style="list-style-type: none"> - the "Has Not Received Prenatal Care" check box is selected, or - The "Has Not Received Prenatal Care" check box is not selected and the Date Prenatal Care Began is >13 weeks from the LMP Start Date. <input type="checkbox"/> Risk factor is manually assigned when any of the following criteria are met: <p>First prenatal visit in the third trimester (7-9 months) or:</p> <table style="margin-left: 20px; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Weeks of gestation</th> <th style="text-align: left; border-bottom: 1px solid black;">Number of prenatal visits</th> </tr> </thead> <tbody> <tr> <td>14-21</td> <td>0 or unknown</td> </tr> <tr> <td>22-29</td> <td>1 or less</td> </tr> <tr> <td>30-31</td> <td>2 or less</td> </tr> <tr> <td>32-33</td> <td>3 or less</td> </tr> <tr> <td>34 or more</td> <td>4 or less</td> </tr> </tbody> </table> 	Weeks of gestation	Number of prenatal visits	14-21	0 or unknown	22-29	1 or less	30-31	2 or less	32-33	3 or less	34 or more	4 or less	B
Weeks of gestation	Number of prenatal visits													
14-21	0 or unknown													
22-29	1 or less													
30-31	2 or less													
32-33	3 or less													
34 or more	4 or less													
335	<p>Multifetal Gestation</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the woman reports having > 1 fetus with current pregnancy and the "Expecting Multiple births" checkbox on the Health Information tab under Current Pregnancy Information is selected in the CGS. 	B												
338	<p>Pregnant Woman Currently Breastfeeding</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned if the breastfeeding woman is now pregnant. 	C												
339	<p>History of Birth with Nutrition Related Congenital or Birth Defect</p> <ul style="list-style-type: none"> o Manually assigned to any woman with a history of birth with nutrition-related congenital or birth defect when the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Congenital or birth defects linked to inappropriate nutritional intake include, but are not limited to: inadequate zinc, folic acid, excess vitamin A. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in</p>	C												

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.	
341	<p>Nutrient Deficiency Diseases</p> <ul style="list-style-type: none"> ○ Manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority of nutritional deficiencies or a disease caused by insufficient dietary intake of macro and micro nutrients. <ul style="list-style-type: none"> - Diagnosis of nutritional deficiencies or a disease caused by insufficient dietary intake of macro and micro nutrients. Diseases include, but are not limited to: Protein Energy Malnutrition, Scurvy, Rickets, Beri Beri, Hypocalcemia, Osteomalacia, Vitamin K Deficiency, Pellagra, Cheilosis, Menkes Disease, Xerophthalmia. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
341 (cont.)	<p>general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	
342	<p>Gastro-Intestinal Disorders</p> <ul style="list-style-type: none"> ○ Manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority of nutritional deficiencies or a disease caused by insufficient dietary intake of macro and micro nutrients. <ul style="list-style-type: none"> - Diseases and/or conditions that interfere with the intake, digestion, and/or absorption of nutrients. The Diseases and/or conditions include, but are not limited to: gastroesophageal reflux disease (GERD), peptic ulcer, post bariatric surgery, short bowel syndrome, inflammatory bowel disease, including ulcerative colitis or Crohn's disease, liver disease, pancreatitis, and biliary tract diseases. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
343	<p>Diabetes Mellitus</p> <ul style="list-style-type: none"> ☐ Risk factor is automatically assigned by system when the presence of the condition is diagnosed by a physician, as self-reported by the applicant/participant/caregiver, or as reported or documented by a physician, or someone working under a physician's orders and the "Diabetes Mellitus" box is selected on the Health Information tab under Current Pregnancy Information is selected in the CGS.* <ul style="list-style-type: none"> - Metabolic diseases characterized by inappropriate hyperglycemia resulting from defects in insulin secretion, insulin action or both. ☐ This risk factor is automatically assigned by system on subsequent certifications once the woman has one certification where this risk factor was assigned. 	B

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	<p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	
344	<p>Thyroid Disorders</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - The medical conditions include, but are not limited to, the following: Hyperthyroidism, Hypothyroidism, Congenital Hyperthyroidism, Congenital Hypothyroidism, and Postpartum Thyroiditis. - Document any acceptable documentation or verification of diagnosis in the participant's file in MOWINS or document in General Notes. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
345	<p>Hypertension/Pre-hypertension</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the presence of the condition is diagnosed by a physician, as self-reported by applicant/participant/caregiver, or as reported or documented by a physician, or someone working under a physician's orders and the "Hypertension or Prehypertension" box is selected on the Health Information tab under Current Pregnancy Information is selected in the CGS.* <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	B
346	<p>Renal Disease</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Any renal disease including pyelonephritis and persistent proteinuria, but excluding urinary tract infections (UTI) involving the bladder. 	C

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	<p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	
347	<p>Cancer</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - A chronic disease whereby populations of cells have acquired the ability to multiply and spread without the usual biologic restraints. Current condition, or the treatment for this condition, must be severe enough to affect nutritional intake. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
348	<p>Central Nervous System Disorders</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Conditions which affect energy requirements and may affect the individual's ability to feed self, which alters the nutritional status metabolically, mechanically, or both. Includes, but is not limited to: epilepsy, cerebral palsy (CP), multiple sclerosis (MS), Parkinson's disease and neural tube defects (NTD), such as spina bifida or myelomeningocele. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
349	<p>Genetic and Congenital Disorders</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Hereditary or congenital condition at birth that causes physical or metabolic abnormality. May include, but is not limited to, cleft lip or palate, Down's syndrome, thalassemia major, sickle cell anemia (not sickle cell trait) and muscular dystrophy. 	C

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	<p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	
351	<p>Inborn Errors of Metabolism</p> <ul style="list-style-type: none"> ☐ Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Inherited metabolic disorders caused by a defect in the enzymes or their co-factors that metabolize protein, carbohydrate, or fat. Inborn errors of metabolism (IEM) generally refers to gene mutations or gene deletions that alter metabolism in the body, including, but not limited to: Amino Acid Disorders, Organic Acid Metabolism Disorders, Fatty Acid Oxidation Disorders, Lysosomal Storage Diseases, Urea Cycle Disorders, Carbohydrate Disorders, Peroxisomal Disorders, Mitochondrial Disorders. - Document any acceptable documentation or verification of diagnosis in the participant's file in MOWINS. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
352	<p>Infectious Diseases</p> <ul style="list-style-type: none"> ☐ Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Disease caused by growth of pathogenic microorganisms in the body within the past six months severe enough to affect nutritional status. Includes, but is not limited to: Tuberculosis, HIV, AIDS, pneumonia, meningitis, parasitic infections, hepatitis and bronchiolitis (3 episodes in last 6 months). <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
353	<p>Food Allergies</p> <ul style="list-style-type: none"> ☐ Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. 	C

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	<ul style="list-style-type: none"> - Adverse immune response to a food or a hypersensitivity that causes adverse immunologic reaction. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	
354	<p>Celiac Disease</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Also known as Celiac Sprue, Gluten-sensitive Enteropathy or Non-tropical Sprue, Celiac Disease (CD) is an autoimmune disease precipitated by the ingestion of gluten (a protein found in wheat, rye, & barley) that results in damage to the small intestine & malabsorption of the nutrients from food). <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
355	<p>Lactose Intolerance</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed by a physician, as self-reported by applicant/participant/caregiver, or as reported or documented by a physician, or someone working under a physician's orders; or symptoms must be well documented by the competent professional authority.* <ul style="list-style-type: none"> - Lactose intolerance is the syndrome of one or more of the following: diarrhea, abdominal pain, flatulence, and/or bloating, that occurs after lactose ingestion. - Documentation should indicate that the ingestion of dairy products causes the symptoms and the avoidance of such dairy products eliminates them. Lactose intolerance occurs when there is an insufficient production of the enzyme lactase. Lactase is needed to digest lactose. Lactose in dairy products that is not digested or absorbed is fermented in the small intestine producing any or all of the following GI disturbances: nausea, diarrhea, abdominal bloating, cramps. Lactose intolerance varies among and within individuals and ranges from mild to severe. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
356 356 (cont.)	<p>Hypoglycemia</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Hypoglycemia can occur as a complication of diabetes, as a condition in itself, in association with other disorders, or under certain conditions such as early pregnancy, prolonged fasting, or long periods of strenuous exercise. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
357	<p>Drug Nutrient Interactions</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Use of prescription or over-the-counter drugs or medications that have been shown to interfere with nutrient intake or utilization, to an extent that nutritional status is compromised. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
358	<p>Eating Disorders (anorexia nervosa and bulimia),</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Characterized by a disturbed sense of body image and morbid fear of becoming fat. Symptoms are manifested by abnormal eating patterns including, but not limited to: self-induced vomiting, purgative abuse, alternating periods of starvation, use of drugs such as appetite suppressants, thyroid preparations or diuretics, and self-induced marked weight loss. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
359 359 (cont.)	<p>Recent Major Surgery, Trauma, Burns</p> <ul style="list-style-type: none"> ☐ Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Major surgery (c-section), trauma, or burns severe enough to compromise nutritional status. Any occurrence: within the past 2 (≤ 2) months may be self-reported, more than 2 (> 2) months previous must have the continued need for nutritional support diagnosed by a physician or a health care provider working under the orders of a physicians. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
360	<p>Other Medical Conditions</p> <ul style="list-style-type: none"> ☐ Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. <ul style="list-style-type: none"> - Diseases or conditions with nutritional implications that are not included in any of the other medical conditions. The current condition, or treatment for the condition, must be severe enough to affect nutritional status. Includes, but is not limited to: juvenile rheumatoid arthritis, lupus erythematosus, cardiorespiratory diseases, heart disease, cystic fibrosis, persistent asthma (moderate or severe) requiring daily medication. <p>NOTE: This criterion will usually not be applicable to infants for the medical condition of asthma. In infants, asthma-like symptoms are usually diagnosed as bronchiolitis with wheezing which is covered under Criterion #352, Infectious Diseases.</p> <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
361	<p>Depression</p> <p>Risk Factor is manually assigned when the presence of the condition or disorder is diagnosed, documented, or reported by a physician, clinical psychologist, or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*;</p> <ul style="list-style-type: none"> - Presence of clinical depression. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any</p>	C

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	follow-up plans with the health care provider.	
362 362 (cont.)	<p>Developmental, Sensory or Motor Disabilities</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when the presence of the condition is diagnosed, documented, or reported by a physician or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver*; or symptoms must be well documented by the competent professional authority. - Developmental, sensory or motor disabilities that restrict the ability to chew or swallow food or require tube feeding to meet nutritional needs. Includes, but is not limited to, minimal brain function, feeding problems due to a developmental disability such as pervasive development disorder (PDD) which includes autism, birth injury, head trauma, brain damage and other disabilities. <p>* Self-reporting of a diagnosis by a medical professional should not be confused with self-diagnosis, where a person simply claims to have or to have had a medical condition without any reference to professional diagnosis. A self-reported medical diagnosis should prompt the CPA to validate the presence of the condition by asking more pointed questions related to that diagnosis. The certifying staff shall document in general/SOAP notes the doctor's name and contact information, whether the condition is being controlled by diet or medication, and any follow-up plans with the health care provider.</p>	C
371	<p>Maternal Smoking</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the woman reports any daily smoking of tobacco products, i.e., cigarettes, pipes, or cigars and it is entered under Cigarettes Usage on the Health Information tab under Current Pregnancy Information in the CGS. 	S
372	<p>Alcohol and Illegal Drug Use</p> <ul style="list-style-type: none"> <input type="checkbox"/> Alcohol <ul style="list-style-type: none"> - Risk factor is automatically assigned by system when the prenatal woman reports any amount of consumption of alcohol and it is entered under Alcohol Intake on the Health Information tab under Current Pregnancy Information in the CGS. <input type="checkbox"/> Illegal Drug Use <ul style="list-style-type: none"> - Risk Factor is manually assigned when the woman reports any illegal drug use. - Record the reported illegal drug use in the general/SOAP note. 	B
381	<p>Oral Health Conditions</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when: <ul style="list-style-type: none"> - There is presence of oral health conditions diagnosed, documented, or reported by a physician, dentist, or someone working under a physician's orders, or as self-reported by applicant/participant/caregiver. Oral health conditions include, but are not limited to: <ul style="list-style-type: none"> o Dental caries, often referred to as "cavities" or "tooth decay", is a common chronic, infectious, transmissible disease resulting from tooth-adherent specific bacteria, that metabolize sugars to produce acid which, over time, demineralizes tooth structure o Periodontal diseases are infections that affect the tissues and bone that support the teeth. Periodontal diseases are classified 	C

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	<p>according to the severity of the disease. The two major stages are gingivitis and periodontitis. Gingivitis is a milder and reversible form of periodontal disease that only affects the gums. Gingivitis may lead to more serious, destructive forms of periodontal disease called periodontitis.</p> <ul style="list-style-type: none"> ○ Tooth loss, ineffectively replaced teeth or oral infections which impair the ability to ingest food in adequate quantity or quality. <p><input type="checkbox"/> Document how the oral assessment was performed and the results in the general/SOAP notes.</p>	
401*	<p>Failure to Meet Dietary Guidelines</p> <ul style="list-style-type: none"> <input type="checkbox"/> Manually assigned when no other risk factor can be assigned at the initial certification. <ul style="list-style-type: none"> - May be presumed to be at nutrition risk based on failure to meet Dietary Guidelines for Americans. - This risk may be assigned only to individuals for whom a complete nutrition assessment (to include assessment for risk #427 Inappropriate Nutrition Practices for Women) has been performed and for whom no other risk(s) are identified.) - Defined as women who meet the income, categorical, and residency eligibility requirements may be presumed to be at nutrition risk for <i>failure to meet Dietary Guidelines for Americans [Dietary Guidelines]</i> (1). Based on an individual's estimated energy needs, the <i>failure to meet Dietary Guidelines</i> risk criterion is defined as consuming fewer than the recommended number of servings from one or more of the basic food groups (grains, fruits, vegetables, milk products, and meat or beans) - Cannot be assigned with any other health and/or medical risk factors on the initial certification/recertification. (Stand-alone risk factor) <p>NOTE: The <i>Failure to meet Dietary Guidelines for Americans</i> risk criterion can only be used when a complete nutrition assessment has been completed and no other risk criteria have been identified. This includes assessing for risk #427, <i>Inappropriate Nutrition Practices for Women</i></p> <p>*NOTE: A WIC Certifier cannot assign risk factor. *NOTE: A WIC Certifier cannot assign risk factor.</p>	C
427	<p>Inappropriate Nutrition Practices for Women</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk Factor is manually assigned when inappropriate nutrition practices are documented. <ul style="list-style-type: none"> - Consuming dietary supplements with potentially harmful consequences, - Consuming a diet very low in calories and/or essential nutrients; or impaired caloric intake or absorption of essential nutrients following bariatric surgery, - Compulsively ingesting non-food items (pica), - Inadequate vitamin/mineral supplementation recognized as essential by national public health policy, - Ingesting foods that could be contaminated with pathogenic microorganisms. 	B
502	<p>Transfer of Certification</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the "VOC" check box is selected on the Applicant Prescreening Window or through the VOC Certification option on the Participant Activities menu. <ul style="list-style-type: none"> - Person with current valid Verification of Certification (VOC) document from another State or local agency. 	S

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
	<ul style="list-style-type: none"> - The VOC is valid until the certification period expires (See E.R. # 3.03500) and shall be accepted as proof of eligibility for program benefits and their FI cycle should remain as determined by the other state. 	
601	<p>Pregnant Woman Currently Breastfeeding an Infant at Nutritional Risk</p> <ul style="list-style-type: none"> <input type="checkbox"/> System assigned when the Currently Breastfeeding Infant checkbox on the Health Information screen is checked 	S
602	<p>Breastfeeding Complications or Potential Complications (pregnant woman currently breastfeeding an infant/child)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Manually assigned when a breastfeeding woman experiences one of these conditions: <ul style="list-style-type: none"> - Severe breast engorgement - Recurrent plugged ducts - Mastitis (fever or flu-like symptoms with localized breast tenderness) - Flat or inverted nipples - Cracked, bleeding, or severely sore nipples - Age \geq 40 years - Failure of milk to come in by 4 days postpartum, and/or - Tandem nursing (breastfeeding siblings who are not twins) <input type="checkbox"/> Document the complication in the record. 	C
801	<p>Homelessness</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the "Homeless" check box is selected on the Demographics tab. - Homelessness is when a woman lacks a fixed and regular nighttime residence; or whose primary nighttime residence is: <ul style="list-style-type: none"> o A supervised publicly or privately operated shelter (including a welfare hotel, congregate shelter, or a shelter for victims of domestic violence) designed to provide temporary living accommodations o An institution that provides temporary residence for individuals intended to be institutionalized o A temporary accommodation of not more than 365 days in the residence of another individual o A public or private place not designed for, or ordinarily used as, a regular sleeping accommodation for human beings. <input type="checkbox"/> System will default a homeless food package. 	S
802	<p>Migrancy</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when the "Migrant" check box is selected on the Demographics tab. - Women who are members of families which contain at least one individual whose principal employment is in agriculture on a seasonal basis, who has been so employed within the last 24 months, and who establishes, for the purposes of such employment, a temporary abode. 	S

RISK FACTOR DEFINITIONS TABLE - Prenatal

Risk Factors 131, 132, 201, 211, 302 & 331 (≤ 15) are high risk and require a SOAP note.

Risk Factor Number	Risk Factor Criteria	Assignment Method (S-System; C-CPA; B-Both)
904	<p>Environmental Tobacco Smoke [ETS] Exposure</p> <ul style="list-style-type: none"> <input type="checkbox"/> Risk factor is automatically assigned by system when "Yes" is selected for the 'Household Smoking' field on the AdditionalInfo1 tab found on the Demographics tab. <ul style="list-style-type: none"> - LWP staff asks if anyone living in the household smokes inside the home. <input type="checkbox"/> System automatically assigns this risk factor to all members of the household. 	S