


# Mortality of Diabetes

Missouri, 2007

<http://health.mo.gov/living/healthcondiseases/chronic/diabetes/pdf/FactSheet-Mortality.pdf>

In Missouri, 1,435 people died of diabetes as the principal diagnosis during 2007, for a mortality rate of 22.2 per 100,000 population. The mortality rate was higher for older Missourians, males, African-Americans, and patients with lower education levels. The average age-adjusted mortality for the years 1997 to 2007 was lower in the northwest and southwest corners of Missouri, higher in Iron, Reynolds, Lewis and Washington Counties. St. Francois County had the highest mortality, 46.4; Cedar County, the lowest, 8.4.

Mortality of Diabetes in Missouri, 2007 <sup>1</sup>					
Indicator	Number	Mortality <sup>a</sup>	Indicator	Number	Mortality <sup>a</sup>
Missouri State	1,435	22.2	Race		
Age (years)			White	1,200	20.4
18-24	3	0.5	African-American	223	43.8
25-34	17	2.2	Education		
35-44	39	4.8	College graduate	142	14.2
45-54	117	13.5	Some college	203	15.6
55-64	218	33.2	High school graduate	629	41.9
≥ 65	1,041	132.0	Less than high school	445	68.1
Gender			<sup>a</sup> Per 100,000 population, age-adjusted, using US 2000 Standard Population.		
Female	700	18.3			
Male	735	26.9			



Mortality of Diabetes, Missouri Counties, 1997 - 2007<sup>1</sup>

Data Sources

1. Death MICA, 1997-2007, <http://health.mo.gov/data/mica/DeathMICA>

June 2009



**Diabetes**  
Missouri Department of Health and Senior Services  
Bureau of Cancer and Chronic Disease Control