Proposed Level of Care Threshold: 18 points

<u>Behavioral</u>: Participant has had repeated behavioral challenges that affect his/her ability to function in the community.

```
E3a
               Wandering
E<sub>3</sub>b
               Verbal Abuse
E3c
               Physical Abuse
               Socially Inappropriate / Disruptive
E3d
               Inappropriate Public Sexual Behavior
E3e
E3f
               Resists Care
J3g
               Abnormal Thought Process
J3h
               Delusions
               Hallucinations
J3i
N7b
               Mental Condition
If
       (N7b=0 \text{ or } N7b=1)
       AND (E3a=0)
       AND (E3b=0)
       AND (E3c=0)
       AND (E3d=0)
       AND (E3e=0)
       AND (E3f=0)
       AND (J3g=0)
       AND (J3h=0)
       AND (J3i=0)
       Then LOC = 0
If
       (N7b=2 \text{ or } N7b=3)
       OR (E3a = 1)
       OR (E3b=1)
       OR (E3c=1)
       OR (E3d=1)
       OR (E3e=1)
       OR (E3f=1)
       OR (J3g=1)
       OR (J3h=1)
       OR (J3i=1)
       Then LOC = 3
If
       (N7b=2 \text{ or } N7b=3)
       OR (E3a=2 or E3a=3)
       OR (E3b=2 or E3b=3)
       OR (E3c=2 or E3c=3)
       OR (E3d=2 or E3d=3)
       OR (E3e=2 or E3e=3)
       OR (E3f=2 or E3f=3)
       OR (J3g=2 or J3g=3 or J3g=4)
       OR (J3h=2 or J3h=3 or J3h=4)
       OR (J3i=2 or J3i=3 or J3i=4)
```

```
If (N7b=2 or N7b=3)

AND
(E3a=3)
OR (E3b=3)
OR (E3c=3)
OR (E3d=3)
OR (E3e=3)
OR (E3f=3)
OR (J3g=3 or J3g=4)
OR (J3h=3 or J3h=4)
OR (J3i=3 or J3i=4)
Then LOC = 9
```

Then LOC = 6

<u>Cognition</u>: Cognition assesses a participant's performance in remembering, making decisions, organizing daily self-care activities, as well as understanding others and making self-understood.

If a participant scores C1=4 or C1=5 (severely impaired/comatose (never or rarely makes decisions) as outlined in the InterRAI)) the participant is presumed to require nursing facility LOC; this is defined as a TRIGGER.

```
C1
              Cognitive Skills
C2a
              Short Term Memory
C2b
              Procedural Memory
C2c
              Situational Memory
              Mental Function
C3c
              Making Self Understood
D1
D2
              Ability to Understand Others
     (C1=0 or C1=1 or C1=2 or C1=3)
If
     AND (C2a=0)
     AND (C2b=0)
     AND (C2c=0)
     AND (C3c=0)
     AND (D1=0 or D1=1)
     AND (D2=0 or D2=1)
     Then LOC = 0
If
     (C1=1 \text{ or } C1=2)
     AND
         (C2a=1)
         OR(C2b=1)
         OR (C2c=1)
         OR (C3c=1 or C3c=2)
         OR (D1=2 or D1=3 or D1=4)
         OR (D2=2 or D2=3 or D2=4)
       Then LOC = 3
```

```
If
     (C1=3)
     AND
       (C2a=1)
       OR(C2b=1)
       OR (C2c=1)
       OR (C3c=1 \text{ or } C3c=2)
       OR (D1=3)
       OR (D2=3)
     Then LOC = 6
If
    (C1=3)
     AND
       (D1=4)
       OR (D2=4)
       OR (C1=4 or C1=5) *TRIGGER
     Then LOC = 9
```

Activities of Daily Living (ADLs)

Activities of Daily Living or ADLs refers to the fundamental activities an individual does on a day-to-day basis necessary for independent living. The scoring for Mobility, Eating and Toileting reflects 0, 3, 6 or 9. The scoring for Bathing and Dressing reflects either a 0 or 3. The scoring for Missouri is based upon the foundation of the Hierarchy of ADLs, (InterRAI).

Mobility: Participant's ability to move from one place or position to another.

If a participant scores G3a=3 (primary mode of locomotion, bedbound, as outlined in the InterRAI)) the participant is presumed to require nursing facility LOC; this is defined as a TRIGGER.

```
G2f
                  Locomotion
G2i
                 Bed Mobility
G3a
                  Primary mode of locomotion
If
         (G2e=0 or G2e=1 or G2e=2)
         AND
         (G2f=0 \text{ or } G2f=1 \text{ or } G2f=2)
         AND
         (G2i=0 or G2i=1 or G2i=2)
         Then LOC = 0
If
         (G2e=3 \text{ or } G2e=4)
         OR
         (G2f=3 \text{ or } G2f=4)
         OR
         (G2i=3 \text{ or } G2i=4)
         Then LOC = 3
If
         (G2e=5)
         OR
         (G2f=5)
        OR
        (G2i=5)
```

Walking

G2e

```
Then LOC = 6

If (G2e=6)
OR
(G2f=6)
OR
(G2i=6)
OR
(G3a=3) *TRIGGER
Then LOC = 9
```

Eating: Nutritional requirements of participants, meal preparation and mode of nutrition.

If a participant scores G2j=6 (eating, total dependence, as outlined in the InterRAI) the participant is presumed to require nursing facility LOC; this is defined as a TRIGGER.

```
G2i
                Eating
K2e
                Therapeutic Diet
If
       (G2j=0 \text{ or } K2e=0)
        Then LOC = 0
If
        (G2j=1 or G2j=2 or G2j=3)
        OR
        (K2e=1)
        Then LOC = 3
If
       (G2j=4)
        Then LOC = 6
If
        (G2j=5)
        OR
        (G2j=6) *TRIGGER
        Then LOC = 9
```

<u>Toileting:</u> Participant's ability to use the toilet room (or commode, bedpan, urinal), transfers on/off toilet, cleanses, changes (incontinence), pad, manages ostomy or catheter, and adjusts clothes.

```
G2g
                  Transfer Toilet
G2h
                  Toilet Use
If
         (G2g=0 or G2g=1 or G2g=2)
         AND
         (G2h=0 \text{ or } G2h=1 \text{ or } G2h=2)
         Then LOC = 0
If
         (G2g=3 \text{ or } G2g=4)
         OR
         (G2h=3 \text{ or } G2h=4)
         Then LOC = 3
If
         (G2g=5)
```

```
OR
(G2h=5)
Then LOC = 6
If (G2g=6)
OR
(G2h=6)
Then LOC = 9
```

Bathing: Amount of assistance participant needs for a full-body bath/shower.

```
G2a - Bathing

If (G2a=0 or G2a=1 or G2a=2 or G2a=3)
Then LOC= 0

If (G2a=4 or G2a=5 or G2a=6)
Then LOC = 3
```

<u>Dressing and Grooming:</u> How dresses and undresses (street clothes, underwear) including prostheses, orthotics, fasteners, pullovers, etc.

```
G2b
                 Personal Hygiene
G2c
                 Dressing Upper Body
                 Dressing Lower Body
G2d
If
        (G2b=0 or G2b=1 or G2b=2 or G2b=3)
        AND
        (G2c=0 \text{ or } G2c=1 \text{ or } G2c=2 \text{ or } G2c=3)
        AND
        (G2d=0 or G2d=1 or G2d=2 or G2d=3)
        Then LOC = 0
If
        (G2b=4 or G2b=5 or G2b=6)
        (G2c = 4 \text{ or } G2c = 5 \text{ or } G2c = 6)
        OR
        (G2d=4 or G2d=5 or G2d=6)
        Then LOC = 3
```

Rehabilitation: The restoration of a former or normal state of health through medically-ordered therapeutic services either directly provided by or under the supervision of a qualified professional.

```
N3ea - PT

N3fa - OT

N3ga - Speech

N3ia - Cardiac Rehab

If (N3ea = 0)

AND
```

```
(N3fa = 0)
           AND
           (N3ga = 0)
           AND
           (N3ia = 0)
           Then LOC = 0
If
           (N3ea = 1)
           OR
           (N3fa = 1)
           OR
           (N3ga = 1)
           AND
           (N3ia = 1)
           Then LOC = 3
If
           (N3ea = 2 \text{ or } N3ea = 3)
           (N3fa = 2 \text{ or } N3fa = 3)
           (N3ga = 2 \text{ or } N3ga = 3)
           (N3ia = 2 \text{ or } N3ia = 3)
           Then LOC = 6
If
           (N3ea = 4 \text{ or } N3ea = 5 \text{ or } N3ea = 6 \text{ or } N3ea = 7)
           (N3fa = 4 \text{ or } N3fa = 5 \text{ or } N3fa = 6 \text{ or } N3fa = 7)
           (N3ga = 4 \text{ or } N3ga = 5 \text{ or } N3ga = 6 \text{ or } N3ga = 7)
           (N3ia = 4 \text{ or } N3ia = 5 \text{ or } N3ia = 6 \text{ or } N3ia = 7)
           Then LOC = 9
```

Treatments: One of the following medical conditions that affects the ability to care for oneself.

NOTE: This category has been revised. The following categories were removed: N2a (Chemotherapy), N2b (Dialysis), N2e (Oxygen Therapy), N2f (Radiation), N2i (Transfusion), N2o (Other Respiratory Therapies, [i.e. Nebulizer, CPAP, or Maxi Mist]), and N2p (Other nonroutine preventative treatments [i.e. Ted Hose, Whirlpool Baths, and Tens Units]).

```
H2
              Urinary Collection Device
              Bowel Continence
H3
L1
              Most Severe Pressure Ulcer
L3
              Presence of Skin Ulcer Other than Pressure Ulcer
L4
              Major Skin Problems
              Suctioning
N2g
              Ventilator or Respirator
N2i
N2k
              Wound Care
              Tracheostomy Care
N2h
              New or Unregulated Ostomy Care
N2q
```

```
If
        (L1=0) and (N2k=0)
        AND
        (L3=0) and (N2k=0)
        AND
        (L4=0) and (N2k=0)
        AND
        (N2g=0)
        AND
        (N2h=0)
        AND
        (N2j=0)
        AND
        (N2q=0)
        Then LOC = 0
If
        (L1=1 \text{ or } L1=2) \text{ and } (N2k=1 \text{ or } N2k=2)
        (L3=1) and (N2k=1 or N2k=2)
        OR
        (L4=1) and (N2k=1 or N2k=2)
        OR
        (N2k=1 \text{ or } N2k=2)
        Then LOC = 3
If
        (H2=2)
        OR
        (H3=1)
        OR
        (L1=2) and (N2k=3)
        OR
        (L3=1) and (N2k=3)
        OR
        (L4=1) and (N2k=3)
        OR
        (N2g=1 or N2g=2 or N2g=3)
        Then LOC = 6
If
        (H1=1) and (H2=3)
        (L1=3 \text{ or } L1=4) \text{ and } (N2k=4)
        OR
        (L3=1) and (N2k=4)
        OR
        (L4=1) and (N2k=4)
        (N2g=1 or N2g=2 or N2g=3) and (N2j=1 or N2j=2 or N2j=3)
        (N2h=1 or N2h=2 or N2h=3)
        OR
        (N2q=1)
        Then LOC = 9
```

<u>Instrumental Activities of Daily Living (IADL):</u> Instrumental activities of daily living are the skills and abilities needed to perform certain day-to-day tasks associated with an independent lifestyle.

Managing Medications:

```
G1d - Managing Medications

If (G1d=0 or G1d=1 or G1d=2 or G1d=3)
Then LOC=0

If (G1d=4 or G1d=5)
Then LOC = 3

If (G1d=6)
Then LOC = 6
```

Meal Prep:

D4

J1

Vision

Falls

Safety: Participant is at risk of undergoing hurt or injury due to visual impairment or falls.

```
If
        (D4=0 or D4=1 or D4=2)
        OR
        (J1=0)
        OR
        (J1=1 or J1=2 or J1=3)
         AND (J3a=0 or J3a=1)
         AND (J3b=0 or J3b=1)
         AND (J3c=0 \text{ or } J3c=1)
         AND (J3d=0 or J3d=1)
        Then LOC = 0
If
        (D4=3)
        OR
        (J3a=2 or J3a=3 or J3a=4)
        OR
```

(J3b=2 or J3b=3 or J3b=4)

```
OR
     (J3c=2 or J3c=3 or J3c=4)
     OR
     (J3d=2 or J3d=3 or J3d=4)
Then LOC = 3
If
     (D4=4)
     OR
     (J1=1 \text{ or } J1=2 \text{ or } J1=3)
     AND
        (J3a=1 or J3a=2 or J3a=3 or J3a=4)
        OR
        (J3b=1 or J3b=2 or J3b=3 or J3b=4)
        OR
        (J3c=1 or J3c=2 or J3c=3 or J3c=4)
        OR
        (J3d=1 or J3d=2 or J3d=3 or J3d=4)
     Then LOC = 6
```