



**Figure 1. HIV disease cases, by current status\* and year of diagnosis\*\*, North Central HIV Region, 1998—2007**



**Figure 2. Persons diagnosed with AIDS (living and deceased), by year of diagnosis, North Central HIV Region, 1998—2007**



**Table 1. Diagnosed HIV, AIDS, and HIV disease cases, by sex, by race/ethnicity, by race/ethnicity and sex, and age at diagnosis, North Central HIV Region, 2007**

|                        | HIV*  |        |          | AIDS** |        |          | HIV Disease*** |        |          |
|------------------------|-------|--------|----------|--------|--------|----------|----------------|--------|----------|
|                        | Cases | %      | Rate**** | Cases  | %      | Rate**** | Cases          | %      | Rate**** |
| Male                   | 17    | 89.5%  | 4.7      | 8      | 72.7%  | 2.2      | 25             | 83.3%  | 7.0      |
| Female                 | 2     | 10.5%  | 0.5      | 3      | 27.3%  | 0.8      | 5              | 16.7%  | 1.4      |
| Total                  | 19    | 100.0% | 2.6      | 11     | 100.0% | 1.5      | 30             | 100.0% | 4.1      |
| White                  | 11    | 57.9%  | 1.7      | 10     | 90.9%  | 1.5      | 21             | 70.0%  | 3.2      |
| Black                  | 8     | 42.1%  | 21.2     | 1      | 9.1%   | 2.6      | 9              | 30.0%  | 23.8     |
| Hispanic               | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| Asian                  | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| American Indian        | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| Unknown                | 0     | 0.0%   | NA       | 0      | 0.0%   | NA       | 0              | 0.0%   | NA       |
| Total                  | 19    | 100.0% | 2.6      | 11     | 100.0% | 1.5      | 30             | 100.0% | 4.1      |
| White Male             | 10    | 58.8%  | 3.1      | 8      | 88.9%  | 2.5      | 18             | 69.2%  | 5.6      |
| Black Male             | 7     | 41.2%  | 33.8     | 1      | 11.1%  | 4.8      | 8              | 30.8%  | 38.6     |
| Hispanic Male          | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| Asian Male             | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| American Indian Male   | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| Unknown                | 0     | 0.0%   | NA       | 0      | 0.0%   | NA       | 0              | 0.0%   | NA       |
| Total                  | 17    | 100.0% | 4.7      | 9      | 100.0% | 2.5      | 26             | 100.0% | 7.2      |
| White Female           | 1     | 50.0%  | 0.3      | 2      | 66.7%  | 0.6      | 3              | 60.0%  | 0.9      |
| Black Female           | 1     | 50.0%  | 5.9      | 1      | 33.3%  | 5.9      | 2              | 40.0%  | 11.8     |
| Hispanic Female        | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| Asian Female           | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| American Indian Female | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| Unknown                | 0     | 0.0%   | NA       | 0      | 0.0%   | NA       | 0              | 0.0%   | NA       |
| Totals                 | 2     | 100.0% | 0.5      | 3      | 100.0% | 0.8      | 5              | 100.0% | 1.4      |
| <2                     | 0     | 0.0%   | 0.0      | 1      | 11.1%  | 5.3      | 1              | 5.0%   | 5.3      |
| 2-12                   | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| 13-18                  | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| 19-24                  | 1     | 9.1%   | 1.3      | 0      | 0.0%   | 0.0      | 1              | 5.0%   | 1.3      |
| 25-44                  | 9     | 81.8%  | 4.6      | 4      | 44.4%  | 2.1      | 13             | 65.0%  | 6.7      |
| 45-64                  | 1     | 9.1%   | 0.6      | 4      | 44.4%  | 2.2      | 5              | 25.0%  | 2.8      |
| >65                    | 0     | 0.0%   | 0.0      | 0      | 0.0%   | 0.0      | 0              | 0.0%   | 0.0      |
| Total                  | 11    | 100.0% | 1.5      | 9      | 100.0% | 1.2      | 20             | 100.0% | 2.8      |

\*HIV cases diagnosed during 2007 which remained HIV cases at the end of the year.

\*\*AIDS cases initially diagnosed in 2007.

\*\*\*The sum of newly diagnosed HIV cases and newly diagnosed AIDS cases. Does not include cases which progressed to AIDS in 2007.

\*\*\*\*Per 100,000 population based on 2006 MDHSS estimates.

Note: Percentages may not total due to rounding.

**Table 2. HIV and AIDS cases and rates, by geographic area, North Central HIV Region, 2007 and Living**

| Geographic Area                       | HIV Cases       |               |            |            |               |             | AIDS Cases     |               |            |            |               |             |
|---------------------------------------|-----------------|---------------|------------|------------|---------------|-------------|----------------|---------------|------------|------------|---------------|-------------|
|                                       | Diagnosed 2007* |               |            | Living     |               |             | Diagnosed 2007 |               |            | Living     |               |             |
|                                       | Cases           | %             | Rate**     | Cases      | %             | Rate**      | Cases          | %             | Rate**     | Cases      | %             | Rate**      |
| Location                              |                 |               |            |            |               |             |                |               |            |            |               |             |
| Boone County                          | 7               | 36.8%         | 4.8        | 87         | 45.3%         | 59.6        | 4              | 36.4%         | 2.7        | 115        | 48.1%         | 78.7        |
| Cole County                           | 5               | 26.3%         | 6.8        | 21         | 10.9%         | 28.7        | 0              | 0.0%          | 0.0        | 16         | 6.7%          | 21.8        |
| Callaway County                       | 2               | 10.5%         | 4.6        | 9          | 4.7%          | 20.9        | 0              | 0.0%          | 0.0        | 5          | 2.1%          | 11.6        |
| Marion County                         | 0               | 0.0%          | 0.0        | 4          | 2.1%          | 44.0        | 0              | 0.0%          | 0.0        | 8          | 3.3%          | 87.9        |
| Pettis County                         | 0               | 0.0%          | 0.0        | 8          | 4.2%          | 19.7        | 2              | 18.2%         | 4.9        | 14         | 5.9%          | 34.6        |
| Gasconade County                      | 0               | 0.0%          | 0.0        | 4          | 2.1%          | 25.6        | 0              | 0.0%          | 0.0        | 4          | 1.7%          | 25.6        |
| Remainder of Region                   | 5               | 26.3%         | 1.3        | 59         | 30.7%         | 14.9        | 5              | 45.5%         | 1.3        | 77         | 32.2%         | 19.5        |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>19</b>       | <b>100.0%</b> | <b>2.6</b> | <b>192</b> | <b>100.0%</b> | <b>26.5</b> | <b>11</b>      | <b>100.0%</b> | <b>1.5</b> | <b>239</b> | <b>100.0%</b> | <b>33.0</b> |

\*HIV cases diagnosed and reported to DHSS during 2007 which remained HIV cases at the end of the year.

\*\*Per 100,000 population based on 2006 MDHSS estimates.

Note: Percentages may not total due to rounding.

**Table 3. Newly diagnosed and living HIV and AIDS cases in men who have sex with men, by race, North Central HIV Region, 2007**

| Race/Ethnicity                        | HIV Cases*      |               |            |               | AIDS Cases        |               |            |               |
|---------------------------------------|-----------------|---------------|------------|---------------|-------------------|---------------|------------|---------------|
|                                       | Newly Diagnosed |               | Living     |               | Newly Diagnosed** |               | Living     |               |
|                                       | Cases           | %             | Cases      | %             | Cases             | %             | Cases      | %             |
| White                                 | 7               | 58.3%         | 77         | 76.2%         | 4                 | 100.0%        | 105        | 82.7%         |
| Black                                 | 5               | 41.7%         | 21         | 20.8%         | 0                 | 0.0%          | 19         | 15.0%         |
| Other/Unknown                         | 0               | 0.0%          | 3          | 3.0%          | 0                 | 0.0%          | 3          | 2.4%          |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>12</b>       | <b>100.0%</b> | <b>101</b> | <b>100.0%</b> | <b>4</b>          | <b>100.0%</b> | <b>127</b> | <b>100.0%</b> |

\*HIV cases diagnosed during 2007 which remained HIV cases at the end of the year.

\*\*Does not include HIV cases that progressed to AIDS.

Note: Percentages may not total due to rounding.

**Table 4. Living HIV disease cases in men who have sex with men, by race/ethnicity, by age, North Central HIV Region, 2007**

| Age Group                             | White      |               | Black     |               | Hispanic |               | Total*     |               |
|---------------------------------------|------------|---------------|-----------|---------------|----------|---------------|------------|---------------|
|                                       | Cases      | %**           | Cases     | %**           | Cases    | %**           | Cases      | %***          |
| 13-18                                 | 1          | 0.5%          | 2         | 5.0%          | 0        | 0.0%          | 3          | 1.3%          |
| 19-24                                 | 21         | 11.5%         | 7         | 17.5%         | 0        | 0.0%          | 28         | 12.3%         |
| 25-44                                 | 126        | 69.2%         | 26        | 65.0%         | 3        | 75.0%         | 155        | 68.0%         |
| 45-64                                 | 32         | 17.6%         | 5         | 12.5%         | 1        | 25.0%         | 40         | 17.5%         |
| 65+                                   | 2          | 1.1%          | 0         | 0.0%          | 0        | 0.0%          | 2          | 0.9%          |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>182</b> | <b>100.0%</b> | <b>40</b> | <b>100.0%</b> | <b>4</b> | <b>100.0%</b> | <b>228</b> | <b>100.0%</b> |

\*Row totals and percentages include cases in persons whose race/ethnicity is either unknown or not listed.

\*\*Percentage of race/ethnicity in each age group.

\*\*\*Percentage of cases per age group.

Note: Percentages may not total due to rounding.

**Table 5. Living HIV disease cases in men who have sex with men, by race, by geographic area, North Central HIV Region, 2007**

| Geographic Area                       | White      |              | Black     |              | Total*     |               |
|---------------------------------------|------------|--------------|-----------|--------------|------------|---------------|
|                                       | Cases      | %**          | Cases     | %**          | Cases      | %***          |
| Boone County                          | 101        | 80.2%        | 21        | 16.7%        | 126        | 55.3%         |
| Cole County                           | 4          | 36.4%        | 7         | 63.6%        | 11         | 4.8%          |
| Remaining Counties                    | 77         | 84.6%        | 12        | 13.2%        | 91         | 39.9%         |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>182</b> | <b>79.8%</b> | <b>40</b> | <b>17.5%</b> | <b>228</b> | <b>100.0%</b> |

\*Row totals and percentages include cases in persons whose race/ethnicity is either unknown or not listed.

\*\*Percentage of race in each area.

\*\*\*Percentage of cases per area.

Note: Percentages may not total due to rounding.

**Table 6. Newly diagnosed and living HIV and AIDS cases in men who have sex with men and inject drugs, by race, North Central HIV Region, 2007**

| Race                                  | HIV Cases*      |               |          |               | AIDS Cases        |           |           |               |
|---------------------------------------|-----------------|---------------|----------|---------------|-------------------|-----------|-----------|---------------|
|                                       | Newly Diagnosed |               | Living   |               | Newly Diagnosed** |           | Living    |               |
|                                       | Cases           | %             | Cases    | %             | Cases             | %         | Cases     | %             |
| White                                 | 1               | 0.0%          | 9        | 100.0%        | 0                 | 0.0%      | 11        | 84.6%         |
| Black                                 | 0               | 0.0%          | 0        | 0.0%          | 0                 | 0.0%      | 2         | 15.4%         |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>1</b>        | <b>100.0%</b> | <b>9</b> | <b>100.0%</b> | <b>0</b>          | <b>--</b> | <b>13</b> | <b>100.0%</b> |

\*HIV cases diagnosed during 2007 which remained HIV cases at the end of the year.  
 \*\*Does not include HIV cases that progressed to AIDS.  
 Note: Percentages may not total due to rounding.

**Table 7. Living HIV disease cases in men who have sex with men and inject drugs, by race, by age, North Central HIV Region, 2007**

| Age Group                             | White     |               | Black    |               | Total*    |               |
|---------------------------------------|-----------|---------------|----------|---------------|-----------|---------------|
|                                       | Cases     | %**           | Cases    | %**           | Cases     | %***          |
| 13-18                                 | 0         | 0.0%          | 0        | 0.0%          | 0         | 0.0%          |
| 19-24                                 | 0         | 0.0%          | 0        | 0.0%          | 0         | 0.0%          |
| 25-44                                 | 18        | 90.0%         | 2        | 100.0%        | 20        | 90.9%         |
| 45-64                                 | 2         | 10.0%         | 0        | 0.0%          | 2         | 9.1%          |
| 65+                                   | 0         | 0.0%          | 0        | 0.0%          | 0         | 0.0%          |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>20</b> | <b>100.0%</b> | <b>2</b> | <b>100.0%</b> | <b>22</b> | <b>100.0%</b> |

\*Row totals and percentages include cases in persons whose race/ethnicity is either unknown or not listed.  
 \*\*Percentage of race in each age group.  
 \*\*\*Percentage of cases per age group.  
 Note: Percentages may not total due to rounding.

**Table 8. Living HIV cases in men who have sex with men and inject drugs, North Central HIV Region, 2007**

| Geographic Area                       | Cases     | %             |
|---------------------------------------|-----------|---------------|
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>22</b> | <b>100.0%</b> |

**Table 9. Newly diagnosed and living HIV and AIDS cases in injecting drug users, by race and sex, North Central HIV Region, 2007**

| Race and Sex                              | HIV Cases*      |           |           |               | AIDS Cases        |           |           |               |
|---|-----------------|-----------|-----------|---------------|-------------------|-----------|-----------|---------------|
|   | Newly Diagnosed |           | Living    |               | Newly Diagnosed** |           | Living    |               |
|   | Cases           | %         | Cases     | %             | Cases             | %         | Cases     | %             |
| White Male                                | 1               | 0.0%      | 8         | 53.3%         | 1                 | 0.0%      | 6         | 33.3%         |
| Black Male                                | 0               | 0.0%      | 0         | 0.0%          | 0                 | 0.0%      | 7         | 38.9%         |
| White Female                              | 0               | 0.0%      | 7         | 46.7%         | 1                 | 0.0%      | 3         | 16.7%         |
| Black Female                              | 0               | 0.0%      | 0         | 0.0%          | 0                 | 0.0%      | 2         | 11.1%         |
| <b>NORTH CENTRAL HIV REGION TOTAL ***</b> | <b>1</b>        | <b>--</b> | <b>15</b> | <b>100.0%</b> | <b>2</b>          | <b>--</b> | <b>18</b> | <b>100.0%</b> |

\*HIV cases diagnosed during 2007 which remained HIV cases at the end of the year.  
 \*\*Does not include HIV cases that progressed to AIDS.  
 \*\*\*Totals include cases in persons whose race/ethnicity is either unknown or not listed.  
 Note: Percentages may not total due to rounding.

**Table 10. Living HIV disease cases in injecting drug users, by race, by age, North Central HIV Region, 2007**

| Age Group                             | White     |               | Black    |           | Total*    |               |
|---------------------------------------|-----------|---------------|----------|-----------|-----------|---------------|
|                                       | Cases     | %**           | Cases    | %**       | Cases     | %***          |
| 13-18                                 | 1         | 4.2%          | 0        | 0.0%      | 1         | 3.0%          |
| 19-24                                 | 2         | 8.3%          | 0        | 0.0%      | 2         | 6.1%          |
| 25-44                                 | 18        | 75.0%         | 6        | 0.0%      | 24        | 72.7%         |
| 45-64                                 | 2         | 8.3%          | 3        | 0.0%      | 5         | 15.2%         |
| 65+                                   | 1         | 4.2%          | 0        | 0.0%      | 1         | 3.0%          |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>24</b> | <b>100.0%</b> | <b>9</b> | <b>--</b> | <b>33</b> | <b>100.0%</b> |

\*Row totals and percentages include cases in persons whose race/ethnicity is either unknown or not listed.  
 \*\*Percentage of race in each age group.  
 \*\*\*Percentage of cases per age group.  
 Note: Percentages may not total due to rounding.

**Table 11. Living disease HIV cases in injecting drug users, by geographic area, North Central HIV Region, 2007**

| Geographic Area                       | Total     |               |
|---------------------------------------|-----------|---------------|
|                                       | Cases     | %             |
| Boone County                          | 11        | 33.3%         |
| Remaining Counties                    | 22        | 66.7%         |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>33</b> | <b>100.0%</b> |

Note: Percentages may not total due to rounding.

**Table 12. Newly diagnosed and living HIV and AIDS cases in heterosexual contacts, by race and sex, North Central HIV Region, 2007**

| Race and Sex                             | HIV Cases*      |               |           |               | AIDS Cases        |           |           |               |
|--|-----------------|---------------|-----------|---------------|-------------------|-----------|-----------|---------------|
|  | Newly Diagnosed |               | Living    |               | Newly Diagnosed** |           | Living    |               |
|  | Cases           | %             | Cases     | %             | Cases             | %         | Cases     | %             |
| White Male                               | 1               | 50.0%         | 6         | 15.8%         | 0                 | 0.0%      | 6         | 12.8%         |
| Black Male                               | 0               | 0.0%          | 4         | 10.5%         | 0                 | 0.0%      | 4         | 8.5%          |
| White Female                             | 0               | 0.0%          | 18        | 47.4%         | 0                 | 0.0%      | 24        | 51.1%         |
| Black Female                             | 1               | 50.0%         | 8         | 21.1%         | 0                 | 0.0%      | 10        | 21.3%         |
| <b>NORTH CENTRAL HIV REGION TOTAL***</b> | <b>2</b>        | <b>100.0%</b> | <b>38</b> | <b>100.0%</b> | <b>0</b>          | <b>--</b> | <b>47</b> | <b>100.0%</b> |

\*HIV cases diagnosed during 2007 which remained HIV cases at the end of the year.  
 \*\*Does not include HIV cases that progressed to AIDS.  
 \*\*\*Total includes cases in persons whose race/ethnicity is either unknown or not listed.  
 Note: Percentages may not total due to rounding.

**Table 13. Living HIV disease cases in heterosexual contacts, by race and sex, by age group, North Central HIV Region, 2007**

| Age Group                             | White Males |               | Black Males |               | White Females |               | Black Females |               | Total*    |               |
|---------------------------------------|-------------|---------------|-------------|---------------|---------------|---------------|---------------|---------------|-----------|---------------|
|                                       | Cases       | %**           | Cases       | %**           | Cases         | %**           | Cases         | %**           | Cases     | %***          |
| 13-18                                 | 0           | 0.0%          | 0           | 0.0%          | 1             | 2.4%          | 0             | 0.0%          | 1         | 1.2%          |
| 19-24                                 | 1           | 8.3%          | 1           | 12.5%         | 7             | 16.7%         | 3             | 16.7%         | 13        | 15.3%         |
| 25-44                                 | 10          | 83.3%         | 7           | 87.5%         | 28            | 66.7%         | 15            | 83.3%         | 64        | 75.3%         |
| 45-64                                 | 1           | 8.3%          | 0           | 0.0%          | 6             | 14.3%         | 0             | 0.0%          | 7         | 8.2%          |
| 65+                                   | 0           | 0.0%          | 0           | 0.0%          | 0             | 0.0%          | 0             | 0.0%          | 0         | 0.0%          |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>12</b>   | <b>100.0%</b> | <b>8</b>    | <b>100.0%</b> | <b>42</b>     | <b>100.0%</b> | <b>18</b>     | <b>100.0%</b> | <b>85</b> | <b>100.0%</b> |

\*Row totals and percentages include cases in persons whose race/ethnicity is either unknown or not listed.  
 \*\*Percentages of race and sex in each age group.  
 \*\*\*Percentage of cases per age group.  
 Note: Percentages may not total due to rounding.

**Table 14. Living HIV disease cases in heterosexual contacts, by race, by geographic area, North Central HIV Region, 2007**

| Geographic Area                       | White     |              | Black     |              | Total*    |               |
|---------------------------------------|-----------|--------------|-----------|--------------|-----------|---------------|
|                                       | Cases     | %**          | Cases     | %**          | Cases     | %***          |
| Boone County                          | 16        | 55.2%        | 12        | 41.4%        | 29        | 34.1%         |
| Cole County                           | 8         | 57.1%        | 5         | 35.7%        | 14        | 16.5%         |
| Remaining Counties                    | 30        | 71.4%        | 9         | 21.4%        | 42        | 49.4%         |
| <b>NORTH CENTRAL HIV REGION TOTAL</b> | <b>54</b> | <b>63.5%</b> | <b>26</b> | <b>30.6%</b> | <b>85</b> | <b>100.0%</b> |

\*Row totals and percentages include cases in persons whose race/ethnicity is either unknown or not listed.  
 \*\*Percentages of race and sex in each area.  
 \*\*\*Percentage of cases per area.  
 Note: Percentages may not total due to rounding.

| <b>Table 15. HIV and AIDS cases with exposure category assignments for NIRs, North Central HIV Region, 2007 and Living</b> |                  |               |               |               |                   |               |               |               |  |
|--|------------------|---------------|---------------|---------------|-------------------|---------------|---------------|---------------|--|
| <b>Exposure Category</b>   | <b>HIV cases</b> |               |               |               | <b>AIDS cases</b> |               |               |               |  |
|  | <b>2007*</b>     |               | <b>Living</b> |               | <b>2007</b>       |               | <b>Living</b> |               |  |
| <b>Adult/Adolescent</b>  |                  |               |               |               |                   |               |               |               |  |
| Men who have sex with men  | 13               | 72.2%         | 110           | 58.2%         | 8                 | 72.7%         | 138           | 58.7%         |  |
| Men who have sex with men and inject drugs   | 1                | 5.6%          | 10            | 5.3%          | 0                 | 0.0%          | 14            | 6.0%          |  |
| Injecting drug use   | 1                | 5.6%          | 17            | 9.0%          | 3                 | 27.3%         | 20            | 8.5%          |  |
| Heterosexual contact   | 3                | 16.7%         | 52            | 27.5%         | 0                 | 0.0%          | 56            | 23.8%         |  |
| Hemophilia/coagulation disorder  | 0                | 0.0%          | 0             | 0.0%          | 0                 | 0.0%          | 4             | 1.7%          |  |
| Blood transfusion/tissue recipient   | 0                | 0.0%          | 0             | 0.0%          | 0                 | 0.0%          | 3             | 1.3%          |  |
| No indicated risk  | -----            | -----         | -----         | -----         | -----             | -----         | -----         | -----         |  |
| <b>ADULT/ADOLESCENT SUBTOTAL</b>   | <b>18</b>        | <b>100.0%</b> | <b>189</b>    | <b>100.0%</b> | <b>11</b>         | <b>100.0%</b> | <b>235</b>    | <b>100.0%</b> |  |
| <b>Pediatric (&lt;13 years old)</b>  |                  |               |               |               |                   |               |               |               |  |
| <b>PEDIATRIC SUBTOTAL</b>  | <b>1</b>         | <b>100.0%</b> |               | <b>0.0%</b>   | <b>0</b>          | <b>0.0%</b>   | <b>4</b>      | <b>100.0%</b> |  |
| <b>TOTAL</b>   | <b>19</b>        |               | <b>3</b>      |               | <b>11</b>         |               | <b>239</b>    |               |  |

\*HIV cases reported during 2007 which remained HIV cases at the end of the year.  
 Note: Percentages may not total due to rounding.