

By Tracy Crews at 11:40 am, Aug 16, 2022



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

INTOX DMT MAINTENANCE REPORT

REPORT #1

THE TOTAL PROPERTY OF THE PARTY				
Complete this report at the time of the regular monthly preventive main Complete this report whenever the instrument is serviced or repaired a Retain the original and send a copy within 15 days to the Breath Alcoh	nd whenever it is placed into service.			
intox DMT SN NAME OF AGENCY 500347 Fort Leonard Wood DES	DATE OF INSPECTION 08/05/2022			
LOCATION OF INSTRUMENT (STREET AND CITY) 13635 South Dakota Avenue, Fort Leonard Wood, MO	TIME OF INSPECTION 07:29:51			
CHECKLIST: Place a mark in the box by each item if found to be satis values where determined). Unmarked items must be corrected before	factory or is operating within established limits. (Write in observed using instrument.			
☑ DIAGNOSTIC RECORD				
DATE AND TIME <u>08/05/2022 07:29:54</u>	☑ DETECTOR			
☑ PROGRAM	☑ FILTER 1			
☑ SAMPLE CHAMBER 48.8°C	☑ FILTER 2			
☑ BREATH TUBE 47.3°C	☑ FILTER 3			
⊠ PUMP	☑ INTERNAL STANDARD			
BREATH ANALYZER ACCURACY STANDARDS				
☐ SIMULATOR STANDARD	☑ COMPRESSED ETHANOL-GAS MIXTURE			
STANDARD SUPPLIER INTOXIMETERS LOT LOT	#_AG026606 EXP. DATE _09/22/2022			
☐ SIMULATOR TEMP (34°C ± 0.2°C) SIM. S	SIM. NIST EXP DATE			
 \[\begin{align*} \text{CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE Run three tests using a standard. All three tests must be within ±5 of .005 or less. Mark the box corresponding to the standard being \(\begin{align*} \text{O.10% STANDARD - MUST READ BETWEEN 0.095% of the standard being to the standard being \(\begin{align*} \text{O.10% STANDARD - MUST READ BETWEEN 0.076% of the standard being to the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being to the standard being \(\begin{align*} O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STANDARD - MUST READ BETWEEN 0.038% of the standard being \(\text{O.10% STAN	used. AND 0.105% INCLUSIVE AND 0.084% INCLUSIVE			
TEST 1: 0,099 TEST 2: 0,099	TEST 3: 0,099			
☑ PERFORM R.F.I. TEST				
INDICATE THE NUMBER OF BREATH TESTS IN THE FOLLOWING RANGES SINCE THE LAST MAINTENANCE REPORT:				
REFUSALS: 0 004: 3 .0509: 0	.1014: 1 .1519: 0 OVER .19: 0			
LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODIFICATION THAT WAS MADE ESTABLISHED LIMITS (USE OTHER SIDE IF NECESSARY)	TO RESTORE THE INSTRUMENT TO OPERATE SATISFACTORILY AND WITHIN			
INSPECTING OFFICER				
SIGNATURE PRINT FULL NAME ANTHONY J NARUG				
TYPE II PERMITAUMBERT AND LEXPIRATION DATE 12/11/202	TELEPHONE NUMBER			
RETURN COMPLETED REPORT TO THE Breath Alcohol Progression by mail, fax, or email	am, Missouri Department of Health and Senior Services			



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Customer Name
Exclusive Supplier
Intoximeters, Inc.
2081 Craig Road
St. Louis, Mo 63146

Test Date: 23-Sep-2020

Lot # AG026606 Model 108cacd

Exp. Date 22-Sep-2022 <u>Cyl. Type</u> 108 Component

Certified Concentration 0.100 ± 2% BrAC (260 ppm)

Ethanol Nitrogen

Balance

lurogen balar

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

RGM Serial No.	Concentration	RGM Serial No.	Concentration
EB0010581	392.1 ppm	EB0010603	393.0 ppm
EB0010570	259.8 ppm	EB0010559	258.2 ppm
EB0010285	208.0 ppm	EB0010595	208.3 ppm
EB0010561	103.6 ppm	EB0010562	104.2 ppm
EB0010681	52.12 ppm	EB0010579	52.81 ppm
CRM Serial No.	Concentration	CRM Serial No.	Concentration
CC434668	800.0 ppm	0056649	390.1 ppm
CC234503	253.0 ppm	0056662	150.2 ppm

Analytical Method:

NDIR

Digitally signed by Quality Control Date: 2020.09.23 18:38:18 -05:00 Reason: Dry gas standard certification of analysis Location: Airgas USA LLC (Lab)

Approved for Release:

Rod Marsala

ISO 17025:2005 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES **BREATH ALCOHOL PROGRAM**



PERMIT TYPE II

ANTHONY NARUG

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):


INTOX DMT

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

DATE 12/11/2020	when
	DIRECTOR OF STATE PUBLIC HEALTH LABORATORY
NUMBER 200301	
EXPIRES 12/11/2022	DIRECTOR OF DEPARTMENT OF HEALTH AND SERVICES

MO 580-0771 (5-10)

LAB-4 (R5-10)



The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired air in Missouri.

Operator NARUG, ANTHONY Permit No 200301

Date Issued 12/11/2020

Date Expires 12/11/2022

