

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

STATE PUBLIC HEALTH LABORATORY

RECEIVED

By Tracy Crews at 9:15 am, Jul 09, 2024

REPORT

Complete this report Send copy to Depart ALCO SENSOR IV SN			NAM	E OF AGENC				DA	T-3-24	ON
	100286			Cub	- 10			TIA	AE OF INSPECTIO)AI
COZ S.	- 1,	CI	2. 1					1	3:07 4	m
HECKLIST: Place a	mark in the	e hox by ea	ch item if fo	und to be s	satisfactory	or if operati	ing within es	tablished l	limits. (Write in	observed v
nere determined.) L	Inmarked il	ems must	be correcte	d before us	sing instrum	ent.				
DIGITAL READO	UT (ALL E	LEMENTS	OPERATIO	NAL)						
TEMPERATURE	OF ALCO	SENSOR (10°C - 40°C	C)						
PRINTER WORK	ING PROP	PERLY								
TIME AND DATE										
EATH ALCOHOL	CCURAC	Y STANDA	RDS			-				
SIMULATOR SOLUTION						MPRESSI	ED ETHANC	OL-GAS M	IXTURE	
STANDARD SUPP	PLIER_G	iw/L			LOT#	23390	EXP. D	ATE _/0	-17-25	-
SIMULATOR TEM	PERATURI	E (34°C ± 0),2°C) 34	0/	SIM. SN	MP3872	2 si	M. NIST E	XP DATE	7-25
Run three tests using ess. Check the box 0.100% STAN	CK - (ON) ng a standa correspond OARD - MU	LY ONE ST ard solution ding to the JST READ JST READ	TANDARD I a. All three to standard so BETWEEN BETWEEN	ests must obtained to the set of	be within ±: ng used. (Pl nd 0.105% i nd 0.084% i	NOT THE S RINTOUT A NCLUSIVE NCLUSIVE	Standard Vall (TTACHED) :	ue and mu		
Run three tests usiness. Check the box 0.100% STANI 0.080% STANI 0.040% STANI	CK - (ON) ng a standa correspond OARD - MU	LY ONE ST ard solution ding to the UST READ UST READ	TANDARD I a. All three to standard so BETWEEN BETWEEN BETWEEN	ests must bution beir 0.095% at 0.076% at 0.038% ar	be within ±: ng used. (Pl nd 0.105% i nd 0.084% i	RINTOUT A NCLUSIVE NCLUSIVE NCLUSIVE	ATTACHED)	ue and mu	ist have a spre	
Run three tests usiness. Check the box 0.100% STANI 0.080% STANI 0.040% STANI	CK - (ON) ng a standa correspond OARD - MU	LY ONE ST ard solution ding to the UST READ UST READ	TANDARD I a. All three to standard so BETWEEN BETWEEN	ests must obtained to the set of	be within ±: ng used. (Pl nd 0.105% i nd 0.084% i	RINTOUT A NCLUSIVE NCLUSIVE NCLUSIVE	Standard Vall (TTACHED) :	ue and mu	ist have a spre	
Run three tests usiness. Check the box 0.100% STANI 0.080% STANI 0.040% STANI	ECK (ONing a standa correspond DARD - MU DARD - MU DARD - MU	LY ONE ST ard solution ding to the UST READ UST READ	TANDARD I a. All three to standard so BETWEEN BETWEEN BETWEEN	ests must bution beir 0.095% at 0.076% at 0.038% ar	be within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT A NCLUSIVE NCLUSIVE NCLUSIVE	TEST 3	./oo	ist have a spre	ead of .005
Run three tests usiness. Check the box 0.100% STANI 0.080% STANI 0.040% STANI 1 / / / / / / / / / / / / / / / / / /	ECK (ONING a standardorrespondo ARD - MLDARD	LY ONE ST ard solution ding to the JST READ JST READ	TANDARD I a. All three to standard so BETWEEN BETWEEN BETWEEN TEST 2 **	ests must bution beir 0.095% at 0.076% at 0.038% ar	be within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE	TEST 3 -	./oo	ist have a spre	ead of .005
Run three tests using ess. Check the box 0.100% STANI 0.080% STANI 0.040% STANI 0.040% STANI 0.040% STANI TIP //O/	ECK (ONING a standard correspondent of the corre	LY ONE ST ard solution ding to the JST READ JST READ JST READ ATH TEST STERED T	TANDARD I a. All three to standard so BETWEEN BETWEEN TEST 2 ** TEST 12 ** TEST 12 ** TEST 2 ** TEST 2 ** TEST 2 ** TEST 2 ** TEST 3 ** TEST 3 ** TEST 5 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE SINCE T	TEST 3 -	./oo	NCE REPORT	ead of .005
Run three tests using the sess. Check the box 0.100% STANI 0.080% STANI 0.080% STANI 0.040% STANI 0.040% STANI TIP //O/	ECK (ONing a standard corresponder of the c	ATH TEST STERED T	TANDARD II All three to standard so BETWEEN BETWEEN BETWEEN FEST 2 ** TEST 2 ** TEST 10 ** TEST 2 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE SINCE T	TEST 3 -	./oo	NCE REPORT	ead of .005
Run three tests using the sess. Check the box 0.100% STANI 0.080% STANI 0.080% STANI 0.040% STANI 0.040% STANI TIP //O/	ECK (ONing a standard corresponder of the c	ATH TEST STERED T	TANDARD II All three to standard so BETWEEN BETWEEN BETWEEN FEST 2 ** TEST 2 ** TEST 10 ** TEST 2 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE SINCE T	TEST 3 -	./oo	NCE REPORT	ead of .005
Run three tests using the sess. Check the box 0.100% STANI 0.080% STANI 0.040% STANI 0.040% STANI 0.040% STANI FI DETECTOR OPERATE THE NUMBER NOT INCLUDE SEINOT NOW parts and detection of the session o	ECK (ONing a standard corresponder of the c	ATH TEST STERED T	TANDARD II All three to standard so BETWEEN BETWEEN BETWEEN FEST 2 ** TEST 2 ** TEST 10 ** TEST 2 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE SINCE T	TEST 3 -	./oo	NCE REPORT	ead of .005
Run three tests using the sess. Check the box 0.100% STANI 0.080% STANI 0.040% STANI 0.040% STANI 0.040% STANI TIP //O/ FI DETECTOR OP CATE THE NUMBER NOT INCLUDE SEING INCLUDE SEING IS IN 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ECK (ONing a standard corresponder of the c	ATH TEST STERED T	TANDARD II All three to standard so BETWEEN BETWEEN BETWEEN FEST 2 ** TEST 2 ** TEST 10 ** TEST 2 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE SINCE T	TEST 3 -	./oo	NCE REPORT	ead of .005
Run three tests using the sess. Check the box 0.100% STANI 0.080% STANI 0.040% STANI 0.040% STANI 0.040% STANI TIP //O/ FI DETECTOR OPENOT INCLUDE SEING ISALS // In y new parts and dished limits (use of the second secon	ECK (ONing a standard corresponder of the c	ATH TEST STERED T	TANDARD II All three to standard so BETWEEN BETWEEN BETWEEN FEST 2 ** TEST 2 ** TEST 10 ** TEST 2 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE NCLUSIVE	TEST 3 -	./oo	NCE REPORT	ead of .005
Run three tests using ess. Check the box 0.100% STANI 0.080% STANI 0.040% STANI 0.040% STANI 0.040% STANI TIP //O/ FI DETECTOR OP CATE THE NUMBER NOT INCLUDE SEINE DETECTOR OP INCLUDE SEINE DETECTOR OF INCLUDE SEINE DETECTOR	ECK (ONing a standard corresponder of the c	ATH TEST STERED T	TANDARD II All three to standard so BETWEEN BETWEEN BETWEEN FEST 2 ** TEST 2 ** TEST 10 ** TEST 2 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCLUSIVE NCLUSIVE	TEST 3 TE	./oo	NCE REPORT (OVER .19) te satisfactorily	ead of .005
0.080% STANI 0.040% STANI	ECK (ONing a standard correspond CARD - MLDARD - MLDARD - MLDARD - MLDARD - MLDARD - MLDARD -	ATH TEST STERED T	TANDARD II All three to standard so BETWEEN BETWEEN BETWEEN FEST 2 ** TEST 2 ** TEST 10 ** TEST 2 ** TEST	ests must olution beir 0.095% at 0.076% at 0.038% ar	De Within ±: ng used. (Pl nd 0.105% nd 0.084% nd 0.042%	RINTOUT ANCLUSIVE NCLUSIVE NCL	TEST 3 - HE LAST M (.1519) The instrument of the instrument o	J Cend	NCE REPORT (OVER .19) te satisfactorily	ead of .005

Tall Time 2101

all Dings The Tree 2101

cal man is no there?

22 No well limit

Subwell limit 602 S. Franklin SI Cambune, / 240089

Temp R. L. Tree 2191.

Bur Blads

Brown L. Harry

Blank

Blank

Blank

Blank

Fest 2

Chestalus sump 1.15. Canture: / 240089

Goz S. Franklin St

Blan K Substantia S Fest 3 Centure: / 240089 GOL S. Franklin SI

Cura

602 S. Franklin St

RFI
Centure: /240088 Blank



CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23390 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on October 18, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1207% (w/vol) ethyl alcohol. The expiration date for this lot number is October 17, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03072301 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



Missouri Department of Health and Senior Services

P.O. Box 570, Jefferson City, MO 65102-0570 Phone: 573-751-6400 FAX: 573-751-6010 RELAY MISSOURI for Hearing and Speech Impaired 1-800-735-2966 VOICE 1-800-735-2466



Paula Nickelson **Acting Director**

Michael L. Parson Governor

SIMULATOR CERTIFICATION REPORT

SIMULATOR INFORMATION

Simulator Serial Number: MP3872

Manufacturer: Guth

Model Number:

12V500

Agency:

CUBA PD

Agency Address: 602 S FRANKLIN, CUBA, MO 65453

NIST THERMOMETER INFORMATION

Serial Number:

Date of Certification:

17KMM00690

Bias:

0.00

Uncertainty:

0.02

10/27/2023

Date of Expiration: 10/27/2024

ENVIRONMENTAL CONDITIONS

The environmental conditions during testing are within the tolerances of DHSS BAP method 3.

VERIFICATION RESULTS

Simulator Average

NIST Average

Combined Uncertainty .02

34.01

34.01

The combined uncertainty is calculated with a k=2 value.

ADJUSTMENT RESULTS

No adjustment was needed.

Date of testing:

5/7/2024

Certification Expiration:

5/7/2025

Simulator testing technician: M. BOND

Notes on Condition: none

Deviation(s) from method: none

DHSS BAP Scientist Approving:

BRIANNA MEDRANO

Certification No:

MP3872_572024

DHSS BAP Scientist Approving

Simulator Calibration Certification

Issued by Lab Manager, DHSS BAP Revision Date: 06/25/2022

Breath Alcohol Program 1903 Northwood Drive, Suite 4 Poplar Bluff, MO 63901

DHSS BAP Document 3.6A Revision 2 Page 1 of 1



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES **BREATH ALCOHOL PROGRAM**



PERMIT TYPE II

MICHAEL S. CENTUNZI

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

ALCO-SENSOR IV WITH PRINTER

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo. Mile Massur

DATE	4/8/2024
NUMBER	240089
EXPIRES	4/8/2026

MO 580-0771 (6-10)

DIRECTOR OF STATE PUBLIC HEALTH LABORATORY

Daves I. nicholson

DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES

LAB-4 (R6-10)



The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the elcoholic content in breath form of expired all

Operator CENTUNZI, MICHAEL Permit No 240089

Date Issued 4/8/2024 Date Expires 4/8/2026

