

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY

BREATH ALCOHOL PROGRAM

TNTTOY	FC/TD	тт	MAINTENANCE	REPORT
TNIOX	EC/IR		MATHICHAMCE	KELOKI

REPORT #3

Complete this report at the time							
<u>-</u>	Complete this report at the time of the regular monthly preventive maintenance check (not to exceed 35						
days). Complete this report whenever the instrument is serviced or repaired and whenever it is placed							
into service. Retain the original and send a copy within 15 days to the Breath Alcohol Program, DHSS.							
INTOX EC/IR II SN	NAME OF AGENCY BALLWIN POLICE DI		DATE OF INSPECTION				
12672	ĭPT.	09/30/2024					
LOCATION OF INSTRUMENT (STREET AND CI	TY)		TIME OF INSPECTION				
302 KEHRS MILL RD BALLWIN			07:02 CDT				
CHECKLIST: Place a mark in the box by each item if found to be satisfactory or is operating within							
established limits. (Write in observed values where determined). Unmarked items must be corrected							
before using instrument.							
X DIAGNOSTIC RECORD		CO2 CITECT					
X BLANK CHECK X CO2 CHECK							
	X FLOW CHECK						
X SRC TEMP		X FCB CHECK					
X DET TEMP		X CRC COMP CHEC					
X BT TEMP		X CRC CAL CHECK	ζ				
X STD 2 TEMP		X PRINT TEST					
X ETH CHECK							
BREATH ANALYZER ACCURACY STAN	DARDS						
SIMULATOR SOLUTION		X COMPRESSED ET	THANOL-GAS MIXTU	RE			
	XIMETERS	LOT# AG305102 EXP. DATE 02/20/2025					
SIMULATOR TEMP (34°C +0.2°C			SIM. NIST EXP				
LISTMODATOR TEMP (34-C +0.2-C	.,	.v					
X CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT)							
Run three tests using a standard solution. All three tests must be within ±5% of the standard value and must have a spread of .005 or less. Mark the box corresponding to the standard solution being							
	005 or less. Mark	the box correspo	onding to the st	andard solution being			
{	used.						
X 0.10% STANDARD - MUST READ BETWEEN 0.095% AND 0.105% INCLUSIVE							
0.08% STANDARD - MUST REA	D BETWEEN 0.076% AND	D 0.084% INCLUS	LVE				
	D BETWEEN 0.076% AND	D 0.084% INCLUS	LVE				
0.08% STANDARD - MUST REA	AD BETWEEN 0.076% AND AD BETWEEN 0.038% AND	D 0.084% INCLUSI	IVE IVE	0 q/210L			
0.08% STANDARD - MUST REA 0.04% STANDARD - MUST REA TEST 1 0.100 g/210L	AD BETWEEN 0.076% AND AD BETWEEN 0.038% AND TEST 2 0.100	D 0.084% INCLUSI D 0.042% INCLUSI g/210L	IVE IVE TEST 3 = 0.10				
0.08% STANDARD - MUST REA	AD BETWEEN 0.076% AND AD BETWEEN 0.038% AND TEST 2 0.100	D 0.084% INCLUSI D 0.042% INCLUSI g/210L	IVE IVE TEST 3 = 0.10				
0.08% STANDARD - MUST REAL O.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH	TEST 2 0.100	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC	TEST 3 = 0.10				
0.08% STANDARD - MUST REAL O.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0	TEST 2 0.100 or TESTS IN THE FOLLOW	D 0.084% INCLUSION 0.042% INCLUSION 0.042% INCLUSION OF THE PROPERTY OF THE PR	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST REAL O.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0	TEST 2 0.100 TEST 1 THE FOLLOW .0509 OUTPERATION OF MODIFICATION	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO RE	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A	TEST 2 0.100 TEST 1 THE FOLLOW .0509 OUTPERATION OF MODIFICATION	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO RE	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A	TEST 2 0.100 TESTS IN THE FOLLOW .0509 OUTPERATION OF MODIFICATION	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO RE	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A	TEST 2 0.100 TESTS IN THE FOLLOW .0509 OUTPERATION OF MODIFICATION	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO RE	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A	TEST 2 0.100 TESTS IN THE FOLLOW .0509 OUTPERATION OF MODIFICATION	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO RE	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 0.04% STANDARD - MUST READ 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A SATISFACTORILY AND WITHIN ESTABLISHED	TEST 2 0.100 TESTS IN THE FOLLOW .0509 OUTPERATION OF MODIFICATION	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO RE	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 0.04% STANDARD - MUST READ 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ASSATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER	TEST 2 0.100 TESTS IN THE FOLLOW .0509 OUTPERATION OF MODIFICATION	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO REF	TEST 3 0.10 TEST MAIN .1519	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ 0.04% STANDARD OF BREATH OF	AD BETWEEN 0.076% AND AD BETWEEN 0.038% AND TEST 2 0.100 TESTS IN THE FOLLOW .0509 0 LITERATION OR MODIFICATION LIMITS (USE OTHER SIDE I	D 0.084% INCLUSI D 0.042% INCLUSI g/210L WING RANGES SINC .1014 1 THAT WAS MADE TO RE	TEST 3 = 0.10 CE THE LAST MAIN .1519 0 STORE THE INSTRUMENT	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ O.04% STANDARD OF BREATH O.100 g/210L INDICATE THE NUMBER OF BREATH O.100 g/210L REFUSALS O 004 O LIST ANY NEW PARTS AND DESCRIBE ANY A SATISFACTORILY AND WITHIN ESTABLISHED OF STANDARD OF STAN	AD BETWEEN 0.076% AND AD BETWEEN 0.038% AND TEST 2 0.100 TESTS IN THE FOLLOW .0509 0 LITERATION OR MODIFICATION LIMITS (USE OTHER SIDE I	D 0.084% INCLUSI D 0.042% INCLUSI G/210L WING RANGES SINC .1014 1 THAT WAS MADE TO REF F NECESSARY).	TEST 3 = 0.10 CE THE LAST MAIN .1519 0 STORE THE INSTRUMENT	TENANCE REPORT: OVER .19 1			
0.08% STANDARD - MUST READ O.04% STANDARD OF BREAT OF BRE	AD BETWEEN 0.076% AND AD BETWEEN 0.038% AND TEST 2 0.100 TESTS IN THE FOLLOW .0509 0 LITERATION OR MODIFICATION LIMITS (USE OTHER SIDE I	D 0.084% INCLUSI D 0.042% INCLUSI G/210L WING RANGES SINC .1014 1 THAT WAS MADE TO REF F NECESSARY). PRINT FULL NAME LEROY J BEARD	TEST 3 = 0.10 CE THE LAST MAIN .1519 0 STORE THE INSTRUMENT	TENANCE REPORT: OVER .19 1			
O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ O.04% STANDARD - MUST READ O.004% STANDARD - MUST READ O.004% STANDARD OF BREATH INDICATE THE NUMBER OF BREATH SATISFACTORILY AND WITHIN ESTABLISHED OF TYPE II PERMIT NUMBER OT TYPE II PERMIT NUMBER EXECUTED ON THE STANDARD OF TYPE II PERMIT NUMBER EXECUTED ON THE STANDARD OF TYPE II PERMIT NUMBER EXECUTED ON THE STANDARD OF TYPE II PERMIT NUMBER EXECUTED ON THE STANDARD OF	TEST 2 0.100 TEST 2 0.100 TESTS IN THE FOLLOW .0509 0 Interation or modification Limits (USE OTHER SIDE I	D 0.084% INCLUSI D 0.042% INCLUSI G/210L WING RANGES SINC .1014 1 THAT WAS MADE TO REF F NECESSARY). PRINT FULL NAME LEROY J BEARD TELEPHONE NUMBER	TEST 3 = 0.10 CE THE LAST MAIN .1519 0 STORE THE INSTRUMENT	TENANCE REPORT: OVER .19 1			
O.08% STANDARD - MUST REZ 0.04% STANDARD - MUST REZ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER 230146 07 RETURN COMPLETED REPORT	TEST 2 0.100 TEST 2 0.100 TESTS IN THE FOLLOW .0509 0 LITERATION OR MODIFICATION LIMITS (USE OTHER SIDE I PRATICION DATE /21/2025 TO THE:	D 0.084% INCLUSION 0.042% INCLUSION 0.04	TEST 3 = 0.10 TEST 3 = 0.10 TEST HE LAST MAIN .1519 0 STORE THE INSTRUMENT	OVER .19 1 TO OPERATE			
O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ O.04% STANDARD - MUST READ O.004% STANDARD - MUST READ O.004% STANDARD OF BREATH O.100 g/210L INDICATE THE NUMBER OF BREATH O.004 OR O.00	TEST 2 0.100 TEST 2 0.100 TESTS IN THE FOLLOW .0509 0 LITERATION OR MODIFICATION LIMITS (USE OTHER SIDE I PRATICION DATE /21/2025 TO THE:	D 0.084% INCLUSION 0.042% INCLUSION 0.04	TEST 3 = 0.10 TEST 3 = 0.10 TEST HE LAST MAIN .1519 0 STORE THE INSTRUMENT	OVER .19 1 TO OPERATE			



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Customer Name Exclusive Supplier Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 20-Feb-2023

Lot # AG305102 Model 108

Exp Date 20-Feb-2025 Cyl. Type

Component

Certified Concentration

108

Ethanol Nitrogen 0.100 ± 2% BrAC (272 ppm)

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

RGM Serial No. EB0010581 EB0010570

Concentration 391.8 ppm 259.8 ppm

209.0 ppm 103.7 ppm **RGM Serial No.**

Concentration 392.5 ppm 258.9 ppm

EB0010285 EB0010561 EB0010681

52.22 ppm

EB0010559 EB0010562 EB0010579

EB0010603

104.2 ppm 52.94 ppm

CRM Serial No.

Concentration mag 0.008

CRM Serial No.

Concentration

CC727481 CC727496

253.0 ppm

CC727493 CC727498

390.0 ppm 150.0 ppm

Analytical Method: NDIR

Digitally signed by:Quality Control Reason:Dry gas standard certification of analysis Location:Airgas USA LLC (Lab) Date:02.20.2023 17:37

Approved for Release:

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES
BREATH ALCOHOL PROGRAM



PERMIT TYPE II

LEROY BEARD

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

INTOX EC/IR II

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of section 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo. Mile Massure					
NUMBER	230146	Daves I. Nichelson			
EXPIRES	7/21/2025	DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES			

MO 580-0771 (6-10)

LAB-4 (R6-10)



The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired air in Missouri.

Operator BEARD, LEROY

Permit No 230146

Date Issued 7/21/2023 Date Expires 7/21/2025

