



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

Complete this report at the time of th	AINTENANCE REPORT	REPORT #3
complete this report at the time of the	he regular monthly preventive main	tenance check (not to exceed 35
days). Complete this report whenever t	the instrument is serviced or repa	ired and whenever it is placed
into service. Retain the original and		Breath Alcohol Program, DHSS.
	AME OF AGENCY	DATE OF INSPECTION
	OWN AND COUNTRY PD	10/18/2024 TIME OF INSPECTION
LOCATION OF INSTRUMENT (STREET AND CITY)	<b>.</b> .	
1011 Municipal Ctr. Dr. Town and		19:46 CDT
CHECKLIST: Place a mark in the box by		
established limits. (Write in observed before using instrument.	d values where determined). Ohmar	Ked Items mast be collected
X DIAGNOSTIC RECORD		
X BLANK CHECK	X CO2 CHECK	
	X FLOW CHECK	
X FC 1 TEMP		
X SRC TEMP	X FCB CHECK	
X DET TEMP	X CRC COMP CHE	
X BT TEMP	X CRC CAL CHEC	ĽK
X STD 2 TEMP	X PRINT TEST	
X ETH CHECK		
BREATH ANALYZER ACCURACY STANDARD	S	
SIMULATOR SOLUTION	X COMPRESSED B	THANOL-GAS MIXTURE
X STANDARD SUPPLIER INTOXIME	ETERS, INC LOT# AG329702	EXP. DATE 10/24/2025
SIMULATOR TEMP (34°C ±0.2°C)	SIM. SN	SIM. NIST EXP DATE
LIBINOLATOR THAT (54 C TOTA O)	2227	
		THE PEROPET
X CALIBRATION CHECK - (ONLY ONE S		
Run three tests using a standar	d solution. All three tests m	nust be within ±5% of the standard value
	or less. Mark the box corresp	onding to the standard solution being
used.		
X 0.10% STANDARD - MUST READ BETWEEN 0.095% AND 0.105% INCLUSIVE		
0.08% STANDARD - MUST READ BE	TWEEN 0.076% AND 0.084% INCLUS	IVE
0.08% STANDARD - MUST READ BE		IVE
0.08% STANDARD - MUST READ BE	TWEEN 0.076% AND 0.084% INCLUS	CIVE
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L	TEST 3 © 0.100 g/210L
0.08% STANDARD - MUST READ BE	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L	TEST 3 © 0.100 g/210L
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T INDICATE THE NUMBER OF BREATH TES	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 © 0.100 g/210L TTS IN THE FOLLOWING RANGES SIN	TEST 3 © 0.100 g/210L  ICE THE LAST MAINTENANCE REPORT:
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.100 g/210L TS IN THE FOLLOWING RANGES SIN	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T INDICATE THE NUMBER OF BREATH TES	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L  TS IN THE FOLLOWING RANGES SIN  .0509 1 .1014 3 TION OR MODIFICATION THAT WAS MADE TO 1	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAY	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L  TS IN THE FOLLOWING RANGES SIN  .0509 1 .1014 3 TION OR MODIFICATION THAT WAS MADE TO 1	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAY	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L  TS IN THE FOLLOWING RANGES SIN  .0509 1 .1014 3 TION OR MODIFICATION THAT WAS MADE TO 1	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAY	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L  TS IN THE FOLLOWING RANGES SIN  .0509 1 .1014 3 TION OR MODIFICATION THAT WAS MADE TO 1	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAY	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L  TS IN THE FOLLOWING RANGES SIN  .0509 1 .1014 3 TION OR MODIFICATION THAT WAS MADE TO 1	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMIT	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 5 0.100 g/210L  TS IN THE FOLLOWING RANGES SIN  .0509 1 .1014 3 TION OR MODIFICATION THAT WAS MADE TO 1	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMIT	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.100 g/210L  TS IN THE FOLLOWING RANGES SING.  .0509 1 .1014 3  TION OR MODIFICATION THAT WAS MADE TO 15 TS (USE OTHER SIDE IF NECESSARY).	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMIT	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.100 g/210L  TS IN THE FOLLOWING RANGES SINGS  .0509 1 .1014 3  TION OR MODIFICATION THAT WAS MADE TO 15 TS (USE OTHER SIDE IF NECESSARY).	TEST 3 © 0.100 g/210L  ICE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0  ESTORE THE INSTRUMENT TO OPERATE
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMIT	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.100 g/210L  TTS IN THE FOLLOWING RANGES SIN  .0509 1 .1014 3  TION OR MODIFICATION THAT WAS MADE TO 15 TIS (USE OTHER SIDE IF NECESSARY).  PRINT FULL NAME MOORE, WM.	TEST 3 © 0.100 g/210L  CE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0
0.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMIT	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.100 g/210L  TTS IN THE FOLLOWING RANGES SINGS  .0509 1 .1014 3  TION OR MODIFICATION THAT WAS MADE TO SET (USE OTHER SIDE IF NECESSARY).  PRINT FULL NAME MOORE, WM.  TELEPHONE NUMBER	TEST 3 © 0.100 g/210L  ICE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0  ESTORE THE INSTRUMENT TO OPERATE  CHRIS
O.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMITS  INSPECTING OFFICER SIGNAFORE TYPE 11 PERMET NUMBER EXPIRATION 10/25/	TWEEN 0.076% AND 0.084% INCLUS TWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.100 g/210L  TS IN THE FOLLOWING RANGES SINGS  .0509 1 .1014 3  TION OR MODIFICATION THAT WAS MADE TO SET (USE OTHER SIDE IF NECESSARY).  PRINT FULL NAME MOORE, WM. TELEPHONE NUMBER (2025 (314) 432-465	TEST 3 © 0.100 g/210L  ICE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0  ESTORE THE INSTRUMENT TO OPERATE  CHRIS
O.08% STANDARD - MUST READ BE 0.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMITS  TYPE II PERMAT NUMBER EXPIRATION 10/25/  RETURN COMPLETED REPORT TO	THE:  TETHEEN 0.076% AND 0.084% INCLUS  TEST 2 ** 0.100 g/210L  TEST 1N THE FOLLOWING RANGES SINGS  1.0509 1 .1014 3  TION OR MODIFICATION THAT WAS MADE TO SET (USE OTHER SIDE IF NECESSARY).  PRINT FULL NAME MOORE, WM.  TELEPHONE NUMBER  ( 314 ) 432-469	TEST 3 © 0.100 g/210L  ICE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0  ESTORE THE INSTRUMENT TO OPERATE  CHRIS
O.08% STANDARD - MUST READ BE O.04% STANDARD - MUST READ BE TEST 1 = 0.100 g/210L T  INDICATE THE NUMBER OF BREATH TES  REFUSALS 1 004 5 .  LIST ANY NEW PARTS AND DESCRIBE ANY ALTERAT SATISFACTORILY AND WITHIN ESTABLISHED LIMITS  INSPECTING OFFICER SIGNAYORD TYPE 11 PERMET NUMBER EXPIRATION 10/25/	THE:  TETHEEN 0.076% AND 0.084% INCLUS  TEST 2 ** 0.100 g/210L  TEST 1N THE FOLLOWING RANGES SINGS  1.0509 1 .1014 3  TION OR MODIFICATION THAT WAS MADE TO SET (USE OTHER SIDE IF NECESSARY).  PRINT FULL NAME MOORE, WM.  TELEPHONE NUMBER  ( 314 ) 432-469	TEST 3 © 0.100 g/210L  ICE THE LAST MAINTENANCE REPORT:  .1519 1 OVER .19 0  ESTORE THE INSTRUMENT TO OPERATE  CHRIS



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

## **Certificate of Analysis**

Customer Name Exclusive Supplier Intoximeters, Inc. 2081 Craig Road

St. Louis, Mo 63146

Test Date: 25-Oct-2023

Lot # AG329702 Model 108

Exp Date 24-Oct-2025 Cyl. Type 108 Component

**Certified Concentration** 

Ethanol Nitrogen 0.100 ± 2% BrAC (272 ppm)

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

RGM Serial No. Concentration
EB0010581 391.8 ppm
EB0010570 259.8 ppm
EB0010285 209.0 ppm
EB0010561 103.7 ppm
EB0010681 52.22 ppm

RGM Serial No. Concentration
EB0010603 392.5 ppm
EB0010559 258.9 ppm
EB0010562 104.2 ppm
EB0010579 52.94 ppm

CRM Serial No. CC727481

Concentration 800.0 ppm

CRM Serial No. CC727493 Concentration

CC727481 CC727496

253.0 ppm

CC727498

390.0 ppm 150.0 ppm

Analytical Method: NDIR

Digitally signed by:Quality Control Reason:Dry gas standard certification of analysis Location:Airgas USA LLC (Lab) Date:10.26.2023 18:41

Approved for Release:

Yusef Woods

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



## STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES:
BREATH ALCOHOL PROGRAM



## PERMIT TYPE II

## WM. CHRIS MOORE

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs and operate the following breath analyzer(s):			
	NTOX EC/IR II		
577,020 through 577,041, RSMo and 306,111 thro	od from a sample of expired air. Permit issued under the provisions of sections of 306,119 RSMo.  Mule Masser		
DATE. 10/25/2023	DIRECTOR OF STATE PUBLIC HEALTH LABORATORY		
NUMBER 230231	Douls J. Nicholson		
EXPIRES 10/25/2025	DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES		
MQ-580-077:L-(6-10)	LAB-4: (R6-10)		