

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

Complete this report at the time of the regular	NCE REPORT	REPORT #3	
days). Complete this report whenever the instrum	ment is serviced or repai	red and whenever it is placed	
into service. Retain the original and send a cor			
INTOX EC/IR II SN NAME OF AGENC		DATE OF INSPECTION	
12696 TOWN AND C	OUNTRY PD	12/20/2024	
LOCATION OF INSTRUMENT (STREET AND CITY)		TIME OF INSPECTION	
1011 Municipal Ctr. Dr. Town and Country		13:08 CST	
CHECKLIST: Place a mark in the box by each item			
established limits. (Write in observed values wh	iere decermined). Unmark	ded Items must be collected	
before using instrument. X DIAGNOSTIC RECORD			
	х со2 снеск		
X BLANK CHECK			
X FC 1 TEMP	X FLOW CHECK		
X SRC TEMP	X FCB CHECK		
X DET TEMP	X CRC COMP CHE		
X BT TEMP	X CRC CAL CHEC	K	
X STD 2 TEMP	X PRINT TEST		
X ETH CHECK			
BREATH ANALYZER ACCURACY STANDARDS			
SIMULATOR SOLUTION	X COMPRESSED E	THANOL-GAS MIXTURE	
X STANDARD SUPPLIER INTOXIMETERS, INC		EXP. DATE 10/24/2025	
	SIM. SN	SIM. NIST EXP DATE	
SIMOLATOR TEMP (54 C ±0.2 C)	5111. SIV		
X CALIBRATION CHECK - (ONLY ONE STANDARD I			
Run three tests using a standard solutio	n. All three tests m	ust be within ±5% of the standard value	
and must have a spread of .005 or less.	Mark the box correspo	anding to the standard solution being	
used.			
X 0.10% STANDARD - MUST READ BETWEEN 0.0		IVE	
X 0.10% STANDARD - MUST READ BETWEEN 0.0 0.08% STANDARD - MUST READ BETWEEN 0.0	76% AND 0.084% INCLUS	IVE IVE	
X 0.10% STANDARD - MUST READ BETWEEN 0.0	76% AND 0.084% INCLUS	IVE IVE	
X 0.10% STANDARD - MUST READ BETWEEN 0.0 0.08% STANDARD - MUST READ BETWEEN 0.0 0.04% STANDARD - MUST READ BETWEEN 0.0	76% AND 0.084% INCLUS	IVE IVE	
TEST 1 3 0.100 g/210L TEST 2 3	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L	IVE IVE IVE TEST 3 w 0.099 g/210L	
X 0.10% STANDARD - MUST READ BETWEEN 0.0 0.08% STANDARD - MUST READ BETWEEN 0.0 0.04% STANDARD - MUST READ BETWEEN 0.0	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L	IVE IVE IVE TEST 3 w 0.099 g/210L	
TEST 1 3 0.100 g/210L TEST 2 3	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L	IVE IVE IVE TEST 3 w 0.099 g/210L	
TEST 1 3 0.100 g/210L TEST 2 TINDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODI	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE	IVE IVE IVE TEST 3 TO 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2	
TEST 1 133 0.100 g/210L TEST 2 137 INDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE	IVE IVE IVE TEST 3 TO 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2	
TEST 1 3 0.100 g/210L TEST 2 TINDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODI	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE	IVE IVE IVE TEST 3 TO 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2	
TEST 1 3 0.100 g/210L TEST 2 TINDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODI	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE	IVE IVE IVE TEST 3 TO 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2	
TEST 1 3 0.100 g/210L TEST 2 TINDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODI	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE	IVE IVE IVE TEST 3 TO 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2	
TEST 1 0.100 g/210L TEST 2 TEST 2 TEST 1 THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODI	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE	IVE IVE IVE TEST 3 TO 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2	
TEST 1 3 0.100 g/210L TEST 2 TINDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODI	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE	IVE IVE IVE TEST 3 TO 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2	
TO .10% STANDARD - MUST READ BETWEEN 0.0 0.08% STANDARD - MUST READ BETWEEN 0.0 0.04% STANDARD - MUST READ BETWEEN 0.0 TEST 1 30 0.100 g/210L TEST 2 37 INDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODISATISFACTORILY AND WITHIN ESTABLISHED LIMITS (USE OTHE TINSPECTING OFFICER SIGNATURE - 4.44	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE R SIDE IF NECESSARY).	TEST 3 15 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2 STORE THE INSTRUMENT TO OPERATE	
TEST 1 0.100 g/210L TEST 2 TINDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS O 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODISATISFACTORILY AND WITHIN ESTABLISHED LIMITS (USE OTHE SIGNATURE AND ALTERATION OF THE SIGNATURE AND	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RER SIDE IF NECESSARY).	TEST 3 15 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2 STORE THE INSTRUMENT TO OPERATE	
TO .10% STANDARD - MUST READ BETWEEN 0.0 0.08% STANDARD - MUST READ BETWEEN 0.0 0.04% STANDARD - MUST READ BETWEEN 0.0 TEST 1 39 0.100 g/210L TEST 2 39 INDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODISATISFACTORILY AND WITHIN ESTABLISHED LIMITS (USE OTHE INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRATION DATE	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RER SIDE IF NECESSARY). PRINT FULL NAME ALEXANDER J. TELEPHONE NUMBER	TEST 3 15 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2 STORE THE INSTRUMENT TO OPERATE PFLUEGER	
TEST 1 0.100 g/210L TEST 2 TINDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS O 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODISATISFACTORILY AND WITHIN ESTABLISHED LIMITS (USE OTHE SIGNATURE AND ALTERATION OF THE SIGNATURE AND	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RER SIDE IF NECESSARY).	TEST 3 15 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2 STORE THE INSTRUMENT TO OPERATE PFLUEGER	
TO .10% STANDARD - MUST READ BETWEEN 0.0 0.08% STANDARD - MUST READ BETWEEN 0.0 0.04% STANDARD - MUST READ BETWEEN 0.0 TEST 1 39 0.100 g/210L TEST 2 39 INDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODISATISFACTORILY AND WITHIN ESTABLISHED LIMITS (USE OTHE INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRATION DATE	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RER SIDE IF NECESSARY). PRINT FULL NAME ALEXANDER J. TELEPHONE NUMBER	TEST 3 15 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2 STORE THE INSTRUMENT TO OPERATE PFLUEGER	
TO .10% STANDARD - MUST READ BETWEEN 0.0 0.08% STANDARD - MUST READ BETWEEN 0.0 0.04% STANDARD - MUST READ BETWEEN 0.0 TEST 1 *** 0.100 g/210L TEST 2 *** INDICATE THE NUMBER OF BREATH TESTS IN THE REFUSALS 0 004 1 .0509 LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODISATISFACTORILY AND WITHIN ESTABLISHED LIMITS (USE OTHE INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRATION DATE 230206 09/15/2025	76% AND 0.084% INCLUS: 38% AND 0.042% INCLUS: 0.100 g/210L FOLLOWING RANGES SING 0 .1014 1 FICATION THAT WAS MADE TO RE R SIDE IF NECESSARY). PRINT FULL NAME ALEXANDER J. TELEPHONE NUMBER (314)432-469	TEST 3 19 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 2 STORE THE INSTRUMENT TO OPERATE PFLUEGER 6	



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Test Date: 25-Oct-2023

Customer Name Exclusive Supplier Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146

Lot # AG329702 Model 108

Exp Date 24-Oct-2025 Cyl. Type 108 Component Ethanol

Nitrogen

Certified Concentration 0.100 ± 2% BrAC (272 ppm)

Certification Traceable to N.I.S.T. RGM and to CRM Ethanoi Standards:

RGM Serial No.	Concentration
EB0010581	391.8 ppm
EB0010570	259.8 ppm
EB0010285	209.0 ppm
EB0010561	103.7 ppm
EB0010681	52.22 ppm

RGM Serial No. Concentration
EB0010603 392.5 ppm
EB0010559 258.9 ppm
EB0010562 104.2 ppm
EB0010579 52.94 ppm

CRM Serial No.	
CC727481	
CC727496	

Concentration 800.0 ppm 253.0 ppm CRM Serial No. CC727493 CC727498 Concentration 390.0 ppm 150.0 ppm

Analytical Method: NDIR

Digitally signed by:Quality Control Reason:Dry gas standard certification of analysis Location:Argas USA LLC (Lab) Date:10.26.2023 18:41

Approved for Release:

Yusef Woods

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



MO 580-0771 (6-10)

STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM



PERMIT TYPE II

ALEXANDER J. PFLUEGER

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs,

and operate the following breath analyzer(s): INTOX EC/IR II for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo. Mike Massin-DATE 9/15/2023 DIRECTOR OF STATE PUBLIC HEALTH LABORATORY NUMBER 230206_ Daven J. Nichelson EXPIRES 9/15/2025 DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES LAB-4 (R6-10)



STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

BREATH ALCOHOL PROGRAM

INSTRUMENT OPERATOR CARD

The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired al

PFLUEGER, ALEXANDER

Permit No 230206 Date Issued 9/15/2023

Date Expires 9/15/2025

