RECEIVED

By Tracy Crews at 10:21 am, Aug 21, 2024



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

INTOX EC/IR II MAINTENANCE REPORT				REPORT #3			
Complete this report at the time of the regular monthly preventive maintenance check (not to exceed 35 days). Complete this report whenever the instrument is serviced or repaired and whenever it is placed							
	iginal and send a copy within 15 days to the						
INTOX EC/IR II SN	NAME OF AGENCY		DATE OF INSPECTION				
12835	Riverside Police Dept.		08/20/2024				
LOCATION OF INSTRUMENT (STREET AND CITY)		***************************************	TIME OF INSPECTION				
2990 NW Vivion Road Riversid		00:59 CDT					
CHECKLIST: Place a mark in the box by each item if found to be satisfactory or is operating within							
established limits. (Write in oh	served values where d	letermined). Unmar	ked items must be	corrected			
before using instrument.							
X DIAGNOSTIC RECORD							
X BLANK CHECK		X CO2 CHECK					
X FC 1 TEMP							
X SRC TEMP	<u>1_1</u>						
· —			CRC COMP CHECK				
X BT TEMP			X CRC CAL CHECK				
X STD 2 TEMP		X PRINT TEST					
X ETH CHECK							
BREATH ANALYZER ACCURACY STA	IDARDS						
SIMULATOR SOLUTION		X COMPRESSED E	THANOL-GAS MIXTU	RE			
X STANDARD SUPPLIER INT	<u></u>				2025		
SIMULATOR TEMP (34°C +0.2°		LOT# AG305902			2023		
LISIMOLATOR TEMP (34°C ±0.2°	SIM.	SN	SIM. NIST EXP	DATE			
X CALIBRATION CHECK - (ONLY	NE STANDARD IS TO	X CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT)					
Run three tests using a standard solution. All three tests must be within +5% of the standard value							
Run three tests using a st	ndard solution. A	ll three tests m	ust be within +5	% of the stand	dard value		
Run three tests using a st and must have a spread of used.							
and must have a spread of	005 or less. Mark	the box correspond	onding to the st				
and must have a spread of used. X 0.10% STANDARD - MUST RE	005 or less. Mark AD BETWEEN 0.095% A	the box correspond on the box correspond on the box correspond to	onding to the st				
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE	005 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A	the box correspond o.105% INCLUS	onding to the st IVE IVE				
and must have a spread of used. X 0.10% STANDARD - MUST RE	005 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A	the box correspond o.105% INCLUS	onding to the st IVE IVE				
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE	005 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS	onding to the st IVE IVE	andard solutio			
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099	the box correspond 0.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS	onding to the state of the stat	andard solutio	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099	the box correspond 0.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS	onding to the state of the stat	andard solutio	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREAT	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099	the box correspond 0.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING	onding to the state of the stat	andard solution g g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREAT	005 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING .1014 2 ON THAT WAS MADE TO RE	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE	005 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING .1014 2 ON THAT WAS MADE TO RE	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION LIMITS (USE OTHER SIDE	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING .1014 2 PA THAT WAS MADE TO RESIDENT OF THE PROCESSARY).	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY SATISFACTORILY AND WITHIN ESTABLISHER	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION LIMITS (USE OTHER SIDE	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING .1014 2 PA THAT WAS MADE TO RESIDENT OF THE PROCESSARY).	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY SATISFACTORILY AND WITHIN ESTABLISHER	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION LIMITS (USE OTHER SIDE	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING .1014 2 PA THAT WAS MADE TO RESIDENT OF THE PROCESSARY).	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREAT REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY 2 SATISFACTORILY AND WITHIN ESTABLISHED Maintenance check passed according	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION LIMITS (USE OTHER SIDE	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING .1014 2 PA THAT WAS MADE TO RESIDENT OF THE PROCESSARY).	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY SATISFACTORILY AND WITHIN ESTABLISHER	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION LIMITS (USE OTHER SIDE	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS g/210L OWING RANGES SING .1014 2 PA THAT WAS MADE TO RESIDENT OF THE PROCESSARY).	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY SATISFACTORILY AND WITHIN ESTABLISHER Maintenance check passed accommodations of the commodation of t	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LTERATION OR MODIFICATION LIMITS (USE OTHER SIDE	the box correspond of the low correspond of	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE 1.00.099 g/210L INDICATE THE NUMBER OF BREAT. REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY 7 SATISFACTORILY AND WITHIN ESTABLISHED Maintenance check passed accomplished the complete of the compl	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 (TESTS IN THE FOLL .0509 0 LIMITS (USE OTHER SIDE ording to DHSS regular erding to DHSS regular AD BETWEEN 0.095% A DESTRUCTION OF MODIFICATION OF MODI	the box correspond of	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREAT! REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A SATISFACTORILY AND WITHIN ESTABLISHED Maintenance check passed accommodate the company of the compan	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LITERATION OR MODIFICATION LIMITS (USE OTHER SIDE Ording to DHSS regulations)	the box correspond of	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREAT! REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A SATISFACTORILY AND WITHIN ESTABLISHED Maintenance check passed accommodate the company of the compan	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 (TESTS IN THE FOLL .0509 0 LIMITS (USE OTHER SIDE ording to DHSS regular erding to DHSS regular AD BETWEEN 0.095% A DESTRUCTION OF MODIFICATION OF MODI	the box correspond of	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREAT! REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY A SATISFACTORILY AND WITHIN ESTABLISHED Maintenance check passed accommodate the company of the compan	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL O509 LIBRATION OR MODIFICATION LIMITS (USE OTHER SIDE Ording to DHSS regulations) Fration DATE (12/2025	the box correspond of	onding to the state of the stat	andard solution 9 g/210L FENANCE REPORT	on being		
and must have a spread of used. X 0.10% STANDARD - MUST RE 0.08% STANDARD - MUST RE 0.04% STANDARD - MUST RE TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREAT REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY REST SATISFACTORILY AND WITHIN ESTABLISHED Maintenance check passed accommodate the company of the comp	O05 or less. Mark AD BETWEEN 0.095% A AD BETWEEN 0.076% A AD BETWEEN 0.038% A TEST 2 0.099 TESTS IN THE FOLL .0509 0 LIMITS (USE OTHER SIDE ording to DHSS regular CRATION DATE /12/2025	the box correspond o.105% INCLUS ND 0.084% INCLUS ND 0.042% INCLUS OWING RANGES SING .1014 2 DON THAT WAS MADE TO RESTRICT TO RESEARCE. lations. PRINT FULL NAME Ethan J. McMi TELEPHONE NUMBER (816) 741-1191	onding to the state of the stat	andard solution 9 g/210L TENANCE REPORT OVER .19 TO OPERATE	on being		

Airgas.

Airgas USA LLC (LAB) 3500 Bernard Street Si. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Customer Name Exclusive Supplier Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 28-Feb-2023

Lot # AG305902 Model 108

Exp Date

Cyl. Type

Component

Certified Concentration 0.100 ± 2% BrAC (272 ppm)

28-Feb-2025

108

Ethanol Nitrogen

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

Concentration **RGM Serial No.** 391.8 ppm EB0010581 EB0010570 259.8 ppm 209.0 ppm EB0010285 103.7 ppm EB0010561 EB0010681 52.22 ppm

EB0010603 EB0010559 EB0010562 EB0010579

RGM Serial No.

Concentration 392.5 ppm 258.9 ppm 104.2 ppm 52.94 ppm

CRM Serial No. CC727481 CC727496

Concentration mgq 0.008 253.0 ppm

CRM Serial No. CC727493 CC727498

Concentration 390.0 ppm 150.0 ppm

Analytical Method: NDIR

Digitally signed by:Quality Control Reason:Dry gas standard certification of enetysis Location:Airges USA LLC (Lab) Date:03.01.2023 17:28

Approved for Release:

Rod Marsala

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES: BREATH ALCOHOL PROGRAM



(AH-4, (H6;-10)

PERMIT TYPE II

ETHAN MCMILLEN

Is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

INTOX EC/IR II

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577,020 through 577,041, RSMo and 306.111 through 306.119 RSMo.				
NÚMBER 230088	Daven I. nichelson			
EXPIRES 5/12/2025	DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES			

MO(680-0774 (6-10)-



The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired a in Missouri.

Operator MCMILLEN, ETHAN

Permit No 230086 Date Issued 5/12/2023

Date Expires 5/12/2025

