RECEIVED

By Tracy Crews at 8:02 am, Oct 21, 2024



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

INTOX DMT MAINTENANCE REPORT

REPORT #1

NE OTRA						
Complete this report at the time of the regular month Complete this report whenever the instrument is serv Retain the original and send a copy within 15 days to	riced or repaired and w	henever it is placed in				
INTOX DMT SN NAME OF AGENCY Missouri State H		DATE OF INSPECTION 10/14/2024				
Crawford County Sheriff's Department			TIME OF INSPECTION 21:46:23			
CHECKLIST: Place a mark in the box by each item if found to be satisfactory or is operating within established limits. (Write in observed values where determined). Unmarked items must be corrected before using instrument.						
☑ DIAGNOSTIC RECORD						
DATE AND TIME 10/14/2024 21:46:26		DETECTOR				
☑ PROGRAM	☑ PROGRAM ☑ FILTER 1					
SAMPLE CHAMBER 48.8°C						
☑ BREATH TUBE 47.4°C		FILTER 3				
⊠ PUMP		INTERNAL STAND	ARD			
BREATH ANALYZER ACCURACY STANDARDS						
☐ SIMULATOR STANDARD	×	COMPRESSED ET	HANOL-GAS MIXTURE			
☐ STANDARD SUPPLIER INTOXIMETERS	LOT#_A	G335303	EXP. DATE 12/19	9/2025		
SIMULATOR TEMP (34°C ± 0.2°C)	SIM. SN_		SIM. NIST EXP DATE			
 CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT) Run three tests using a standard. All three tests must be within ±5% of the standard value and must have a spread of .005 or less. Mark the box corresponding to the standard being used. ☑ 0.10% STANDARD - MUST READ BETWEEN 0.095% AND 0.105% INCLUSIVE ☐ 0.08% STANDARD - MUST READ BETWEEN 0.076% AND 0.084% INCLUSIVE ☐ 0.04% STANDARD - MUST READ BETWEEN 0.038% AND 0.042% INCLUSIVE 						
TEST 1: 0.098	ST 2: 0.098	TEST 3: 0,097				
☑ PERFORM R.F.I. TEST						
INDICATE THE NUMBER OF BREATH TESTS IN THE FOLLOWING RANGES SINCE THE LAST MAINTENANCE REPORT:						
REFUSALS: 0 004: 0 .05	09: 0	1014: 1	.1519: 0	OVER .19: 1		
LIST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODIFICATION THAT WAS MADE TO RESTORE THE INSTRUMENT TO OPERATE SATISFACTORILY AND WITHIN ESTABLISHED LIMITS (USE OTHER SIDE IF NECESSARY)						
INSPECTING OFFICER						
SIGNATURE SIGNATURE		RINT FULL NAME JEREMY R MCCU	RDY			
TYPE II PERMIT NUMBER 220265	12/02/2024	573-368-2				
	th Alcohol Program, M ail, fax, or email	issouri Department o	FHealth and Senior Service	es		



Airgas U LLC (LAB) 3500 Ben ed Street St. Louis, o. 63103 Ph: (314) 3-3100 Fax: (314) 33-7328

Certificate of Analysis

Customer Name Exclusive Supplier Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146

Test Date: Dec-2023

Lot # AG335303 Model 108

Exp Date 19-Dec-2025 Cyl. Type 108

Component Ethanol Nitrogen Certified Concentration 0.100 ± 2% BrAC (260 ppm)

Certification Taceable to N.I.S.T. RGM and to CRM Ethanol Standards:

RGM Soria No. Concentration EB0010581 391.8 ppm EB0010570 259.8 ppm EB0010285 209.0 ppm EB0010561 103.7 ppm EB0010581 52.22 ppm RGM Serial No. Concentrate
EB0010603 392.5 ppm
EB0010559 258.9 ppm
EB0010562 104.2 ppm
EB0010579 52.94 ppm

CRM Serial No. CC727481 CC727486

Concentration 799.4 ppm 253.4 ppm

CRM Serial No. CC727493 CC727498 Concentration 389.8 ppm

150.2 ppm

Analytical Method NDIR

Digital stored by Ousley Control Reason Dry das standerd confication of enalysis Location Amplia USA LLC (Leb) Date 12 21 2922 20:20

Approved for Release:

Yusef Woods

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM



PERMIT TYPE II

JEREMY R. MCCURDY

- 1	2010	2. 34130. 404	
3	0 00	(a) has forming bresh average (a)	se operators, train inclinators, trapact, calibrats, perform field service and reports.
			INTOX DMT
57	7.026	1~0000 577 041, RSMo and 308.11	olished from a sample of explication. Permit Issued under the providence of cartions. 1 Drough 308.118 RSMo.
04	,	220265	Mile M.
١.	1964	220265	CALCTON OF STATE PURIC HEALT-HEADORATORY
£ z	PIRES	13/2/2024	Doner J. Mulacen
	,	٠.	PRESTOR OF DEPARTMENT OF HEATHER OF PERSONS STRACES

