

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY

ALCO-SENSOR IV WITH PRINTER MAINTENANCE REPORT

REPORT #7

COMPRESS LOT # 24310 IM. SN MP2418	DATE OF INSPECTION 1/31/2025 TIME OF INSPECTION 11:10 Ing within established limits. (Write in observed value and must have a spread of .06 of ATTACHED) DATE OF INSPECTION 1/31/2025 TIME OF INSPECTION (Write in observed value and must have a spread of .06 of ATTACHED) VE
COMPRESS LOT # 24310 IM. SN MP2418 USED PER MAINTED DE within ±5% of the log used. (PRINTOUT and 0.105% INCLUSI) and 0.084% INCLUSION.	TIME OF INSPECTION 11:10 Ing within established limits. (Write in observed value and must have a spread of .06 of ATTACHED) TIME OF INSPECTION 11:10 TIME OF INSPECTION (11:10 TIME OF INSPECTION (12:10) TIME OF INSPECTION (12:10) TIME OF INSPECTION (13:12) TIME OF INSPECTION (14:10) TIME OF INSPECTION
COMPRESS LOT # 24310 IM. SN MP2418 USED PER MAINTED DE within ±5% of the log used. (PRINTOUT and 0.105% INCLUSI) and 0.084% INCLUSION.	TIME OF INSPECTION 11:10 Ing within established limits. (Write in observed value and must have a spread of .06 TATTACHED) Tation 11:10 Time of INSPECTION 11:10 Tation 20:10:10:10:10:10:10:10:10:10:10:10:10:10
COMPRESS LOT # 24310 IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the rig used. (PRINTOUT and 0.105% INCLUSI and 0.084% INCLUSI	11:10 The graph of the property of the proper
COMPRESS LOT # 24310 IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the rig used. (PRINTOUT and 0.105% INCLUSI and 0.084% INCLUSI	SED ETHANOL-GAS MIXTURE EXP. DATE08/27/2026 SIM. NIST EXP DATE12/04/202 NANCE REPORT) e standard value and must have a spread of .0 of ATTACHED) VE
IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the 1g used. (PRINTOUT 1nd 0.105% INCLUSI 1nd 0.084% INCLUSI	SIM. NIST EXP DATE 12/04/202 NANCE REPORT) standard value and must have a spread of .0 (ATTACHED)
IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the 1g used. (PRINTOUT 1nd 0.105% INCLUSI 1nd 0.084% INCLUSI	SIM. NIST EXP DATE 12/04/202 NANCE REPORT) standard value and must have a spread of .0 (ATTACHED)
IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the 1g used. (PRINTOUT 1nd 0.105% INCLUSI 1nd 0.084% INCLUSI	SIM. NIST EXP DATE 12/04/202 NANCE REPORT) standard value and must have a spread of .0 (ATTACHED)
IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the 1g used. (PRINTOUT 1nd 0.105% INCLUSI 1nd 0.084% INCLUSI	SIM. NIST EXP DATE 12/04/202 NANCE REPORT) standard value and must have a spread of .0 (ATTACHED)
IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the 1g used. (PRINTOUT 1nd 0.105% INCLUSI 1nd 0.084% INCLUSI	SIM. NIST EXP DATE 12/04/202 NANCE REPORT) standard value and must have a spread of .0 (ATTACHED)
IM. SN MP2418 ISED PER MAINTEI DE within ±5% of the 1g used. (PRINTOUT 1nd 0.105% INCLUSI 1nd 0.084% INCLUSI	SIM. NIST EXP DATE 12/04/202 NANCE REPORT) standard value and must have a spread of .0 (ATTACHED)
JSED PER MAINTEI DE within ±5% of the rig used. (PRINTOUT and 0.105% INCLUSI and 0.084% INCLUSI	SIM. NIST EXP DATE 12/04/202 NANCE REPORT) e standard value and must have a spread of .0 of ATTACHED) VE
USED PER MAINTEI the within ±5% of the rig used. (PRINTOUT and 0.105% INCLUSI' and 0.084% INCLUSI'	NANCE REPORT) • standard value and must have a spread of .0 • ATTACHED) VE
be within ±5% of the g used. (PRINTOUT and 0.105% INCLUSI and 0.084% INCLUSI	e standard value and must have a spread of .06 FATTACHED) VE
10 010 1270 11102001	
	TEST 3 - .103
NG RANGES SINCE	THE LAST MAINTENANCE REPORT:
(.1014)	(.1519) (OVER .19) ²
was made to restor	e the instrument to operate satisfactorily and v
	NAINHITEC
ハロエΖ	2 MINUTES
	PRINT NAME
	D W Henley #727
	TELEPHONE NUMBER (417) 895 - 6868
epartment of Health	
	(.1014) was made to restor

TEST RECORD 00247
Temp Date Time 2101
Air Blank:
61/31/25 11:12 .000
Calibration Check:
17 01/31/25 11:12 .104
Subject Name
TEST 2
Subject I.D.

Operator Name, I.D.
Location
3)3) E KEAQNEY
Location
SOLINGETELD, MO

AS IU Serial no: 111777

Version no: 532B

TEST RECORD 80248

Iemp Date Time 210L

Air Blank:
81/31/25 11:14 .000

Calibration Check:
17 81/31/25 11:14 .104

Subject Name

JEST 2

Subject I.D.

Operator Name, I.D.

Oham HEWLE / #727

Location

Jocation
33) E KEARNEY

Cel # PM

AS IV Serial no: 111777

Version no: 532B

TEST RECORD 00249

Temp Date Time 2101

Air Blank:
01/31/25 11:15 .000

Calibration Check:
18 01/31/25 11:15 .103

Subject Name

TEST Score

Operator Name, I.D.

UN HENLEY #727

Location

3131 E KEARNEY

Sper-KFIELD, mo

AS IV Serial no: 111777 Version no: 532B TEST RECORD 00250

Temp Date Time 210L

UOID: RFI
12 01/31/25 11:16

Subject Name

RFI

Subject I.D.

Operator Name, I.D.

| N HENEY #727

Location | SI3) E KEARNEY

Sourvertery wo



CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 24310 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on August 28, 2024, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1209% (w/vol) ethyl alcohol. The expiration date for this lot number is August 27, 2026 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

1

Testing was conducted using Cerilliant Reference Standard lot number FN03072301 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES
BREATH ALCOHOL PROGRAM



PERMIT

DAVID W. HENLEY, JR.

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

ALCO-SENSOR IV WITH PRINTER, INTOX DMT

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

Wile. Massive

DATE6/28/2024	Wike Wassin
	DIRECTOR OF STATE PUBLIC HEALTH LABORATORY
NUMBER 240144	
EXPIRES 6/28/2026	Daves I. Nichelson
CONTRACTOR OF THE STATE OF THE	DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES

MO 580-0771 (6-10)

LAB-4 (R6-10)

