

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

INTOX EC/IR II MAINTENANCE REPORT

PEPOPT #3

Complete this managet at the time t	£ +11-1-1			
Complete this report at the time o days). Complete this report whenev	or the instrument is	/ preventive main	tenance check (not	to exceed 35
INTOX EC/IR II SN	and send a copy within 15 days to the			
12710			DATE OF INSPECTION	
	St. Clair		01/05/2025	
LOCATION OF INSTRUMENT (STREET AND CITY)		TIME OF INSPECTION		
1 Paul Parks Dr. St. Clair			13:06 CST	
CHECKLIST: Place a mark in the box	by each item if four	nd to be satisfact	cory or is operati	ng within
established limits. (Write in observe using instrument	rved values where det	ermined). Unmark	ced items must be	corrected
before using instrument. X DIAGNOSTIC RECORD				
X BLANK CHECK		X CO2 CHECK		
X FC 1 TEMP		X FLOW CHECK		
X SRC TEMP		X FCB CHECK		
X DET TEMP		X CRC COMP CHEC	TK	
X BT TEMP		X CRC CAL CHEC		
X STD 2 TEMP		X PRINT TEST		
X ETH CHECK				
BREATH ANALYZER ACCURACY STANDA	ARDS			
SIMULATOR SOLUTION		X COMPRESSED E	THANOL-GAS MIXTU	RE
		OT# AG401502		DATE 01/15/2026
SIMULATOR TEMP (34°C +0.2°C)				
SIMOLATOR TEMP (34°C ±0.2°C)	SIM. SI	V	SIM. NIST EXP	DATE
X CALIBRATION CHECK - (ONLY ONE	E STANDARD IS TO BE	USED PER MAINT	ENANCE REPORT)	
,				% of the standard value
Run three tests using a stand	dard solution. All	. three tests mu	st be within +5	% of the standard value
,	dard solution. All	. three tests mu	st be within +5	% of the standard value andard solution being
Run three tests using a stand and must have a spread of .00 used.	dard solution. All 05 or less. Mark t	three tests much box correspo	ast be within ± 5 anding to the st	% of the standard value andard solution being
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND	three tests muthe box correspond	ast be within ± 5 anding to the st	% of the standard value andard solution being
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.076% AND	three tests muthe box corresponded to the corresponded to the corresponded to the correspondent to the corresponde	st be within ±5 anding to the state version of the	% of the standard value andard solution being
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.076% AND	three tests muthe box corresponded to the corresponded to the corresponded to the correspondent to the corresponde	st be within ±5 anding to the state version of the	% of the standard value andard solution being
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	dard solution. All 05 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND	three tests muche box corresponded to the correspondence of the co	st be within ±5 onding to the st EVE EVE	andard solution being
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L	dard solution. All 05 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.038% AND TEST 2 0.100 g	three tests muthe box correspondence of the	st be within ±5 anding to the st	andard solution being 0 g/210L
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	dard solution. All 05 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.038% AND TEST 2 0.100 g	three tests muthe box correspondence of the	st be within ±5 anding to the st	andard solution being 0 g/210L
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND TEST 2 30 0.100 co	three tests muche box correspondence of the	st be within ±5 ording to the st VE VE VE TEST 3 0 0.10	andard solution being 0 g/210L TENANCE REPORT:
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 ** 0.100 c	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUINI INCUINI INCUINI INCUINI INCUINI INCUINI INCUINI INCUINI I	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TEST 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 co ESTS IN THE FOLLOW .0509 0	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 co ESTS IN THE FOLLOW .0509 0	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TEST 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 co ESTS IN THE FOLLOW .0509 0	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TEST 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 co ESTS IN THE FOLLOW .0509 0	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TEST 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 co ESTS IN THE FOLLOW .0509 0	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TEST 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 co ESTS IN THE FOLLOW .0509 0	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TEST 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 co ESTS IN THE FOLLOW .0509 0	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TEST 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 c TESTS IN THE FOLLOW .0509 0 BRATION OR MODIFICATION MITS (USE OTHER SIDE IF	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TO THE SATISFACTORILY AND WITHIN ESTABLISHED LINEST ANY NEW PARTS AND DESCRIBE ANY ALTER SATISFACTORILY AND WITHIN ESTABLISHED LINESPECTING OFFICER SIGNATURE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 c TESTS IN THE FOLLOW .0509 0 RATION OR MODIFICATION MITS (USE OTHER SIDE IF	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TO THE SATISFACTORILY AND WITHIN ESTABLISHED LINSPECTING OFFICER SIGNATURE	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 c TESTS IN THE FOLLOW .0509 0 RATION OR MODIFICATION MITS (USE OTHER SIDE IF	three tests muche box correspondence of the	st be within ±5 anding to the st VE VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TO THE NUMBER OF BREATH TO THE SATISFACTORILY AND WITHIN ESTABLISHED LICENSTRATOR OF STENATOR	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND TEST 2 0.100 control of the solution of Modification of Modification MITS (USE OTHER SIDE IF	three tests muche box correspondence of the	st be within ±5 anding to the st vertice. TEST 3 0 0.10 E THE LAST MAIN .1519 0 STORE THE INSTRUMENT	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TREFUSALS 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTESATISFACTORILY AND WITHIN ESTABLISHED LIST SATISFACTORILY AND WITHIN ESTABLISHED LIST STANDARD STANDAR	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND TEST 2 0.100 c TESTS IN THE FOLLOW .0509 0 PRATION OR MODIFICATION MITS (USE OTHER SIDE IF	three tests muche box correspondence of the	st be within ±5 anding to the st vertice. TEST 3 0 0.10 E THE LAST MAIN .1519 0 STORE THE INSTRUMENT	andard solution being 0 g/210L TENANCE REPORT: OVER .19 0
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TO THE NUMBER OF BREATH TO THE SATISFACTORILY AND WITHIN ESTABLISHED LIMITS AND STANDARD ST	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 g TESTS IN THE FOLLOW .0509 0 RATION OR MODIFICATION MITS (USE OTHER SIDE IF 100 DATE 101 DATE 102 DATE 103 THE:	three tests muche box correspondence of the	st be within ±5 miding to the st VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0 STORE THE INSTRUMENT	o g/210L TENANCE REPORT: OVER .19 0 TO OPERATE
Run three tests using a stand and must have a spread of .00 used. X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH TREFUSALS 1 004 10 LIST ANY NEW PARTS AND DESCRIBE ANY ALTESATISFACTORILY AND WITHIN ESTABLISHED LIST SATISFACTORILY AND WITHIN ESTABLISHED LIST STANDARD STANDAR	dard solution. All 5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 0.100 g TESTS IN THE FOLLOW .0509 0 RATION OR MODIFICATION MITS (USE OTHER SIDE IF 100 DATE 101 DATE 102 DATE 103 THE:	three tests muche box correspondence of the	st be within ±5 miding to the st VE VE TEST 3 0 0.10 E THE LAST MAIN .1519 0 STORE THE INSTRUMENT	o g/210L TENANCE REPORT: OVER .19 0 TO OPERATE

<u>AFFIDAVIT</u>

Before me, the undersigned authority, personally appeared <u>Steven Webb.</u> who, being duly sworn, deposed as follows:

My name is <u>Steven Webb.</u> I am of sound mind, capable of making this affidavit, and personally acquainted with the facts herein stated:

Steven Webb

In witness whereof I have hereunto subscribed my name and affixed my official seal this _______

day of <u>JANUARY</u>, 20<u>25</u>

Notary Public

My commission expires: 5/02/2025

TINA MARIE ELLIOTT Notary Public, Notary Seal State of Missouri Franklin County Commission # 21464840 My Commission Expires 05-02-2025



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Customer Name Exclusive Supplier Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 16-Jan-2024

Lot # AG401502 Model 108

Exp Date

Cyl. Type

Component

Certified Concentration

15-Jan-2026

108

Ethanol Nitrogen $0.100 \pm 2\%$ BrAC (272 ppm)

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

Concentration
391.8 ppm
259.8 ppm
209.0 ppm
103.7 ppm
52.22 ppm

RGM Serial No. Concentration EB0010603 392.5 ppm EB0010559 258.9 ppm EB0010562 104.2 ppm EB0010579 52.94 ppm

CRM Serial No. CC727481 CC727496

Concentration 799.4 ppm 253.4 ppm

CRM Serial No. CC727493 CC727498

Concentration mgg 8,688 150.2 ppm

· Analytical Method: NDIR

Olgitally signed by:Quality Control Reason:Dry gas standard certificat Location:Airges USA LLC (Lab) Date:01.19.2024 09:55

Approved for Release:

Yusef Woods

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



680/0774 (6/10),

STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM



LADA (RE-10)

PERMIT TYME

STEVEN J. WEBB

is hereby sutherized to instruct and supervise operate and operate the following breath analyzer(s):	itors, train instructors, inspect, calibrate; perform field service and repair	//俊
• • • • • • • • • • • • • • • • • • • •	TOX EC/IR II	AND AND
577.020 through 577.041, RSMo and 806.111 through	from a sample of expired air. Fermit leaved under the provisions of sebtion in 605.115 RSMs. Mila Mazanana	11
DATE	DIRECTOR OF STATE PUBLIC HEALTH LABORATORY	ш,
NUMBER 230086	a Darkon unt. Machaelain	
EXPIRES 529/2008	DEWLAND GRAINS OF THE LETT FOR THE METER AND THE THE PROPERTY OF THE PROPERTY	india Ulber



STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM

INSTRUMENT OPERATOR CARD

The named cartholder is sufficiency to operate an evidential breath elocitol instrument for the determination of the elocholic content in breath form of expired air

Operator WEBB, STEVEN Permit No 230086

Date Issued 5/9/2023 Date Expires 6/9/2025

