

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

	MAINTENANCE REP			REPORT #3
Complete this report at the time of				
days). Complete this report whenever	ver the instrument is ser	rviced or repai	red and whenever i	t is placed
into service. Retain the original		15 days to the		gram, DHSS.
INTOX EC/IR II SN	NAME OF AGENCY	mant	DATE OF INSPECTION 01/05/2025	
12855	Rolla Police Depart	.menc	TIME OF INSPECTION	
LOCATION OF INSTRUMENT (STREET AND CIT	x)		08:17 CST	
1007 N. Elm Street Rolla CHECKLIST: Place a mark in the box	the cook item if found	to be gatiefact		a within
established limits. (Write in obse				
before using instrument.		,		
X DIAGNOSTIC RECORD				
X BLANK CHECK	X	CO2 CHECK		-
X FC 1 TEMP		FLOW CHECK		
X SRC TEMP	X	FCB CHECK		
X DET TEMP	X	CRC COMP CHEC	CK C	
X BT TEMP	X	CRC CAL CHECK		
X STD 2 TEMP	X	PRINT TEST	·	
X ETH CHECK		<u> </u>		
BREATH ANALYZER ACCURACY STANI	DARDS			
SIMULATOR SOLUTION		COMPRESSED ET	THANOL-GAS MIXTUR	RE
	KIMETERS LOT			DATE 03/13/2026
SIMULATOR TEMP (34°C +0.2°C			SIM. NIST EXP I	ATE
DIMOLATOR IBM (34 C To.2 C	,			
CALIBRATION CHECK - (ONLY O	IR STANDARD IS TO BE U	ISED PER MAINT	PENANCE REPORT)	-
CALIBRATION CHECK - (ONLY O				of the standard value
Run three tests using a star	ndard solution. All t	hree tests mu	st be within ±5%	of the standard value
	ndard solution. All t	hree tests mu	st be within ±5%	of the standard value indard solution being
Run three tests using a star and must have a spread of . (used.	ndard solution. All t 005 or less. Mark the	three tests mu box correspo	ast be within \pm 5% anding to the sta	of the standard value andard solution being
Run three tests using a star and must have a spread of . used. 10.10% STANDARD - MUST REAL	ndard solution. All to 005 or less. Mark the	three tests mu box correspo 0.105% INCLUSI	ast be within $\pm 5\%$ anding to the stace	of the standard value undard solution being
Run three tests using a star and must have a spread of . (used.	ndard solution. All to 005 or less. Mark the 0 BETWEEN 0.095% AND 0 0 BETWEEN 0.076% AND 0	chree tests mu e box correspo 0.105% INCLUSI 0.084% INCLUSI	sst be within ±5% pnding to the stance to th	of the standard value indard solution being
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST REAL X 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL	ndard solution. All to 005 or less. Mark the 0 BETWEEN 0.095% AND 0 BETWEEN 0.076% AND 0 BETWEEN 0.038% AND 0	chree tests must be box corresponded to the corresponding to the corresp	sst be within ±5% pnding to the standard to th	indard solution being
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L	ndard solution. All to 005 or less. Mark the 0 BETWEEN 0.095% AND 0 BETWEEN 0.076% AND 0 BETWEEN 0.038% AND 0 TEST 2 0.081 g/2	chree tests must be box corresponded to the corresponding to the corresp	st be within ±5% onding to the state to the	ndard solution being
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST REAL X 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL	ndard solution. All to 005 or less. Mark the 0 BETWEEN 0.095% AND 0 BETWEEN 0.076% AND 0 BETWEEN 0.038% AND 0 TEST 2 0.081 g/2	chree tests must be box corresponded to the corresponding to the corresp	st be within ±5% onding to the state to the	ndard solution being
Run three tests using a star and must have a spread of 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 005 between 0.038% AND 005 TEST 2 0.081 g/2	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081	ndard solution being g/210L TENANCE REPORT:
Run three tests using a star and must have a spread of 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 00 between 0.038% AND 00 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING	chree tests must be box corresponded to the box corres	TEST 3 0.081 TEST 3 3 0.081	ndard solution being
Run three tests using a star and must have a spread of 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 00 between 0.038% AND 00 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 00 between 0.038% AND 00 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 00 between 0.038% AND 00 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 00 between 0.038% AND 00 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 00 between 0.038% AND 00 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST READ O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ O.04% STANDARD - MUST READ O.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS O O04 O LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED	ndard solution. All to 005 or less. Mark the 005 or less. Mark the 005 between 0.095% AND 00 between 0.038% AND 00 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST READ O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ O.04% STANDARD - MUST READ O.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS O 004 O LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED	ndard solution. All to 2005 or less. Mark the 2005 or less. Mark the 2005 BETWEEN 0.095% AND 000 BETWEEN 0.038% AND 000 TEST 2 0.081 g/2 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING 1.00509 1 TERATION OR MODIFICATION THE LIMITS (USE OTHER SIDE IF NO.005)	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST READ O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ O.04% STANDARD - MUST READ O.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS O O04 O LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED	ndard solution. All to 2005 or less. Mark the 2005 or less. Mark the 2005 BETWEEN 0.095% AND 000 BETWEEN 0.038% AND 000 TEST 2 0.081 g/2 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING 1.00509 1 TERATION OR MODIFICATION THE LIMITS (USE OTHER SIDE IF NO.005)	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.081 TEST 3 3 0.081	over .19 0
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPI	TEST 2 0.081 g/2 TESTS IN THE FOLLOWING OBETWEEN O.076% AND CONTROL OF THE POLLOWING TEST 2 0.081 g/2 TESTS IN THE FOLLOWING OBETWEEN O.038% AND CONTROL OF THE POLLOWING TEST 2 0.081 g/2 TEST 2 0.081 g/2 TEST 2 0.081 g/2 TEST 3 THE FOLLOWING OBETWEEN O.038% AND CONTROL OF THE POLLOWING TEST 2 0.081 g/2 TEST 1 THE FOLLOWING OBETWEEN O.038% AND CONTROL OF THE POLLOWING TEST 2 0.081 g/2 TEST 3 THE FOLLOWING TEST 3 THE FOLLOWING OBETWEEN O.038% AND CONTROL OF THE POLLOWING TEST 3 THE FOLLOWING TEST 4 THE FOLLOWING TEST 5 THE FOLLOWING OBETWEEN O.038% AND CONTROL OF THE POLLOWING TEST 5 THE FOLLOWING TEST 7 THE FOLLOWING TEST 1 THE FOLLOWING TEST 2 THE FOLLOWING TEST 1 THE FOLLOWING TEST 1 THE FOLLOWING TEST 2 THE FOLLOWING TEST 2 THE FOLLOWING TEST 1 THE FOLLOWING TEST 2 THE FOLLOWING TEST 1 THE FOLLOWING TEST 2 THE FOLLOWING TEST 1 THE FOLLOWING TEST 1 THE FOLLOWING THE FOLLOWING TEST 1 THE FOLLOWING THE	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.08: TEST 3 0.08: TEST 3 5 0.08: TEST 19 3 STORE THE INSTRUMENT	over .19 0
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERSET NUMBER EXPI	TEST 2 0.081 g/2 TESTS IN THE FOLLOWING 1.0509 1 TERRATION OR MODIFICATION THE LIMITS (USE OTHER SIDE IF N	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.08: TEST 3 0.08: TEST 3 5 0.08: TEST 19 3 STORE THE INSTRUMENT	over .19 0
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPI	ndard solution. All to 2005 or less. Mark the 2005 or less. Mark the 2005 between 0.095% AND 000 between 0.038% AND 000 between 0.038% AND 000 tests in the Following 1.0509 1 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING 1.0509 1 TERATION OR MODIFICATION THE LIMITS (USE OTHER SIDE IF NO NE	chree tests must be box corresponded to the box corresponded to the box corresponded to the box corresponded to the box correspondent to the box c	TEST 3 0.08: TEST 3 0.08: TEST 3 5 0.08: TEST 19 3 STORE THE INSTRUMENT	over .19 0
Run three tests using a star and must have a spread of used. 0.10% STANDARD - MUST REAL X 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.079 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER 240159 07/	ndard solution. All to 2005 or less. Mark the 2005 or less. Mark the 2005 or less. Mark the 2005 between 0.095% AND 0.00 between 0.038% AND 0.00 between 0.038% AND 0.00 tests in the Following 1.0509 1 TEST 2 0.081 g/2 TESTS IN THE FOLLOWING 1.0509 1 TERATION OR MODIFICATION THE LIMITS (USE OTHER SIDE IF NO 1.0505 IF N	chree tests must be box corresponded to the box corres	TEST 3 0.08: TEST 3 0.08: TEST 3 5 0.08: TEST 19 3 STORE THE INSTRUMENT	TENANCE REPORT: OVER .19 0 TO OPERATE



Airgas USA LLC (LAB) 3500 Bernard Street

St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Customer Name

Exclusive Supplier Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 13-Mar-2024

Lot # AG407302 **Model** 108

Exp Date 13-Mar-2026 Cyl. Type 108 Component Ethanol Nitrogen

Certified Concentration 0.080 ± 0.002 BrAC (218 ppm)

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

RGM Serial No.	Concentration	RGM Serial No.	Concentration
EB0010581	391.8 ppm	EB0010603	392.5 ppm
EB0010570	259.8 ppm	EB0010559	258.9 ppm
EB0010285	209.0 ppm	EB0010562	104.2 ppm
EB0010561	103.7 ppm	EB0010579	52.94 ppm
EB0010681	52.22 ppm		••

 CRM Serial No.
 Concentration
 CRM Serial No.
 Concentration

 CC727481
 799.4 ppm
 CC727493
 389.8 ppm

 CC727496
 253.4 ppm
 CC727498
 150.2 ppm

Analytical Method: NDIR

Digitally signed by:Quality Control Reason:Dry gas standard certification of analysis Location:Airgas USA LLC (Lab) Date:03.15.2024 08:01

Approved for Release:

Yusef Woods

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES **BREATH ALCOHOL PROGRAM**



LAB-4 (R6-10)

PERMIT TYPE II **JOSHUA C. NIX**

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

INTOX EC/IR II

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo. Mile Massur-DATE ____7/23/2024 DIRECTOR OF STATE PUBLIC HEALTH LABORATORY NUMBER 240159 Daves J. nichelson EXPIRES 7/23/2026 DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES MO 580-0771 (6-10)



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM

INSTRUMENT OPERATOR CARD

The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired a in Missouri.

Operator NIX, JOSHUA

Permit No 240159

Date Issued 7/23/2024 Date Expires 7/23/2026





INTOXIMETER EC/IR II BREATH ALCOHOL RECORD INSTRUMENT SERIAL #012855



BA OPERATOR SIGNATURE/REMARKS:	Svi A 24-876	Sor A 24 876	THO L.K 550	S. A.M. STE	PTO 12 Her 24	Aro 2 Mag 84	S57 / 25 846	profile	Man mo	S. J. Mr. 876		
CHARGE	1	B4c	BAC	RAC		BAC	BAC	BAC	BAC	BAC		
BA OPERATOR DSN:	7ts	876	058	248	Son	048	SAC	820	240	876		
B.A.C.%	1	7410	711.	, 083	Mouth	,100	136	.163	.193	.158		
ARRESTING OFFICER DSN:	1	874c	880	876	240	8cm	7£8	058	940	876		
DATE: TEST#: SUBJECT NAME.	Monthly Maint	Redu Rome	George, ANA	Douglas. Machanie	Huggerd, Corex	Husgard, colley	12/18/24 0921 2005 Rung. Mara	12/21/34 0006 2006 Trzaskus, Andrew	12/24/24 0535 2007 Harm, Lonce	12(24 1519 2008 Dikenton, Joshux		
TEST#:			3001	Scool		2004	Zas	900C	2007	2008		
TIME	2318 1999	CAHI	1750	Char	1251		1860	0000	0535	1519		
DATE	12/7/34	12/8/24 10241 2000	09L1 /618/01	13/9/24 Chal sees	12/HV24	12/14/24 1954	HE181181	he/ie/el	12/24/24	13/3c/24		