

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

INTOX DMT MAINTENANCE REPORT

REPORT #1

Missouri State Highway Patrol 01/25/2025	WARE HATOX DIVI	I MAINTENANCE REI				
Missouri State Highway Patrol 01/25/25	Complete this report whenev	ver the instrument is serviced	or repaired and wheneve	er it is placed into service.		
Horseshoe Casino, 999 N 2nd ST, St. Louis, MO CHECKLIST. Piace a mark in the box by each item if found to be satisfactory or is operating within established limits. (Write in observed values where determined). Unmarked items must be corrected before using instrument DIAGNOSTIC RECORD DATE AND TIME01/25/2025 16:07:33			way Patrol			
DIAGNOSTIC RECORD DATE AND TIME01/25/2025_16:07:33					N.	
DIAGNOSTIC RECORD DATE AND TIME01/25/2025_16:07:33	CHECKLIST: Place a mark values where determined). L	in the box by each item if for	und to be satisfactory or is	operating within established lin	nits. (Write in observed	
© PROGRAM				THORK.		
© SAMPLE CHAMBER 48.9°C	DATE AND TIME 01/2	<u>25/2025 16:07:33</u>	☑ DETE	CTOR	and the second seco	
BREATH TUBE 45.9°C	☑ PROGRAM		☑ FILTE	ER 1		
BREATH ANALYZER ACCURACY STANDARDS □ SIMULATOR STANDARD □ COMPRESSED ETHANOL-GAS MIXTURE □ SIMULATOR STANDARD □ SIMULATOR TEMP (34°C±02°C) □ SIM	SAMPLE CHAMBE	R_48.9°C		ER 2		
BREATH ANALYZER ACCURACY STANDARD SIMULATOR STANDARD COMPRESSED ETHANOL-GAS MIXTURE	BREATH TUBE 45	5.9°C	⊠ FILTE	ER 3		
SIMULATOR STANDARD STANDARD SUPPLIER INTOXIMETERS LOT # AG400203 EXP. DATE	☑ PUMP			RNAL STANDARD		
STANDARD SUPPLIER INTOXIMETERS LOT # AG400203 EXP. DATE 01/02/2026 SIMULATOR TEMP (34°C ± 0 2°C) SIM. SN SIM. NIST EXP DATE CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT) Run three tests using a standard. All three tests must be within ±5% of the standard value and must have a spread of .005 or less. Mark the box corresponding to the standard being used. © 0.10% STANDARD - MUST READ BETWEEN 0.095% AND 0.105% INCLUSIVE 0.08% STANDARD - MUST READ BETWEEN 0.076% AND 0.084% INCLUSIVE 1.0.098 TEST 1: 0.098 TEST 2: 0.098 TEST 3: 0.097	BREATH ANALYZER ACC	URACY STANDARDS				
SIMULATOR TEMP (34°C±02°C). SIM. SN. SIM. NIST EXP DATE CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT) Run three tests using a standard. All three tests must be within ±5% of the standard value and must have a spread of .005 or less. Mark the box corresponding to the standard being used. ☑ 0.10% STANDARD - MUST READ BETWEEN 0.095% AND 0.105% INCLUSIVE ☐ 0.08% STANDARD - MUST READ BETWEEN 0.076% AND 0.084% INCLUSIVE ☐ 0.04% STANDARD - MUST READ BETWEEN 0.038% AND 0.042% INCLUSIVE ☐ 0.04% STANDARD - MUST READ BETWEEN 0.038% AND 0.042% INCLUSIVE FEST 1: 0.098 ☐ TEST 2: 0.098 ☐ TEST 3: 0.097 ☐ PERFORM R.F.I. TEST NDICATE THE NUMBER OF BREATH TESTS IN THE FOLLOWING RANGES SINCE THE LAST MAINTENANCE REPORT: REFUSALS: 0	☐ SIMULATOR STAN	DARD		PRESSED ETHANOL-GAS MI	XTURE	
CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT) Run three tests using a standard. All three tests must be within ±5% of the standard value and must have a spread of .005 or less. Mark the box corresponding to the standard being used.	☑ STANDARD SUPPLIER	INTOXIMETERS	LOT#_AG4002	203 EXP. DAT	E 01/02/2026	
of ,005 or less. Mark the box corresponding to the standard being used. \[\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\t	T CIMILII ATOD TEMP (24	°C ± 0.2°C)	SIM. SN	SIM. NIST EXP [DATE	
PERFORM R.F.I. TEST NDICATE THE NUMBER OF BREATH TESTS IN THE FOLLOWING RANGES SINCE THE LAST MAINTENANCE REPORT: REFUSALS: 0 004: 0 .0509: 0 .1014: 0 .1519: 0 OVER .19: 0 IST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODIFICATION THAT WAS MADE TO RESTORE THE INSTRUMENT TO OPERATE SATISFACTORILY AND WITHIN STABLISHED LIMITS (USE OTHER SIDE IF NECESSARY) ISPECTING OFFICER BY ANTURE PRINT FULL NAME CHARLES PLEASANT PE II PERMIT NUMBER [EXPIRATION DATE] [EXPIRATION DATE] [TELEPHONE NUMBER]	CALIBRATION CHECK Run three tests using a sof .005 or less. Mark the	e box corresponding to the s ARD - MUST READ BETWE	standard being used. EEN 0.095% AND 0.105%	NCLUSIVE	pread	
NDICATE THE NUMBER OF BREATH TESTS IN THE FOLLOWING RANGES SINCE THE LAST MAINTENANCE REPORT: REFUSALS: 0	□ CALIBRATION CHECK Run three tests using a solid of .005 or less. Mark the □ 0.10% STANDA □ 0.08% STANDA □ 0.04% STANDA	e box corresponding to the s ARD - MUST READ BETWE ARD - MUST READ BETWE ARD - MUST READ BETWE	standard being used. EEN 0.095% AND 0.105% EEN 0.076% AND 0.084% EEN 0.038% AND 0.042%	S INCLUSIVE S INCLUSIVE		
REFUSALS: 0 004: 0 .0509: 0 .1014: 0 .1519: 0 OVER .19: 0 ST ANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODIFICATION THAT WAS MADE TO RESTORE THE INSTRUMENT TO OPERATE SATISFACTORILY AND WITHIN STABLISHED LIMITS (USE OTHER SIDE IF NECESSARY) ISPECTING OFFICER SNATURE PRINT FULL NAME CHARLES PLEASANT PE II PERMIT NUMBER EXPIRATION DATE TELEPHONE NUMBER	CALIBRATION CHECK Run three tests using a sof .005 or less. Mark the 0.10% STANDA 0.08% STANDA 0.04% STANDA	e box corresponding to the s ARD - MUST READ BETWE ARD - MUST READ BETWE ARD - MUST READ BETWE	standard being used. EEN 0.095% AND 0.105% EEN 0.076% AND 0.084% EEN 0.038% AND 0.042%	S INCLUSIVE S INCLUSIVE		
ISPECTING OFFICER STANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODIFICATION THAT WAS MADE TO RESTORE THE INSTRUMENT TO OPERATE SATISFACTORILY AND WITHIN STABLISHED LIMITS (USE OTHER SIDE IF NECESSARY) ISPECTING OFFICER BNATURE PRINT FULL NAME CHARLES PLEASANT PE II PERMIT NUMBER TELEPHONE NUMBER	CALIBRATION CHECK Run three tests using a sof .005 or less. Mark the 0.10% STANDA 0.08% STANDA 0.04% STANDA 0.04% STANDA EST 1: 0.098	e box corresponding to the s ARD - MUST READ BETWE ARD - MUST READ BETWE ARD - MUST READ BETWE TEST 2	etandard being used. EEN 0.095% AND 0.105% EEN 0.076% AND 0.084% EEN 0.038% AND 0.042% 2: 0.098	S INCLUSIVE S INCLUSIVE S INCLUSIVE TEST 3: 0.09	7	
SPECTING OFFICER SPATURE PRINT FULL NAME CHARLES PLEASANT PE II PERMIT NUMBER [EXPIRATION DATE] TELEPHONE NUMBER	CALIBRATION CHECK Run three tests using a sof .005 or less. Mark the 0.10% STANDA 0.08% STANDA 0.04% STANDA 0.04% STANDA EST 1: 0.098	e box corresponding to the s ARD - MUST READ BETWE ARD - MUST READ BETWE ARD - MUST READ BETWE TEST 2	etandard being used. EEN 0.095% AND 0.105% EEN 0.076% AND 0.084% EEN 0.038% AND 0.042% 2: 0.098	S INCLUSIVE S INCLUSIVE S INCLUSIVE TEST 3: 0.09	7	
PRINT FULL NAME CHARLES PLEASANT PE II PERMIT NUMBER EXPIRATION DATE TELEPHONE NUMBER	CALIBRATION CHECK Run three tests using a s of .005 or less. Mark the 0.10% STANDA 0.08% STANDA 0.04% STANDA 0.04% STANDA EST 1: 0.098 PERFORM R.F.I. TEST NDICATE THE NUMBER 6	e box corresponding to the start of the star	etandard being used. EEN 0.095% AND 0.105% EEN 0.076% AND 0.084% EEN 0.038% AND 0.042% 2: 0.098 HE FOLLOWING RANG : 0 .1014:	ES SINCE THE LAST MAINT 0 .1519: 0	7 TENANCE REPORT: OVER .19: 0	
	CALIBRATION CHECK Run three tests using a s of .005 or less. Mark the	e box corresponding to the start of the star	etandard being used. EEN 0.095% AND 0.105% EEN 0.076% AND 0.084% EEN 0.038% AND 0.042% 2: 0.098 HE FOLLOWING RANG : 0 .1014:	ES SINCE THE LAST MAINT 0 .1519: 0	7 TENANCE REPORT: OVER .19: 0	
	CALIBRATION CHECK Run three tests using a s of .005 or less. Mark the 0.010% STANDA 0.08% STANDA 0.04% STANDA 1.0.098 PERFORM R.F.I. TEST NDICATE THE NUMBER O REFUSALS: 0 00 RIST ANY NEW PARTS AND DESCRIBE ESTABLISHED LIMITS (USE OTHER SID	e box corresponding to the start of the star	EN 0.095% AND 0.105% EN 0.076% AND 0.084% EN 0.038% AND 0.042% 2: 0.098 HE FOLLOWING RANG : 0 .1014: THAT WAS MADE TO RESTORE TH	ES SINCE THE LAST MAINT O .1519: O HE INSTRUMENT TO OPERATE SATISFACT	7 TENANCE REPORT: OVER .19: 0	



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103

Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Customer Name Exclusive Supplier

Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 4-Jan-2024

Lot # AG400203 **Model** 108

Exp Date 2-Jan-2026 Cyl. Type 108

Component

Certified Concentration

Ethanol

 $0.100 \pm 2\%$ BrAC (260 ppm)

Nitrogen

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

RGM Serial No.	Concentration	RGM Serial No.	Concentration
EB0010581	391.8 ppm	EB0010603	392.5 ppm
EB0010570	259.8 ppm	EB0010559	258.9 ppm
EB0010285	209.0 ppm	EB0010562	104.2 ppm
EB0010561	103.7 ppm	EB0010579	52.94 ppm
EB0010681	52.22 ppm		

CRM Serial No.	Concentration	CRM Serial No.	Concentration
CC727481	799.4 ppm	CC727493	389.8 ppm
CC727496	253.4 ppm	CC727498	150.2 ppm

Analytical Method: NDIR

Digitally signed by Quality Control Reason Dry gas standard certification of analysis Location:Airgas USA LLC (Lab) Date:01 05 2024 08:53

Approved for Release:

Yusef Woods

ISO 17025:2017 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES
BREATH ALCOHOL PROGRAM



PERMIT TYPE II

CHARLES L. PLEASANT

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):



instrument for the determination of the alcoholic content in breath form of expired air in Missouri.

Operator PLEASANT, CHARLES

Permit No 230302

Date Issued 12/11/2023 Date Expires 12/11/2025

