



State of Missouri regional COVID-19 hospitalized cases model

October 07, 2020

Multiple data points inform Missouri's COVID-19 response

- Syndromic surveillance
- Healthcare system capacity (bed, PPE, and staff availability)
- Testing
- COVID-19 cases and deaths
- Economic and social impact
- Insights from U.S. states, nationally, and other countries
- Evidence from scientific literature
- Mathematical disease modelling




Our model estimates possible outcomes based on currently available information

What does the model tell us	What does it not tell us
Range of plausible outcomes based on our current knowledge of COVID-19 in Missouri	What will happen in the future
Approximate date and magnitude of peak/s based on current understanding of policy interventions and human behavior and assumptions about future interventions	Date and magnitude of peak/s if there are major changes in planned policy interventions and human behavior
Approximate estimate of effective transmission rate across a region	Exact transmission rate in all parts of a region – there may be areas of higher and lower transmission within the region
Projected hospitalizations for regions in MO with sufficient data, i.e. Kansas City Area, Central, St. Louis Area, Southeast and Southwest	Projected hospitalizations in regions where daily COVID-19 hospitalizations are fewer than 15 because insufficient cases

The ability to forecast depends on the quality and availability of data. For a new disease such as COVID-19, much remains uncertain.



"R_e" rates near or above 1 in nearly every region means the disease is spreading statewide



Central (Region F)


Overview		
Population	502,486	
Cumulative Cases	11415	
Cumulative Deaths	86	
7-day New Cases	859	
WoW % Case Change	8.9%	

Reproductive Rate		
Pre-intervention	2.3	
Last Week	1.169	
Current Week	1.168	+/- 0.07
WoW % Change	-0.1%	

Bed / Ventilator Availability

	-	
% ICU Beds Occupied	69%	
% ICU Beds Occupied C19	16%	
% ICU Beds Free	31%	
% Ventilators in use	27%	
% Ventilators available	73%	

* % of ICU beds occupied by COVID-19 PUI/Confirmed patients





Greater Kansas City Area (Region A)


Overview		
Population	1,395,314	
Cumulative Cases	29155	
Cumulative Deaths	367	
7-day New Cases	1965	
WoW % Case Change	7.7%	

Reproductive Rate		
Pre-intervention	2.8	
Last Week	1.083	
Current Week	1.111	+/- 0.03
WoW % Change	2.6%	

Bed / Ventilator Availability

	-	
% ICU Beds Occupied	70%	
% ICU Beds Occupied C19	12%	
% ICU Beds Free	30%	
% Ventilators in use	26%	
% Ventilators available	74%	

* % of ICU beds occupied by COVID-19 PUI/Confirmed patients





Hospitalizations Hospitalized COVID-19 cases (EMResource)
Hospitalized COVID-19 cases (NHSN)

Northeast (Region B)


Overview		
Population	179,448	
Cumulative Cases	2628	
Cumulative Deaths	24	
7-day New Cases	304	
WoW % Case Change	14.1%	


Reproductive Rate		
Pre-intervention	N/A	
Last Week	0.818	
Current Week	0.812	+/- 0.07
WoW % Change	-0.7%	

Bed / Ventilator Availability

	-	
% ICU Beds Occupied	63%	
% ICU Beds Occupied C19	54%	
% ICU Beds Free	37%	
% Ventilators in use	6%	
% Ventilators available	94%	

* % of ICU beds occupied by COVID-19 PUI/Confirmed patients





Northwest (Region H)


Overview		
Population	234,361	
Cumulative Cases	5015	
Cumulative Deaths	62	
7-day New Cases	513	
WoW % Case Change	12.7%	


Reproductive Rate		
Pre-intervention	1.24	
Last Week	1.257	
Current Week	1.255	+/- 0.08
WoW % Change	-0.2%	

Bed / Ventilator Availability

	-	
% ICU Beds Occupied	63%	
% ICU Beds Occupied C19	34%	
% ICU Beds Free	38%	
% Ventilators in use	18%	
% Ventilators available	82%	

* % of ICU beds occupied by COVID-19 PUI/Confirmed patients





Southeast / Cape Girardeau (Region E)


Overview		
Population	363,478	
Cumulative Cases	8653	
Cumulative Deaths	103	
7-day New Cases	754	
WoW % Case Change	10.5%	

Reproductive Rate		
Pre-intervention	2.61	
Last Week	1.065	
Current Week	1.109	+/- 0.04
WoW % Change	4.1%	

Bed / Ventilator Availability

58%	
19%	
42%	
33%	
67%	
	19% 42% 33%

* % of ICU beds occupied by COVID-19 PUI/Confirmed patients



Hospital Beds

[Data updated 10/07/20]

Southwest / Springfield (Regions D,G, I)


Overview		
Population	1,221,847	
Cumulative Cases	26460	
Cumulative Deaths	261	
7-day New Cases	2762	
WoW % Case Change	13.3%	

Reproductive Rate		
Pre-intervention	2.36	
Last Week	1.113	
Current Week	1.107	+/- 0.06
WoW % Change	-0.5%	


Bed / Ventilator Availability

% ICU Beds Occupied	69%	
% ICU Beds Occupied C19	21%	
% ICU Beds Free	31%	
% Ventilators in use	27%	
% Ventilators available	73%	

* % of ICU beds occupied by COVID-19 PUI/Confirmed patients



Hospitalizations
Hospitalized COVID-19 cases (EMResource) Hospitalized COVID-19 cases (NHSN)



Greater St Louis Area (Region C)


Overview		
Population	2,229,518	
Cumulative Cases	50013	
Cumulative Deaths	1271	
7-day New Cases	2393	
WoW % Case Change	5.3%	

Reproductive Rate		
Pre-intervention	3.39	
Last Week	1.023	
Current Week	1.028	+/- 0.08
WoW % Change	0.5%	

Bed / Ventilator Availability

-	
71%	
14%	
29%	
41%	
59%	
	14% 29% 41%

* % of ICU beds occupied by COVID-19 PUI/Confirmed patients




Hospitalized COVID-19 cases (EMResource)
Hospitalized COVID-19 cases (NHSN)



See FAQs for additional details

Link here: <u>https://health.mo.gov/living/healthcondiseases/communicable/novel-</u> coronavirus/pdf/modeling-faqs06032020.pdf



Low levels of daily COVID-19 hospitalizations in the Northeast and Northwest regions limit the ability to generate projections for these regions. In particular, the numbers of hospitalized cases have been so low that



Regional COVID-19 transmission models help inform local policy, public health, and business decisions

- Mathematical models are commonly used to make projections of infectious disease epidemics (e.g., tuberculosis, HIV)
- Many sophisticated models on COVID-19 make global or national projections (e.g., Imperial College, Harvard, IHME)
- However, these generally do not incorporate critical local or regional inputs, such as:
 - Variations in local population size and age structure
 - Date and nature of social distancing and other policies
- Regional projections are important because:
 - Regional epidemics may differ markedly from the national average
 - Policy response occurs at state, county, and municipal levels



State of MO, WUSTL, and MHA have developed a regional model of hospitalized COVID-19 cases

- Standard SEIR model that combines universal characteristics of COVID-19 infection (e.g., transmission parameters) with local inputs to support regional decision making
 - Mathematical model developed by experts from UMass Amherst, UC Berkeley, UCSF, and WUSTL
 - Uses a statistical approach that adjusts underlying parameters as new data are observed
- Customized using the latest local data from Missouri's emergency response regions, including:
 - COVID-19 positives and PUIs
 - Population and age structure
 - Policy interventions
 - Avg. hospital length of stay
- Projects COVID-19 hospitalized cases to directly address the question of hospital capacity and provide a more accurate picture on COVID-19's impact on the healthcare system

Model Structure (SEIR)

