



State of Missouri regional COVID-19 hospitalized cases model

September 1, 2020

Multiple data points inform Missouri's COVID-19 response

- Syndromic surveillance
- Healthcare system capacity (bed, PPE, and staff availability)
- Testing
- COVID-19 cases and deaths
- Economic and social impact
- Insights from U.S. states, nationally, and other countries
- Evidence from scientific literature
- Mathematical disease modelling



Our model estimates possible outcomes based on currently available information

What does the model tell us	What does it not tell us
Range of plausible outcomes based on our current knowledge of COVID-19 in Missouri	What will happen in the future
Approximate date and magnitude of peak/s based on current understanding of policy interventions and human behavior and assumptions about future interventions	Date and magnitude of peak(s) if there are major changes in planned policy interventions and human behavior
Approximate estimate of effective transmission rate across a region	Exact transmission rate in all parts of a region – there may be areas of higher and lower transmission within the region
Projected hospitalizations for regions in MO with sufficient data, i.e. Kansas City Area, Central, St. Louis Area, Southeast and Southwest	Projected hospitalizations in regions where daily COVID-19 hospitalizations are fewer than 15 because insufficient cases

The ability to forecast depends on the quality and availability of data. For a new disease such as COVID-19, much remains uncertain.




Central (Region F)



Central

Overview		
Population	502,486	
Cumulative Cases	5,733	
Cumulative Deaths	31	
7-day New Cases	1,176	
Wow % Case Increase	25.8%	

Reproductive	e Rate		
Pre-intervention	2.30		
Last Week	1.13		
This Week	1.18	1	(+/- 0.09
Change from LW	4.1%	1	




Greater Kansas City Area (Region A)



Kansas City Region

Overview		
Population	1,395,314	
Cumulative Cases	20510	
Cumulative Deaths	209	
7-day New Cases	1673	
Wow % Case Increase	8.9%	

Reproductive	e Rate		
Pre-intervention	2.80		
Last Week	0.99		
This Week	0.99	→	(+/- 0.042)
Change from LW	-0.2%	→	




Northeast (Region B)



Northeast

Overview		
Population	179,448	
Cumulative Cases	1582	
Cumulative Deaths	9	
7-day New Cases	264	
Wow % Case Increase	19.7%	

Reproductiv	e Rate		
Pre-intervention	0.00		
Last Week	1.10		
This Week	1.11	→	(+/- 0.088)
Change from LW	0.6%	→	




Northwest (Region H)



Northwest

Overview		
Population	234,361	
Cumulative Cases	2513	
Cumulative Deaths	26	
7-day New Cases	343	
Wow % Case Increase	15.7%	

Reproductiv	e Rate		
Pre-intervention	1.24		
Last Week	1.14		
This Week	1.14	→	(+/- 0.072)
Change from LW	-0.2%	→	




Southeast / Cape Girardeau (Region E)



Southeast

Overview		
Population	363,478	
Cumulative Cases	4730	
Cumulative Deaths	55	
7-day New Cases	628	
Wow % Case Increase	15.3%	

Reproductive	Rate		
Pre-intervention	2.61		
Last Week	1.14		
This Week	1.14	→	(+/- 0.065)
Change from LW	-0.4%	→	




Southwest / Springfield (Regions D,G, I)



Southwest

Overview		
Population	1,221,847	
Cumulative Cases	13051	
Cumulative Deaths	106	
7-day New Cases	1821	
Wow % Case Increase	16.2%	

Reproductive Rate			
Pre-intervention	2.36		
Last Week	1.11		
This Week	1.11	\rightarrow	(+/- 0.07)
Change from LW	0.3%	→	



Greater St. Louis (Region C)




St. Louis Region

Overview				
Population	2,229,518			
Cumulative Cases	36563			
Cumulative Deaths	1094			
7-day New Cases	2871			
Wow % Case Increase	8.5%			


Reproductive	e Rate		
Pre-intervention	3.39		
Last Week	0.96		
This Week	1.01	1	(+/- 0.04
Change from LW	5.5%	1	





See FAQs for additional details

Link here: https://health.mo.gov/living/healthcondiseases/communicable/novel-coronavirus/pdf/modeling-faqs06032020.pdf



Regional COVID-19 transmission models help inform local policy, public health, and business decisions

- Mathematical models are commonly used to make projections of infectious disease epidemics (e.g., tuberculosis, HIV)
- Many sophisticated models on COVID-19 make global or national projections (e.g., Imperial College, Harvard, IHME)
- However, these generally do not incorporate critical local or regional inputs, such as:
 - Variations in local population size and age structure
 - Date and nature of social distancing and other policies
- Regional projections are important because:
 - Regional epidemics may differ markedly from the national average
 - Policy response occurs at state, county, and municipal levels

State of MO, WUSTL, and MHA have developed a regional model of hospitalized COVID-19 cases

- Standard SEIR model that combines universal characteristics of COVID-19 infection (e.g., transmission parameters) with local inputs to support regional decision making
 - Mathematical model developed by experts from UMass Amherst, UC Berkeley, UCSF, and WUSTL
 - Uses a statistical approach that adjusts underlying parameters as new data are observed
- Customized using the latest local data from Missouri's emergency response regions, including:
 - COVID-19 positives and PUIs
 - Population and age structure
 - Policy interventions
 - Avg. hospital length of stay
- Projects COVID-19 hospitalized cases to directly address the question of hospital capacity and provide a more accurate picture on COVID-19's impact on the healthcare system

Model Structure (SEIR)

