

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.00 Table of Contents	Page 1 of 1

## Table of Contents

### **1.00 Introduction/Roles**

1.01 [Introduction](#)

1.02 [Mission, Vision and Values Statements](#)

1.03 [Points of Contact – Telephone Numbers and Addresses](#)

1.04 [Roles in the Control of Tuberculosis – General Information](#)

1.05 [Bureau of Communicable Disease Control and Prevention \(BCDCP\)](#)

1.06 [Health Care Providers](#)

1.07 [Missouri State Public Health Laboratory – Tuberculosis Section](#)

1.08 [Private Laboratories](#)

1.09 [Local Public Health Agencies](#)

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.01 Introduction	Page 1 of 1

## Introduction

This manual contains the policies, procedures, and recommendations of the Bureau of Communicable Disease Control and Prevention of the Missouri Department of Health and Senior Services (DHSS). It is intended as a guide for local public health agencies, district health offices, and other health care professionals who serve those in need of tuberculosis (TB) care. These guidelines were derived from statements and recommendations published by the Centers for Disease Control and Prevention (CDC), the American Thoracic Society (ATS), and the Infectious Disease Society of America (IDSA). This manual should be used to provide patient care and community elimination of tuberculosis throughout Missouri.

The diagnosis and treatment of TB is complex. While the material contained in this manual and the listed guides are extensive, questions may arise that are not fully covered. Further consultation and discussion with the DHSS TB Elimination Program is encouraged.

 [Back to Top](#)

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.02 Mission, Vision, and Values Statement	Page 1 of 1

## Missouri Department of Health and Senior Services Bureau of Communicable Disease Control and Prevention

### Mission Statement

The Mission of the Bureau of Communicable Disease Control and Prevention (BCDCP) is to prevent, control, and eliminate communicable diseases, including tuberculosis, in Missouri. In cooperation with others, we will lead efforts to:

- Conduct assessments
- Develop policies
- Conduct Surveillance
- Control outbreaks
- Educate health professionals and the public
- Assure treatment,

so that every individual has the opportunity for a healthy life.

### Vision Statement

The Vision of the Bureau of Communicable Disease Control and Prevention is that Missouri will be a state of healthy communities with healthy people free from communicable diseases.

### Values

The Bureau of Communicable Disease Control and Prevention is dedicated to improving health in Missouri. The staff values honesty, integrity, and respect for the people we serve and with whom we work. We are committed to education as a means of prevention. We are accountable, productive employees who strive for creative approaches and innovative solutions through effective communication and teamwork.

 [Back to Top](#)

	Division of Community and Public Health	
	Section: 1.0 Introduction/Roles	Revised May 2020
	Subsection: 1.03 Points of Contact	Page 1 of 2

## Points of Contact Telephone Numbers and Addresses

Bureau of Communicable Disease Control and Prevention (BCDCP)  
 930 Wildwood Dr., PO Box 570, Jefferson City, MO 65109 ..... (573) 751-6113  
 Fax .....(573) 526-0234

Vacant, Bureau Chief  
 930 Wildwood Dr., PO Box 570, Jefferson City, MO 65109 .....(573) 751-6268  
 Fax .....(573) 526-0234

John Bos, MPH, Assistant Bureau Chief  
 149 Park Central Square, Ste. 116, Springfield, MO 65806 .....(417) 895-6945  
 Fax .....(417) 895-6959

Traci Hadley, RN, BSN Public Health Consultant Nurse  
 TB Controller/TB Case Management Region A, D, E, G, H  
 1110 East 7<sup>th</sup> Street, Suite 12, Joplin, MO 64801 .....(417) 629-3487  
 Fax .....(573) 526-0234

Terry Eslahi, Senior Epidemiology Specialist  
 TB Program Manager/Division Global Migration Quarantine Liaison  
 930 Wildwood Dr., PO Box 570, Jefferson City, MO 65109 .....(573) 522-2728  
 Fax .....(573) 526-0234

Bev Myers, RN, Public Health Senior Nurse  
 TB Case Management Region B, C, F, I  
 142 Staples Drive, Park Hills, MO 63601 .....(573) 518-2697  
 Fax .....(573) 526-0234

Opeyemi Faseyitan, MBBS, MPH, Epidemiology Specialist  
 Program Evaluation Focal Point/Immigrant Health/Interjurisdictional notifications (IJNs)  
 TB Contact Investigations Region A, D, E, G, H  
 930 Wildwood Dr., PO Box 570, Jefferson City, MO 65109 .....(573) 751-6496  
 Fax .....(573) 526-0234

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.03 Points of Contact	Page 2 of 2

Miranda Schloman, MPA, MPH, Epidemiology Specialist  
 Program Evaluation Focal Point/Immigrant Health/Interjurisdictional notifications (IJNs)  
 TB Contact Investigations Region B, C, F, I  
 930 Wildwood Dr., PO Box 570, Jefferson City, MO 65109 .....(573) 751-6411  
 Fax .....(573) 526-0234

Diana Winder, MPA, BAA. AA, Health Program Representative/Training Coordinator  
 Diagnostic Services Program Manager, DOT Financial Assistance/TB Education Focal Point  
 930 Wildwood Dr., PO Box 570, Jefferson City, MO 65109 .....(573) 526-5832  
 Fax .....(573) 526-0234

Adam Perkins, TB Program Manager  
 Missouri State Public Health Laboratory, Tuberculosis Section  
 101 North Chestnut, PO Box 570, Jefferson City, MO 65101 .....(573) 751-3334  
 Fax .....(573) 522-6783

MU Student Health Pharmacy (Contract Pharmacy)  
 1020 Hitt St, Room 1001 .....(573) 882-8300  
 Fax .....(573) 884-3504

 [Back to Top](#)

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.04 Role in the Control of Tuberculosis – General Information	Page 1 of 1

## **Roles in the Control of Tuberculosis General Information**

Tuberculosis services in Missouri are provided on a cooperative basis by the TB Elimination Program, Bureau of Communicable Disease Control and Prevention (BCDCP) of the Missouri Department of Health and Senior Services (DHSS), health care providers, laboratories, long-term care facilities, home health agencies, local public health agencies, and metropolitan tuberculosis clinics.

Recommendations and guidelines for these services are provided by the Centers for Disease Control and Prevention (CDC), the American Thoracic Society (ATS) and the Infectious Disease Society of America (IDSA).

The CDC provides some funding for tuberculosis elimination. Funds are also provided by the State of Missouri from General Revenue funds for diagnosis and medications for the treatment of tuberculosis as a payor of last resort. Additional funds may also be provided by local public health agencies.

The roles of each entity are explained in the following pages.

 [Back to Top](#)

	Division of Community and Public Health	
	Section: 1.0 Introduction/Roles	Revised May 2020
	Subsection: 1.05 Bureau of Communicable Disease Control and Prevention	Page 1 of 2

## **Bureau of Communicable Disease Control and Prevention**

The **Bureau of Communicable Disease Control and Prevention (BCDCP)** has the overall responsibility for surveillance, containment, management and assessment of tuberculosis activities in the state. Specific duties include:

- Formulate and distribute guidelines for tuberculosis elimination in Missouri, utilizing established recommendations of the Centers for Disease Control and Prevention (CDC), the American Thoracic Society (ATS), and the Infectious Disease Society of America (IDSA).
- Provide epidemiological, technical, medical and programmatic consultative services regarding tuberculosis elimination to all health care providers, including local public health agencies (LPHAs), Department of Health and Senior Services (DHSS) District offices, public and private physicians, nurses, and health care facilities.
- Purchase anti-tuberculosis drugs and contract for their distribution when funding is available.
- Implement the Diagnostic Services Program (DSP), which provides funding when available, for medical evaluation for tuberculosis disease and infection, chest x-rays, x-ray interpretation, and sputum induction, if necessary for all residents who need such services, provided that they have no medical insurance and other financial barriers exist.
- Work closely with the Missouri State Public Health Laboratory Tuberculosis Section to ensure quality laboratory services in the state.
- Ensure that reporting regulations are met and assist LPHAs in enforcing commitment laws when necessary.
- Verify and count all new and recurrent cases of tuberculosis disease and known tuberculosis infection within the state, along with identified cases of non-tuberculosis mycobacteria (NTM). The bureau also maintains a register of all persons with confirmed tuberculosis disease or infection.
- Compile and distribute epidemiological data on the incidence and location of tuberculosis disease and infection in Missouri.
- Conduct interstate transfer of information regarding tuberculosis patients and their contacts.

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.05 Bureau of Communicable Disease Control and Prevention	Page 2 of 2

- Conduct semiannual evaluations of program quality indices, which are then forwarded to the CDC, and on-site evaluations of tuberculosis elimination programs as appropriate. Such objective evaluations are used to determine strengths and areas for improvement of State and local program efforts and address them as appropriate.

 [Back to Top](#)

	Division of Community and Public Health	
	Section: 1.0 Introduction/Roles	Revised May 2020
	Subsection: 1.06 Health Care Providers	Page 1 of 1

## Health Care Providers

**Health Care Providers**, including hospital outpatient departments, infirmaries of state and local correctional facilities, mental institutions, federal facilities, local public health agencies (LPHAS), and private providers in the community, are responsible for evaluating, diagnosing, prescribing, and monitoring the medical care of persons with tuberculosis (TB) disease or infection, (<https://www.cdc.gov/tb/topic/treatment/default.htm>). According to ATS/CDC/ISDA latest recommendations for the Treatment of Tuberculosis “The responsibility for successful treatment is clearly assigned to the public health program or private provider, not to the patient” (<https://www.cdc.gov/mmwr/preview/mmwrhtml/rr5211a1.htm>).

Physicians, hospitals and laboratories in Missouri are required by state regulation 19 CSR [20-20.020](#) to report to the Department of Health and Senior Services (DHSS) or the local health authority, any suspected or confirmed cases of TB disease within twenty-four (24) hours and any TB infection cases within three (3) days.

The reporting of each person with new or recurrent TB disease and each person with TB infection allows the resources of the LPHA/district offices and the Bureau of Communicable Disease Control and Prevention (BCDCP) to be made available to assist the provider in the appropriate management of the patient.

In addition to the Diagnostic Services Program (DSP) (see [Section 6](#) of the TB Manual), epidemiological services are available to identify and examine source cases and contacts. All LPHAs are able to link the health care provider with all services available from DHSS to assist the provider in the treatment and follow-up of each TB patient.

Close Cooperation between health care providers and the LPHA or DHSS is imperative for the optimal outcome for the patient, contacts, and the community as a whole. Physicians and other providers described above are required to cooperate with the LPHA when a report is requested on the follow-up care being given to a patient. Periodic updates are required to monitor the patient’s bacteriologic, x-ray, and chemotherapy status, or preventive treatment status in an instance of TB infection.

 [Back to Top](#)

	Division of Community and Public Health	
	Section: 1.0 Introduction/Roles	Revised December 2019
	Subsection: 1.07 Missouri State Public Health Laboratory – Tuberculosis Unit	Page 1 of 1

## Missouri State Public Health Laboratory Tuberculosis Section

The **Missouri State Public Health Laboratory (SPHL), Tuberculosis Section**, processes clinical specimens submitted by local public health agencies (LPHAs) at no charge to the patient, health care provider, or LPHA. Clinical specimens submitted by private health care providers, health care facilities, or other laboratories, are processed at a nominal fee. The results of acid-fast bacilli (AFB) smears, *Mycobacterium tuberculosis* complex (MTBC) identification, and molecular and conventional anti-tuberculosis drug susceptibility studies are included in the services provided. The laboratory serves as the Tuberculosis Reference Laboratory for the State of Missouri. A complete listing of services offered can be found on the [Department of Health and Senior Services \(DHSS\) – State Public Health Laboratory](#) website.

The mission of the TB section is to provide mycobacteriology diagnostic laboratory services to all Missouri healthcare providers and LPHAs by providing accurate and timely detection, identification, drug susceptibility testing and genotyping of MTBC in support of the State TB Elimination Program.

The TB section also provides identification of clinically significant nontuberculous mycobacteria (NTM) utilizing Matrix assisted laser desorption ionization time-of-flight (MALDI-TOF), and genetic probe technology.

Specimen collection containers may be obtained at no charge to all healthcare providers by calling (573) 751-4830.

<http://health.mo.gov/lab>

 [Back to Top](#)

	Division of Community and Public Health	
	Section: 1.0 Introduction/Roles	Revised May 2020
	Subsection: 1.08 Private Laboratories	Page 1 of 1

## Private Laboratories

**Private Laboratories**, in accordance with state regulation 19 CSR [20-20.080](#), have the responsibility to report the findings of any test that is suggestive of tuberculosis, most specifically positive smears for acid-fast bacilli (AFB) and positive cultures for *Mycobacterium tuberculosis*. These reports shall be made within twenty-four (24) hours and shall designate the test performed, all results of the test, the name and address of the attending physician, the date the test results were obtained, the name and home address (with zip code) of the patient and the patient's age, date of birth, sex, race and ethnicity.

In addition, in order to provide epidemiological data and information regarding Tuberculosis (TB) in Missouri, including drug-resistance patterns and clusters found through DNA fingerprinting, all private laboratories are strongly encouraged to provide an isolate of all cultures positive for *Mycobacterium tuberculosis* to the Missouri State Public Health Laboratory (SPHL), Tuberculosis Unit.

 [Back to Top](#)

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.09 Local Public Health Agencies	Page 1 of 3

## **Local Public Health Agencies**

**Local Public Health Agencies (LPHAs)** are a vital link in a successful tuberculosis elimination program. The role of the LPHA in the control of Tuberculosis (TB) is very important, whether the patient is hospitalized or is being treated on an outpatient basis. The LPHA is responsible for instructing the patient in the importance of continuous and uninterrupted drug therapy and precautions to take to prevent the transmission of disease.

Case management for the individual patient, as provided by the LPHA, is the key to successful completion of TB disease and infection treatment. Directly observed therapy (DOT) is the standard of care for all patients with active TB disease. Monthly monitoring of the patients' clinical status, compliance with antituberculosis medications, side effects of medications, need for additional sputum examinations, liver function studies, if needed, and referral to health care providers as necessary, allow for the outpatient treatment of tuberculosis patients. DOT sheets are submitted monthly to the state TB nurse and updates for active disease cases are conducted with the state nurse.

The LPHA works closely with the physician to maintain standards of care for each patient, and is responsible for contacting any health care provider, including outpatient departments, infirmaries of state and local correctional facilities, mental institutions, federal facilities, and private physicians to monitor the current status of any patient residing in that county.

The LPHA also maintains surveillance for TB within the community and serves as liaison between local health care providers, facilities and the Bureau of Communicable Disease Control and Prevention.

Specific responsibilities include:

### **Initial Patient Visit:**

This visit may be in the patient's home, the hospital, or at the LPHA. The initial visit by the LPHA, in consultation with the primary health care provider, will be made within three (3) business days after receiving the report of a newly diagnosed or suspected case of TB. **The initial visit is often the key to securing cooperation, and thus to the eventual successful completion of adequate treatment for the patient. Follow-up of contacts and/or identification of additional contacts are further enhanced by the initial home visit.** Reports of a patient with TB disease may come from the Bureau of Communicable Disease Control and Prevention, health care providers or facilities. The tentative diagnosis may be made on the basis of smears that are positive for acid-fast bacilli (AFB), or symptoms and x-ray findings

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.09 Local Public Health Agencies	Page 2 of 3

compatible with TB disease. Individuals being treated for suspect/active TB disease should be considered infectious and remain isolated until they meet the CDC criteria to be considered non-infectious see CDC Core Curriculum on Tuberculosis, Sixth edition 2013, Chapter 7, TB infection Control, page 192 Table 7.2 (<https://www.cdc.gov/tb/education/corecurr/pdf/chapter7.pdf>).

The health care provider should start the patient on appropriate antituberculosis regimen (see the **Core Curriculum on Tuberculosis: What the Clinician Should Know** located at: <http://www.cdc.gov/tb/webcourses/CoreCurr/index.htm>) as soon as TB is suspected.

### **Contact Identification and Follow-up:**

It is the responsibility of the LPHA to initiate contact identification and to assure that all contacts are evaluated for TB disease or infection and appropriately managed. Evaluations of high-risk contacts to current infectious cases of pulmonary or laryngeal TB represent the most productive method of case finding. The TBC-13 Worksheet for Contacts of Newly Diagnosed Cases of TB is useful for this process (see the **TB Manual; Appendices/Sample Forms located at: <http://health.mo.gov/living/healthcondiseases/communicable/tuberculosis/tbmanual/index.php>**).

A contact investigation is indicated if the index patient has confirmed/suspected pulmonary, laryngeal or pleural TB. Contacts of infectious cases should be evaluated within 5-14 days, depending upon the priority level of the contact.

Comprehensive information about the index patient is the foundation for contact investigation. This includes disease characteristics, onset date of illness, names of contacts, exposure locations, and current medical factor (e.g., initiation of effective treatment and drug susceptibility results). Obtaining accurate information is very important, and depends upon establishing trust and rapport. Patients should be interviewed by persons who are fluent in their primary language. If this is not possible, the LPHA should provide interpretation services.

Determining the infectious period helps to focus the investigation on those contacts most likely to be at risk for infection and sets the timeframe for testing contacts. Because the start of the infectious period cannot be precisely determined, a good rule of thumb is to assign a start date 3 months before the diagnosis of TB. However, if the illness has been prolonged, it may be necessary to start further back, as long as over one year in some cases.

**The goal of contact investigation is to identify all contacts that have been recently infected and prevent TB disease by evaluating and treating them. In practice, however, contact investigations may identify additional cases of active TB (secondary cases) that will also need treatment and follow up, including a contact investigation.**

	Division of Community and Public Health	
	<b>Section: 1.0 Introduction/Roles</b>	Revised May 2020
	Subsection: 1.09 Local Public Health Agencies	Page 3 of 3

For additional information, please see CDC “Guidelines for the Investigation of Contacts of Persons with Infectious Tuberculosis.” <http://www.cdc.gov/mmwr/pdf/rr/rr5415.pdf>

 [Back to Top](#)