



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
DIVISION OF CANNABIS REGULATION

**FAILED MANDATORY TESTING: UNAPPROVED REMEDIATION METHOD REQUEST FORM**

Per 19 CSR 100-1.110(10)(B), all product that fails mandatory testing must be reanalyzed, remediated, or destroyed within three (3) months of initial test failure. Within fifteen (15) days of test failure, licensees must notify the Division of Cannabis Regulation (DCR) of the intent to proceed in one of the following ways:

- Reanalysis of previously tested sample.
- Remediation of the harvest or process lot through remediation actions specifically allowed by rule.
- Destruction of the harvest or process lot.
- **Submission of a request to perform remediation not specifically allowed by rule.**

This form is **only** for the purpose of notifying DCR of the intent to perform unapproved remediation processes **specifically allowed by 19 CSR 100-1.110(11)**.

If multiple products fail mandatory testing, a separate unapproved remediation notification form must be submitted for each product that failed mandatory testing. This form must be completed in its entirety to be accepted by DCR.

**Submit this form to: [CannabisCompliance@health.mo.gov](mailto:CannabisCompliance@health.mo.gov) and licensee’s compliance officer. Subject: [Licensee Number] Failed Mandatory Testing Unapproved Remediation Method Notification.**

The licensee shall not proceed with remediation until product is removed from administrative hold.

**Note:** Additional information on how to complete this form can be found at the bottom of this form.

**LICENSEE INFORMATION**

LICENSEE ENTITY LEGAL NAME [1]		
LICENSEE NUMBER [2]	FACILITY PHONE NUMBER	
FACILITY STREET 1	FACILITY STREET 2	
FACILITY CITY	STATE	ZIP CODE

**DESIGNATED CONTACT INFORMATION [3]**

DESIGNATED CONTACT NAME		
PHONE NUMBER	EMAIL	
STREET 1	STREET 2	
CITY	STATE	ZIP CODE

**FAILED PRODUCT INFORMATION (as recorded in statewide track and trace system) [4]**

PRODUCT NAME	ITEM CATEGORY	
FAILED TEST/ANALYTE	DATE OF FAILED TEST	PRODUCT WEIGHT/QUANTITY
TAG NUMBER	PRODUCT PACKAGE NUMBER	

**TESTING LICENSEE INFORMATION [5]**

LICENSEE NAME
---------------

**RECEIVING LICENSE INFORMATION [6]**

LICENSEE NAME	LICENSE NUMBER	
FACILITY STREET 1	FACILITY STREET 2	
CITY	STATE	ZIP CODE

**RECEIVING LICENSEE DESIGNATED CONTACT INFORMATION [3] (if applicable)**

LICENSEE NAME	LICENSE NUMBER	
FACILITY STREET 1	FACILITY STREET 2	
CITY	STATE	ZIP CODE

**REMEDICATION METHOD [7]**

[Empty space for remediation method details]

- [1] The licensee entity legal name as listed within the online registry portal.
- [2] The license number refers to the license number listed on an approved license or certificate. Approved license numbers will have one of the following prefixes: CUL, MAN, DIS, MBW, MBD, TES or TRA.
- [3] Designated contact refers to the individual designated by the licensee as responsible for receiving DCR communications. The designated contact must be the individual identified within the Missouri online registry portal.
- [4] Failed product information refers to information about the product that initially failed testing, as recorded in the statewide track and trace system.
- [5] This refers to the Testing Licensee that completed mandatory testing and failed the sample.
- [6] Receiving licensee refers to the licensee where the product will be sent for remediation. The receiving licensee name, license number, and designated contact information must match the information listed within the Missouri online registry. If remediation completed in-house (remediated by current licensee), this section does not apply and should be left blank.
- [7] A detailed explanation of the remediation method to be used. Licensees must have an SOP for the remediation method requested.  
See 19 CSR 100-1.100(4)(K).

DESIGNATED CONTACT SIGNATURE	DATE
------------------------------	------

[Empty space for signature and date]

**AGENCY USE ONLY**  
**DETERMINATION FOR USE OF UNAPPROVED METHOD PER 19 CSR 100-1.110(10)(B)2.D**

<b>BUREAU OF FACILITY COMPLIANCE MANAGER APPROVAL</b>		
REMEDICATION REQUEST STATUS <input type="checkbox"/> APPROVED <input type="checkbox"/> DENIED	SIGNATURE	DATE