

Health Advisory:

Health Concerns about Misuse of Pesticides for Bed Bug Control

November 28, 2012

This document will be updated as new information becomes available. The current version can always be viewed at <http://www.health.mo.gov>

The Missouri Department of Health & Senior Services (DHSS) is now using 4 types of documents to provide important information to medical and public health professionals, and to other interested persons:

Health Alerts convey information of the highest level of importance which warrants immediate action or attention from Missouri health providers, emergency responders, public health agencies, and/or the public.

Health Advisories provide important information for a specific incident or situation, including that impacting neighboring states; may not require immediate action.

Health Guidances contain comprehensive information pertaining to a particular disease or condition, and include recommendations, guidelines, etc. endorsed by DHSS.

Health Updates provide new or updated information on an incident or situation; can also provide information to update a previously sent Health Alert, Health Advisory, or Health Guidance; unlikely to require immediate action.

Office of the Director
912 Wildwood
P.O. Box 570
Jefferson City, MO 65102
Telephone: (800) 392-0272
Fax: (573) 751-6041

Web site: <http://www.health.mo.gov>

Health Advisory
November 28, 2012

**FROM: MARGARET T. DONNELLY
DIRECTOR**

**SUBJECT: Health Concerns about Misuse of Pesticides
for Bed Bug Control
(Missouri-Specific Guidance on Page 6)**

Public Health Issues

The Agency for Toxic Substances and Disease Registry (ATSDR) and the Centers for Disease Control and Prevention (CDC) are alerting the public to an emerging national concern regarding misuse of pesticides to treat infestations of bed bugs and other insects indoors. Some pesticides are being applied indoors even though they are approved only for outdoor use. Even pesticides that are approved for indoor use can cause harm if over applied or not used as instructed on the product label.

There has been a dramatic increase in the number of bed bug-related inquiries received by the National Pesticide Information Center (NPIC) over the past several years, with many involving incidents of pesticide exposure, spills, or misapplications.[1] From January 2006-December 2010, NPIC reported 169 calls to their hotline where residents, homeowners, or pesticide applicators sprayed pesticides indoors to treat bedbugs. These cases involved pesticides that were misapplied, not intended for indoor use, or legally banned from use. Of those, 129 resulted in mild or serious health effects (including one death) for persons living in affected residences.[2]

ATSDR warns that outdoor pesticides should not be used indoors under any circumstances. Homeowners and applicators should always carefully read the product label to make sure that:

- **it has an EPA registration number**
- **it is intended for indoor use**
- **it is effective against bed bugs (the label should say it is meant to be used to treat your home for bed bugs) and**
- **you know how to properly mix the product (if a concentrate) and where and how to apply it safely within the home.**

Consumers should also be aware of recent cases where licensed and unlicensed pest control applicators illegally sprayed outdoor pesticides indoors to control bed bugs. In some cases, these pesticides were found at levels that harmed or could have harmed people's health. In some cases, residents were relocated until their homes could be decontaminated.

Background

This issue first came to ATSDR's attention when a misapplication of a chemical to treat a bed bug infestation occurred in a residential building in Ohio. A pest control applicator hired by the building owner sprayed the interior of 2 occupied apartments with a pesticide intended only for outdoor use. These illegal applications were made five times over 72 hours and included spraying of ceilings, floors, and even beds and a crib mattress. The occupants included a family with small children, who displayed health symptoms typical of pesticide poisoning, including headache, nausea, vomiting, diarrhea, dizziness, and muscle tremors. The families were evaluated and treated at a local hospital. The homes were evacuated and families relocated. The families lost furniture, electronics, clothing, linens, toys, and other personal items that were grossly contaminated. A review of this case and other cases of acute illness related to exposure to insecticides used for bed bug control was recently published in Morbidity and Mortality Weekly Report[3].

Even pesticides that are approved for indoor use can cause harm if over applied or not used according to the label directions. Like the incident in Ohio, these situations can also result in the loss of personal items, the need to replace contaminated building materials, and expensive cleanups. For example, a mother with a young family contacted NPIC and reported a number of serious health effects her husband, her children, and she experienced from pesticide exposure. A pest control applicator hired by their landlord had applied multiple pesticides seven times over a five-month period. The infestation was later determined not to be bed bugs. Before moving out of the contaminated home, the family members (ranging in ages from 1-32 years) experienced neurological symptoms (such as headaches, dizziness, nausea, visual disturbances, numbness in the face and limbs, muscle tremors, etc.), abdominal pain, and cardiopulmonary symptoms (chest tightness, heart palpitations, and chest pain). Documented in another call was a mother who contacted NPIC describing her infant who developed vomiting and diarrhea after being placed on a mattress treated with an undiluted indoor insecticide. Other bed bug related calls to NPIC describe similar complaints where the caller or the caller's family members experienced headaches, dizziness, nausea, vomiting, tremors, etc., from indoor pesticides being misapplied (often over applied).

How might pesticide exposure affect children?

It is particularly dangerous to allow children to reoccupy a home that has had a recent pesticide treatment where surfaces are still wet, or where they can come in direct contact with pesticide dusts. Children can put objects that have pesticide residues on them in their mouths, and generally put their hands in their mouths and touch their faces more often than adults. They also breathe a greater volume of air per body weight than adults. Thus, the behavior and physical characteristics of children can lead to higher exposures than adults.

Do pesticide products affect the health of animals?

Exposed animals may have the same health effects as people. **Illness in pets after a pest control application is sometimes a first warning that pesticides have been misused or over applied.** Because of their small body weights, exposed pets may show signs of pesticide poisoning quickly. Cats and dogs may be exposed to pesticides when they come in contact with contaminated surfaces such as floors.

Preventing Exposure to Pesticides

1. Make sure you are treating the right pest. Many pests look alike. Before using any pesticides, confirm that your infestation is actually from bed bugs. Some products are specific to an insect, and won't work if used on any other insect. Depending on the lifecycle stage in which they are found, bed bugs can resemble bat bugs, poultry bugs, carpet beetles, and barn swallow bugs. Ticks can also be mistaken for bed bugs. Bed bugs are small parasitic insects. Adult bed bugs are reddish-brown, have flat bodies, are the shape and size of an apple seed, and do not have wings. Signs of bed bugs in your home include bites on the skin resembling a rash, small spots of blood on bed sheets or clothing, brown fecal stains on linens or furniture, staining on ceilings or walls, and finding molts (cast off skins) in the home. For help making sure your pests are bed bugs, you can contact an entomologist (insect expert) at many county extension services. Follow the link below to find your local extension service:
<http://www.csrees.usda.gov/Extension/index.html>

2. Do not use pesticides indoors if they are intended for outdoor use. The label on the product will tell you whether it can be used indoors. Using outdoor pesticides indoors can hurt your family's health, contaminate your home, result in the loss of your belongings if they become contaminated, and cost thousands of dollars to clean up your house to make it safe to reoccupy.

3. Use a pest control expert if you hire someone to treat your home for a pest problem. Treating bed bugs is very challenging. If you choose to hire someone to treat your home, an experienced pest management professional can help you treat the infestation effectively. A pest management professional should thoroughly inspect your residence, and provide instructions for preparation and cleaning. They should use a combination of practices based on specific information about the pest's life cycle and habitat needs. This includes non-chemical methods along with limited and targeted pesticide use only as needed. In most cases, chemicals alone will not eliminate pests. When hiring a pest management professional, ask about the specific steps they take to treat infestations.

When you hire someone to control bed bugs or any other pest, make sure they are currently licensed and certified to apply pesticides. Ask to see the certification. Ask for the brand name of the pesticide and the name of the product's active ingredient in case you or a member of your family gets sick from exposure to the product. Read the label of the product the pest control applicator is planning to use to make sure it is for indoor use.

Check with your state pesticide agency to find out about certification and training requirements <http://aspcro.org/?q=control-officials>. They may also be able to help you find a certified pest control applicator in your area.

4. If you buy over-the-counter pesticide products to apply yourself, be sure

- the product is in unopened, original pesticide containers
- the containers are labeled, and
- the containers have an EPA registration number.

If you feel you have been overexposed to a pesticide or feel sick after a pesticide has been used in your home, consult your doctor or a poison control center (1-800-222-1222) immediately.

5. ALWAYS FOLLOW THE INSTRUCTIONS ON THE PRODUCT LABEL. The label will tell you which bugs the product will kill, how to mix the product, and where and how to apply the product.

Do not apply pesticides repeatedly or in excess of label directions - more is not better and may be unsafe for your family. Do not apply pesticides to beds or furniture unless the label allows it. Not following the label instructions can harm the health of your family, your pets, or you and can result in contamination of your home that can be expensive and time consuming to clean up. Do not use other household chemicals such as kerosene, rubbing alcohol, or bleach for pest control. They can cause negative health effects, fire, or explosions.

Treating an infestation: Integrated Pest Management (IPM)

How can bed bugs be treated safely?

Like lice infestations, bed bugs are best treated using a combination of practices, such as inspection, monitoring, reducing clutter, using physical barriers, and carefully applying pesticides if needed. This type of comprehensive pest control strategy is called “integrated pest management” (IPM). This approach includes vigilant activities by homeowners and renters, such as:

- checking luggage and clothes when returning from a trip or buying second hand clothing, mattresses, or furniture;
- thoroughly inspecting infested areas and the surrounding living space;
- reducing clutter where bed bugs can hide;
- installing encasements on box springs, mattresses and pillows, and using interceptors under bed posts and furniture legs;
- aggressively cleaning infested areas and clothing, in conjunction with professional heat/steam or cold treatments of baseboards and other belongings;
- carefully using pesticides approved for indoor use on bed bugs (see <http://cfpub.epa.gov/oppref/bedbug/> for a list of EPA-approved pesticides), or hiring pest management professional.

There is no federal certification program for IPM pest control professionals, and some professionals practice IPM without specific certification, but two non-profit organizations do have certification programs. To learn more about their programs or to find a pesticide control applicator in your area, visit <http://greenshieldcertified.org/> or <http://www.certifiedgreenpro.org/>. This information is being provided solely to assist you and is not an endorsement or recommendation by CDC of any pest control individual or company.

DO NOT USE BLEACH in areas where you have treated your home with a pesticide. Bleach can convert some pesticides to more toxic forms that could result in harmful exposures to your family. See the following links and for more information on how to effectively treat bed bug infestations:

- Environmental Protection Agency: <http://www.epa.gov/bedbugs>
- National Pesticide Information Center: <http://www.npic.orst.edu/pest/bedbug.html>

Important phone numbers and Web sites

If you believe you or a family member has become ill from a pesticide exposure:

Call your local poison control center: 1-800-222-1222, your local hospital emergency room, or the National Pesticide Information Center at 1-800-858-7378. You can also call the Centers for Disease Control and Prevention Information Line at 1-800-CDC-INFO for information about pesticides.

If you believe your pet has become ill from a pesticide exposure:

Contact your local veterinarian or call the National Animal Poison Control Center at 1-888-426-4435.

To report a possible pesticide misuse:

Contact your state pesticide regulatory agency. You can state specific contact information at: http://www.npic.orst.edu/reg/state_agencies.html

To learn more about pesticides and bed bugs

ATSDR ToxFaqs
<http://www.atsdr.cdc.gov/substances/index.asp>

CDC Parasites Web site
<http://www.cdc.gov/parasites/bedbugs/>

Environmental Protection Agency Web sites
<http://www.epa.gov/bedbugs>
<http://www.epa.gov/pesticides>

National Pesticide Information Center
<http://www.npic.orst.edu>

****Missouri-Specific Guidance****

Guidance for Missouri Physicians

- Medical consultation regarding a patient with possible pesticide poisoning or any other poison is available through the **Missouri Poison Center Hotline** at 1-800-222-1222 or 1-314-772-5200 (St. Louis).
- Pesticide toxicology, signs and symptoms of poisoning, and treatment are covered in the fifth edition of *Recognition and Management of Pesticide Poisonings*, edited by Dr. Routt Reigart and Dr. James Roberts. Both English and Spanish versions are available through the EPA's Office of Pesticide Programs: <http://www.epa.gov/oppfead1/safety/healthcare/handbook/handbook.htm>.
- **Public Health Disease Reporting:** Pesticide poisoning is a reportable condition in the State of Missouri under the Missouri Code of State Regulations 19 CSR 20-20.020. To report clinical signs, symptoms, outcome, laboratory data, and epidemiological features, fax positive laboratory reports and the **Missouri Disease Case Report (MO 580-0779)** to your local public health agency or to (573) 526-6946. To download the reporting form, go to: <http://health.mo.gov/living/healthcondiseases/communicable/communicabledisease/cdmanual/pdf/CD-1.pdf>

Information for Missouri Residents

- DHSS recommends homeowners hire a commercial applicator who is licensed and certified by the **Missouri Department of Agriculture (MDA)** to evaluate the type of pest and how to safely exterminate them. The MDA maintains an on-line list of [Missouri licensed pesticide applicators](#).
- Anyone suspecting that damage has occurred from a pesticide application can contact the **MDA** at (573) 751-5504 to file a complaint about the possible misuse of a pesticide by any applicator. Complaints about pesticide misuse can also be submitted to MDA via email or mail; the Pesticide Incident Report form is available for download at <http://mda.mo.gov/plants/pdf/PesticideIncidentReport.pdf>.
- Consumers' concerns about the health effects of pesticides can be directed to the DHSS-Bureau of Environmental Epidemiology at: 573-751-6102 or (toll-free) 866-628-9891.
- Report a bed bug infestation in a Missouri hotel/motel to DHSS at: 573-751-6095.
- Bed bugs are easily confused with other small household insects, including fleas, carpet beetles, spider beetles, and newly hatched cockroaches (nymphs). If you find an insect that might be a bed bug, contact the **University of Missouri Extension Service** [insect identification program](#).

If you have health concerns regarding the misuse of pesticides for bed bug control, contact the Bureau of Environmental Epidemiology, Missouri Department of Health and Senior Services 573-751-6102 or (toll-free) 866-628-9891.